



A genetic study on subtropical *Anadenanthera colubrina* (Vell.) Brenan var. *cebil* (Griseb.) Altschul tree from Northwestern Argentina

Ciaccio Mirella, Russo Roberta, Palla Franco, Giamminola Eugenia & de Viana
Marta Leonór

To cite this article: Ciaccio Mirella, Russo Roberta, Palla Franco, Giamminola Eugenia & de Viana Marta Leonór (2017): A genetic study on subtropical *Anadenanthera colubrina* (Vell.) Brenan var. *cebil* (Griseb.) Altschul tree from Northwestern Argentina, *Journal of Forest Research*, DOI: [10.1080/13416979.2017.1283975](https://doi.org/10.1080/13416979.2017.1283975)

To link to this article: <http://dx.doi.org/10.1080/13416979.2017.1283975>



[View supplementary material](#)



Published online: 07 Feb 2017.



[Submit your article to this journal](#)



Article views: 1



[View related articles](#)



[View Crossmark data](#)

Full Terms & Conditions of access and use can be found at
<http://www.tandfonline.com/action/journalInformation?journalCode=tjfr20>

A genetic study on subtropical *Anadenanthera colubrina* (Vell.) Brenan var. *cebil* (Griseb.) Altschul tree from Northwestern Argentina

Ciaccio Mirella ^a, Russo Roberta ^a, Palla Franco ^b, Giamminola Eugenia ^c and de Viana Marta Leonór^c

^aIstituto di Biomedicina e Immunologia molecolare "A. Monroy", Consiglio Nazionale delle Ricerche (CNR), Palermo, Italy; ^bDipartimento di Scienze e Tecnologie Biologiche, Chimiche e Farmaceutiche, Sezione Botanica ed Ecologia vegetale, Palermo, Italy; ^cBanco de Germoplasma de Especies Nativas, Instituto de Ecología y Ambiente Humano, Universidad Nacional de Salta, Salta, Argentina

ABSTRACT

Anadenanthera colubrina (Vell.) Brenan var. *cebil* (Griseb.) Altschul is a tree species in South America important for its cultural, economic, and medicinal uses. In addition, it represents a trace in memory of the forests that have decreased over the years and for this reason it is not only interesting to study but also important to preserve the tree species for future generations. In this paper, we have characterized the genetic diversity of four populations. We collected seeds from four different sites: San Bernardo (B), El Cebilar (C), Metán (M), and El Gallinato (G) in Salta Province, North Argentina. We then compared the intergenic transcribed sequences of ribosomal DNA, a known genetic molecular marker. Our previous results, obtained through the morphological and genetic analysis of only four individuals (one for each zone), have showed that the individuals from B and M sites were more similar to each other as well as the individuals from G and C sites. In this paper, a larger number of individuals (25) were characterized and their phylogenetic relationships were computed. The results confirmed the previously found similarities.

ARTICLE HISTORY

Received 29 January 2016

Accepted 12 January 2017

KEYWORDS

Biodiversity; botany; deforestation; conservation; phylogenetics

Introduction

In South America, a region that lies within the tropic, a series of humid-dry cycles occurred during the Pleistocene which altered the ecosystems. Several studies have been carried out, which have analysed the distribution of flora in relation to the climate during the last ice age, aimed at understanding the processes that produced vast areas of vegetation in South America (such as the Amazon rainforest and the grasslands of Patagonia) (Pennington et al. 2004). Glaciations and associated phenomena have had an important effect on the flora and fauna of South America, causing extinction and changes in the geographical distribution of species. They have produced the contraction of the forests during arid periods and their expansion during wet periods (Van der Hammen 1974). Climate changes during the Quaternary ages have caused fluctuations of population size (Hewitt 2000).

Anadenanthera colubrina (Vell.) Brenan var. *cebil* (Griseb.) Altschul belongs to the Fabaceae family, Mimosoideae subfamily (<http://www.kew.org/science-conservation/research-data/resources/legumes-of-the-world>), and has a wide distribution in Brazil, Paraguay, Perù, Bolivia, and Argentina (<http://floradobrasil.jbrj.gov.br/jabot/floradobrasil/FB18071>). In Argentina, it is located in the northern provinces. Today, *A. colubrina* var. *cebil* is intermittently distributed in the seasonally dry tropical forests (Särkinen et al. 2011). This species was categorized as one of "least concern" with a low risk of extinction by IUCN (<http://www.iucnredlist.org>), although del Valle Perea (www.atlas.catamarca.gov.ar) considered it a vulnerable species in Catamarca, with many populations at risk

due to its continuous exploitation. A large area of this forest has destroyed, due to the improvement of agricultural soils, and so the number of *A. colubrina* var. *cebil* has decreased in recent decades representing an example of species fragmentation after deforestation (Barrandeguy et al. 2014).

The further importance of this tree species is due to its economic and medicinal applications in South America. In fact, the wood contains tannins, useful in processing animal hides; it is hard and termite resistant and for this reason it is used in furniture. In popular medicine, it is used to treat respiratory diseases (Carod-Artal & Vásquez-Cabrera 2007).

Intergenic transcribed spacers (ITS) of ribosomal DNA (rDNA) represents genetic molecular markers known to be useful in phylogenetics used in detecting both interspecific and intraspecific variability, as they contain conserved and variable regions (Simon & Weiß 2008). For example, in fungi, the use of ITS marker has allowed a better understanding of intraspecific variability (Schoch et al. 2012).

As demonstrated in a previous study (de Viana et al. 2014), the analysis of the morphological traits in the fruits and seeds of *A. colubrina* var. *cebil* showed similarities among trees from different regions of the same province of Salta (north Argentina): Metán, El Cebilar, San Bernardo, and El Gallinato. The authors analysed the ITS region of fresh seeds, from four trees of *A. colubrina* var. *cebil* (one from each site) collected in Salta Province, showing a wide variability among individuals at both morphologic and genetic levels.

The aim of this work was to deepen the previous study by including a larger number of individuals (25) collected from different locations in Salta Province (Figure 1) and conserved in the Germplasm Bank of Native Species (BGEN-INEAH) of the National University of Salta through




Figure 1. Map of Argentina and Salta Province. The four sites of sampling, San Bernardo (B); El Cebilar (C); El Gallinato (G); and Metán (M).

the use of the ITS-rDNA marker. Study on the genetic diversity of *A. colubrina* var. *cebil* may improve our knowledge about plant genetic characteristics and indicate a tool for propagation and conservation policies.

Materials and methods

Sampling and DNA extraction from plant seeds

Seeds of *A. colubrina* var. *cebil* were collected from four regions in Salta Province including San Bernardo (B), El Cebilar (C), Metán (M), and El Gallinato (G), which are located within about 100 km of each other, as shown in Figure 1. We collected 100 fruits per individual tree, for a total of 10 individuals per population. In the laboratory, the fruits were opened manually and most of the seeds were kept for long-term *ex situ* conservation at the germplasm bank in Salta Province. The seeds used in this study, obtained from different trees, were sterilized and shredded; then the genomic DNA was extracted as previously described (de Viana et al. 2014). Environmental and geographical data of the collecting sites are reported in Table 1.

In vitro amplification (PCR) of ITS regions and analysis of the nucleotide sequences

PCR was carried out as previously described (de Viana et al. 2014). The size of the specific isolated region was 450bp.

The 25 amplicons nucleotide composition was determined by the MWG sequence service (Eurofin-operon) and published in GeneBank. The relative accession numbers are included in Table S1.

Nucleotide alignment, phylogenetic and polymorphic analyses

Multiple alignments of the ITS-rDNA sequences were performed with Clustal W2 software (<http://www.expasy.org>). Shading of the multiple alignment sequences were obtained by Boxshade 3.21 program (http://www.ch.embnet.org/software/BOX_form.html).

The phylogenetic tree was achieved by MEGA6 (Tamura et al. 2013), using the neighbor-joining method (with 500 bootstrap replications). The genetic distances were computed using the Maximum Composite Likelihood Method (Tamura et al. 2004) and are in the units of the number of base substitutions per site. Codon positions included were 1st+2nd+3rd+noncoding. *Cojoba undulatomarginata* L.Rico (Accession number EF638187) and *Calliandra physocalyx* H.M. Hern. & M. Sousa (Accession number JX870727) were utilized as outgroups because of their belonging to the same family (Fabaceae) of *A. colubrina* but are appropriately distant.

The DnaSP (Version 5.0) (<http://www.ub.edu/dnasp>) platform was used to sort the number of variable sites.

Table 1. Geographical and climate data of the Argentina collecting sites (period 1934–1990) (http://anterior.inta.gob.ar/proreno/info/resultados/Precip_NOA/base_precipitaciones_noa.asp).

Recording station	Collecting sites	Geographical coordinates Latitude-longitude	Altitude (MASL)	Average annual rainfall (mm)	Average annual temperature (°C)	Nº individuals for each site
Salta	San Bernardo	24°47'S-65°22'W	1410	695 ± 170	16	5
Mojotoro	El Gallinato	24°41'S-65°18'W	1190	607 ± 187	16	8
Talapampa	El Cebilar	25°37'S-65°30'W	1432	376 ± 73	16	8
Metán	Metán	25°38'S-64°58'W	884	902 ± 259	18	8

MASL = meters above sea level.

Results

Phylogenetic and polymorphic analysis

The phylogenetic relationship between 25 different individuals of *A. colubrina* var. *cebil*, collected in four regions of Salta Province, San Bernardo (B), El Cebilar (C), Metán (M), and El Gallinato (G), was investigated through the ITS-rDNA region sequences. In this study, the sequences previously identified as AcC, AcG, AcM, AcB (de Viana et al. 2014) were also included. The aligned nucleotidic sequences are shown in Table S2 and the related nucleotidic differences are shaded in Table S3. The phylogenetic tree constructed by using the 29 sequences is shown in Figure 2. All of the individuals were sorted into two main groups, which branch out separately, containing 16 and 13 sequences, respectively. The two outgroup sequences of the plants *C. undulatomarginata* and *C. physocalyx* have clustered in a third group, as expected. In this phylogenetic tree, all individuals are divided into two branches: one giving rise to the AcC/AcG group and another giving rise

to the AcM/AcB group. Polymorphic analysis was sorted using DnaSP software. A total of 225 variable sites were detected out of 477 total nucleotides. Genetic distance among the four groups of populations, found by using MEGA 6 software, showed the following results: the distance between M and G populations was 0.191, between M and C was 0.203, and between M and B was 0.07; the distance between C and G populations was 0.08, and between C and B was 0.174; finally, the distance between B and G populations was 0.163 (see Table S4).

Discussion

The choice of ITS-rDNA as a marker capable of establishing the genetic variability of *A. colubrina* var. *cebil* is related to the variability of these nonfunctional sequences on which a low-selective pressure acts. Thus, the ITS-rDNA marker is widely used to study interspecific and intraspecific variations in plants such as Asteraceae and Cyperaceae (Baldwin et al. 1995; Kollipara et al. 1997). In




Figure 2. Phylogenetic tree of *Anadenanthera colubrina* var. *cebil* populations. The four sites of sampling were B = San Bernardo; C = El Cebilar; G = El Gallinato; M = Metán. *Cojoba undulatomarginata* (Cu) and *Calliandra physocalyx* (Cp), which are plants of the same family (Fabaceae) as *A. colubrina*, used as outgroups. The tree is drawn to scale, with branch lengths in the same units as those of the genetic distances. The genetic distances are in units of the number of base substitutions per site. The high bootstrap values indicate the accuracy of the data.

this paper, the sequence analysis of the 29 samples showed that the Argentine population of *A. colubrina* var. *cebilo* possesses a genetic variability within species, as deduced by the phylogenetic tree (Figure 2). In particular, the cluster analysis displayed a high similarity between individuals collected from the regions of San Bernardo and Metán, and between individuals collected from the regions of El Cebilar and El Gallinato (Figure 1). The genetic distance, found between the four analysed populations, clearly showed the same results. In fact, individuals from G/C and B/M sites belonged to the same cluster in the phylogenetic tree. The genetic distance confirmed these findings. In fact, the distance between B and M (corresponding to a value equal to 0.07) was lower than that between B and C/G (0.203 and 0.163, respectively). Analogously, the distance between G and C was 0.08 (see Table S4).

These results are in agreement with the previous study (de Viana et al. 2014) in which the comparison between the sequences of four individuals, one per each region, revealed high identity (98.1%) between B and M, as well as between C and G (97.9%). It could be conceivable to hypothesize that all these individuals belong to a single large population of *A. colubrina* var. *cebilo* with a distribution area that extends from G/B (north) and C/M (south). The environmental conditions and geographical data of the seeds-collecting sites, relating to the period 1934–1990, are reported in Table 1.

The distribution of different individuals may suggest progressive divergence, due to isolation, as in the study on molecular markers in Anacardiaceae reported by Caetano et al. (2008). Alternatively, but not exclusively, populations of *A. colubrina* var. *cebilo* from Salta Province had genetic diversity in ITS-rDNA sequences, simply as a consequence of genetic drift.

Our results are in agreement with those reported by Barrandeguy et al. (2012) and Garcia et al. (2014). They found genetic variability and high levels of polymorphism in natural populations of *A. colubrina* var. *cebilo* collected from northern provinces of Argentina, other than Salta. In addition, they used chloroplast microsatellite (cpSSR) plus nuclear SSRs loci (nSSRs), other than ITS marker.

As regards the high grade of intraspecific polymorphism detected in our study, it is known that ITS polymorphism within individuals is quite common (Baldwin et al. 1995; Rosselló et al. 2006).

As trees have a crucial role in the social, ecological, and economic life of the Earth, covering 30% of its surface, the application of genetics to plant diversity may determine improvements in knowledge about conservation and forests management (Rao & Hodgkin 2002).

The assessment of intraspecific genetic variability of *A. colubrina* var. *cebilo* is important to design appropriate conservation policies. Further studies are needed to assess the levels of variability of a larger population which also includes neighbouring countries of subtropical South America.

Acknowledgments

The authors thanks the Research Council of the National University of Salta and INEAH for supporting this work.

Disclosure statement

No potential conflict of interest was reported by the authors.

ORCID

Ciaccio Mirella  <http://orcid.org/0000-0003-4088-6638>
Russo Roberta  <http://orcid.org/0000-0001-8683-8872>

References

- Baldwin BG, Sanderson MJ, Porter JM, Wojciechowski MF, Campbell CS, Donoghue MJ. 1995. The ITS region of nuclear ribosomal DNA: a valuable source of evidence on angiosperm phylogeny. Ann Mo Bot Gard. 82:247–277.
- Barrandeguy ME, García MV, Prinz K, Pomar RR, Finkeldey R. 2014. Genetic structure of disjunct Argentinean populations of the subtropical tree *Anadenanthera colubrina* var. *cebilo* (Fabaceae). Plant Syst Evol. 300:1693–1705.
- Barrandeguy ME, Prinz K, García MV, Finkeldey R. 2012. Development of microsatellite markers for *Anadenanthera colubrina* var. *cebilo* (Fabaceae), a native tree from South America. Am J Bot. 99:e372–e374.
- Caetano S, Prado D, Pennington RT, Beck S, Oliveira-Filho A, Spichiger R, Naciri Y. 2008. The history of seasonally dry tropical forests in eastern South America: inferences from the genetic structure of the tree *Astronium urundeuva* (Anacardiaceae). Mol Ecol. 17:3147–3159.
- Carod-Artal FJ, Vásquez-Cabrera CB. 2007. Usos rituales de la semilla de *Anadenanthera* sp. entre los indígenas sudamericanos. Neurología. 22:410–415.
- de Viana ML, Gianniminola E, Russo R, Ciaccio M. 2014. Morphology and genetics of *Anadenanthera colubrina* var. *cebilo* (Fabaceae) tree from Salta (Northwestern Argentina). Rev Biol Trop. 62:757–767.
- García MV, Prinz K, Barrandeguy ME, Miretti M, Finkeldey R. 2014. A unifying study of phenotypic and molecular genetic variability in natural populations of *Anadenanthera colubrina* var. *cebilo* from Yungas and Paranaense biogeographic provinces in Argentina. J Genet. 93:123–132.
- Hewitt G. 2000. The genetic legacy of the Quaternary ice ages. Nature. 405:907–913.
- Kollipara KP, Singh RJ, Hymowitz T. 1997. Phylogenetic and genomic relationships in the genus *Glycine* Willd based on sequences from the ITS region of nuclear rDNA. Genome. 40:57–68.
- Pennington RT, Lavin M, Prado DE, Pendry CA, Pell SK, Butterworth CA. 2004. Historical climate change and speciation: neotropical seasonally dry forest plants show patterns of both Tertiary and Quaternary diversification. Philos T Roy Soc B, London B. 359:515–538.
- Rao VR, Hodgkin T. 2002. Genetic diversity and conservation and utilization of plant genetic resources. Plant Cell Tiss Org. 68:1–19.
- Rosselló JA, Cosín R, Boscaiu M, Vicente O, Martínez I, Soriano P. 2006. Intragenomic diversity and phylogenetic systematics of wild rosemaries (*Rosmarinus officinalis*L. s.l., Lamiaceae) assessed by nuclear ribosomal DNA sequences (ITS). Pl Syst Evol. 262:1–12.
- Särkinen T, Iganci JR, Linares-Palomino R, Simon MF, Prado DE. 2011. Forgotten forests-issues and prospects in biome mapping using seasonally dry tropical forests as a case study. BMC Ecol. 11:27.
- Schoch CL, Seifert KA, Huhndorf S, Robert V, Spouge JL, Levesque CA, Chen W; Fungal Barcoding Consortium. 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for fungi. PNAS 109:6241–6246.
- Simon UK, Weiß M. 2008. Intragenomic variation of fungal ribosomal genes is higher than previously thought. Mol Biol Evol. 25:2251–2254.
- Tamura K, Nei M, Kumar S. 2004. Prospects for inferring very large phylogenies by using the neighbor-joining method. P Natl Acad Sci USA. 101:11030–11035.
- Tamura K, Stecher G, Peterson D, Filipski A, Kumar S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. Mol Biol Evol. 30:2725–2729.
- Van Der Hammen T. 1974. The Pleistocene changes of vegetation and climate in tropical South America. J Biogeogr. 1:3–26.

Table S1 Accession numbers of the *Anadanthera colubrina* samples

Samples	Accession numbers
AcM	JQ910930
AcM2	LN827632
AcM3	LN827633
AcM4	LN827634
AcM5	LN827635
AcM7	LN827636
AcM8	LN827637
AcM10	LN827638
AcC	HF564642
AcC1	LN827646
AcC2	LN827647
AcC3	LN827648
AcC6	LN827649
AcC7	LN827650
AcC8	LN827651
AcC10	LN827652
AcB	HF564640
AcB2	LN827653
AcB4	LN827654
AcB5	LN827655
AcB9	LN827656
AcG	HF564641
AcG1	LN827639

AcG2	LN827640
AcG3	LN827641
AcG4	LN827642
AcG5	LN827643
AcG9	LN827644
AcG10	LN827645

Table S2 Clustal W2 alignment

ACG-HF564641.1	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCCGGTACCTCAGGTGC	50
ACC1	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCCGGTACCTCAGGTGC	50
ACC10	-----TGAAAGCCT-CCCAAGCCGGGCACAACG--CCAACCCGGCACCTCAGGTGC	50
ACG1	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACGCCGGTACCTCAGGTGC	50
ACC-HF564642.1	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACGCCGGTACCTCAGGTGC	50
ACG9	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACGCCGGTACCTCAGGTGC	50
ACC3	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACGCCGGTACCTCAGGTGC	50
ACC7	-----TGAAAGCCT-CCCAAGCCGGGTACGACG--CAAACGCTGGTACCTCAGGTGC	50
ACC8	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACGCCGGTACCTCAGGTGC	50
ACG4	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCCGGTACCTCAGGTGC	50
ACG10	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCCGGTACCTCAGGTGC	50
ACG3	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCCGGTGCCTCAGGCG	50
ACG5	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CATACCCGATACCTCAGGCG	50
ACG2	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACCCGGTGCCTCAGGTGC	50
ACC2	-----TGAAAGCCT-CCCAAGCCGGGTACAACA--CAAACGCCGGTACCTCAGGTAC	50
ACC6	-----TGAAAGCCT-CCCAGAGCGCGGGACAACG--CCTACCCGGCACCTTAGGTGC	50
ACM-JQ910930.1	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACM3	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACM5	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACB-HF564640.1	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACB2	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACB5	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACM2	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACB9	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACM7	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
ACM8	-----TGAAAGCCT-CCCAAGCCGGGTACATAACA--CAACCCCTGGTGCCTCAGGCAC	50
ACM10	-----TGAAAGCCT-CCCAAGCCAGGGCACAACA--CAAACCTGGTGCCTCAGGCAC	50
AcM4	-----TGAAAGCCT-CCCAAGCCGGGGCACAACA--CAAACCCGGTCCCTCAGGTAC	50
AcB4	-----TGAAAGCCT-CCCAAGCCGGGCACAACA--CAAACCTGGTACCTCAGGTAC	50
CU	GGGAGGGCGACGGCGTGGCCGAGGCCCTCCCCGAGAAACAAACCCGGCGCTCAGGCG	60
CP	----GG----GGCGCCCCGAGGCC-CCCCCGACAACAAACCCGGGCCACAGGCG	50
. ** *** . ** . . * . * : * . * . * . * . * . * . * . *		
ACG-HF564641.1	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACC1	CAAGGAACTGCAACAGAGCGAG-AGTCGCCATTGACCCGAAATGACTCTAA	109
ACC10	CAAGGAACTGCAACAGATCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG1	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACC-HF564642.1	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG9	CAAGGAACCGCAACAAAGCGAG-AACGCCCTATGCCATTGACCCGAAATGACTCTAA	109
ACC3	CAAGGAACCGCAACAAAGCGAG-CACGCCCTACGCCATTGACCCGAAATGACTCTAA	109
ACC7	CAAGGAACAGCAACAGAGCGGG-AGCGCTAACGCCATTGACCCGAAATGACTCTAA	109
ACC8	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG4	CAAGGAACTGCAACAGAGCGAG-CGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG10	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG3	CAAGGAACTGCAACAGAGCGAG-TGCGCCTTACGCCATTGACCCGAAATGACTCTAA	109
ACG5	CAAGGAACTGCGACAGAGCGAG-AGCGCCTTACGCCATTGACCCGAAATGACTCTGA	109
ACG2	CAGGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTAA	109
ACC2	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCGAAACGACTCTGG	109
ACC6	CAAGCAACTGCAACAGAGGGAG-AGCGCCTTACGCCATTGACCCAAAATGACTCTAA	109
ACM-JQ910930.1	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM3	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM5	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACB-HF564640.1	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACB2	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACB5	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM2	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACB9	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM7	AACGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM8	CAAGGAACTGCAACAGAGGTGAG-GGCCGCTCATGCCATTGACCCAAAACGACTCTGG	109
ACM10	CAAGAAACCGCAACAAAGCGAG-CGCGCCTCACGCCATTGACCCAAAATAACTCTGG	109
AcM4	CAAGGAACTGCAACAGAGCGAG-TGCGCCTCATGCCATTGACCCAAAACGACTCTGG	109
AcB4	CAAGGAACTGCAACAGAGCGAG-AGCGCCTTACGCCATTGACCCAAAACGACTCTGG	109
CU	CAAGGAACCGAAACAAAGCAGGGCATCGT---GCCATTGCACTCGAACAGACTCTGG	117
CP	CAAGGAACAGCAAAGCAAGGCCATGCGATTGCACTCGAACAGACTCTGG	110
. * * . * . * . * . * . * . * . * . * . * . * . * . * . * . *		

ACG-HF564641.1	CAACGGATATCTCAGCTCGCATCGATG-AGAACGTAGTGAATGCAATGCTTGGTGTG 168
ACC1	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACC10	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG1	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACC-HF564642.1	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG9	CAACGGATATCTCAGCTCGCATCAATGAAGAACGTAGCGAAATGCAATACTTGGTGTG 169
ACC3	TAAACGGATATCTCAGCTCGCATCAATGAAGAACGTAGTGAATGCGATGCTTGGTGTG 169
ACC7	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGGGAAATGCAATACTTGGTGTG 169
ACC8	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG4	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG10	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG3	CAACGGATATCTCAGCTCGCATCAATGAAGAACGTAGTGAATGCAATGCTTGGTGTG 169
ACG5	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGTGAATGCGATGCTTGGTGTG 169
ACG2	CAACGGATATCTCAGCTCGCATCGATGAAGAACATAGCGAAATGCGATGCTTAGTGTG 169
ACC2	CAACGGATATCTCAGCTCGCATCGATGAAGAACGTAGCGAAATGCAATGCTTAGTGTG 169
ACC6	CAACGGATATCTCACTCTGGCATCGATGAAGAACGTGCGAAATGCAATGCTTGGTGTG 169
ACM-JQ910930.1	CAACGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGCGATGCTTGGTGTG 169
ACM3	CAACGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGCGATGCTTGGTGTG 169
ACM5	CAACGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGCGATGCTTGGTGTG 169
ACB-HF564640.1	CAACGGATATCTCGACTCTGCATCGATGAAGAACATAGCGAAATGCGATGCTTAGTGTG 169
ACB2	CAACGGATATCTCGACTCTTGGATCGATGAAGAACATAGCGAAATGCGATGCTTAGTGTG 169
ACB5	CAACGGATATCTCGACTCTGCATCGATGAAGAACATAGCGAAATGCGATGCTTAGTGTG 169
ACM2	CAACGGATATCTCGACTCTGCATCGATGAAGAACATAGCGAAATGCGATGCTTAGTGTG 169
ACB9	CAACGGATATCTCGACTCTGCATCGATGAAGAACATAGCGAAATGCGATGCTTGGTGTG 169
ACM7	TACCGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGCGATGCTTGGTGTG 169
ACM8	CAACGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGTGATGCTTGGTGTG 169
ACM10	CAACGTATATCTTAGCTCATATCTAAAAAGAACAGAGCGAAATATGATACTTGGTGTG 169
AcM4	CAAAGGGATATCTCGGCTCGCATCGATGAAGAACATAGCGAAATGCAATGCTTGGTGTG 169
AcB4	CAACGGATATCTCGACTCTGCATCGATGAAGAACATAGCGAAATGCAATGCTTGGTGTG 169
CU	CAACGGATATCTCGGCTCGCATCGATGAAGAACGTAGCGAAATGCGATACCTTGGTGTG 177

ACG-HF564641.1	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCG-CCAAAGCTATTAG 227
ACC1	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACC10	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACG1	AATTGCAGAACCTGTGAACATATTGAGTCTTGAATGTAAGTTGCG-CCAAAGCTATTAG 229
ACC-HF564642.1	AATTGCAGAACCTGTGAACATATTGAGTCTTGAATGTAAGTTGCG-CCAAAGCTATTAG 228
ACG9	AATTGCAGAACCCGTGAACCATTGGAGTCTTGAATGTAAGTTACGCCAAGCTATTAG 229
ACC3	AATTGCAGAACCCGTGAACCATTGAGTCTTGAATGCAAGTTACGCCAAGCTATTAG 229
ACC7	AATTGCAAAATCCCGTGAACATCGAGTCTTGAATGCAAGTTGCGCCCAAAGCATTAG 229
ACC8	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACG4	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACG10	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACG3	AATTGCAGAACCTGTGAACATCGAGTCTTGAATGTAAGTTGCGCCCAAAGCTATTAG 229
ACG5	AATTGCAGAACCTGTGAACATATTGAGTCTTGAATGTAAGTTATGCCCATGCTATTAG 229
ACG2	AATTGCAGAACCTGTGAACATATTGAGTCTTGAACGCAAGTTGCGCCCAAAGCTATTAG 229
ACC2	AATTGCAGAACCCGTGAACCATTGAGTCCTGAAACGCAAGTTGTG-CCAAAGCATTAG 228
ACC6	AATTGCGGAATCTTGAGAACATTGAGTCTTGAAGGGAAACTTGTGCCCAAATTGATTAG 229
ACM-JQ910930.1	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
ACM3	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
ACM5	AATTGCAGAACATTGGAAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
ACB-HF564640.1	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCCAAAGCATTAG 229
ACB2	AATTGCAGAACCTGTGAACCATTAGTCCTGAAACGCAAGTTGTGCCCAAAGCATTAG 229
ACB5	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCCAAAGCATTAG 229
ACM2	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCCAAAGCATTAG 229
ACB9	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCCAAAGCATTAG 229
ACM7	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
ACM8	ACTTGCGAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
ACM10	AAGTGGAGAACCTGTGAACCATTGGAGTCTTGAATGCAAGTTACGCCAAGCATTAG 229
AcM4	AATTGCAGAACCTGTAAACCATTGAGTCCTGAAACGCAAGTTGTGCCGAAGCATTAG 229
AcB4	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGTAAGTTGCGCCCAAAGCTATTAG 229
CU	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGCGCCGAAGCCTTAG 237
CP	AATTGCAGAACCTGTGAACCATTGAGTCCTGAAACGCAAGTTGCGCCGAAGCCTTAG 230

ACG-HF564641.1	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	285
ACC1	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACC10	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACG1	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACC-HF564642.1	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	286
ACG9	GCTGAGGGCACGCCCTGCCCTGGCGTCACGTAACATGCCGCCACCCCACGCG--GGGCAC	287
ACC3	GCCGAGGGCACGCCCTGCCCTGGCGTCACGTAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACC7	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAAGGTGCCGCCACCCCACGCG--GGGCAC	287
ACC8	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACG4	GCCGAGGGCACGCCCTGCCATGGCACAGCAACGTGCCGCCACCCCACGCG--GAGCAC	287
ACG10	GCCGAGGGCACGCCCTGCCCTGGCGTCACGCAACGTGCCGCCACCCCACGCG--GGGCAC	287
ACG3	GCCGAGGGCACGCCCTGCCATGGCATTACGCAACGTTGCCGCCACCCCACGCG--GGGCC	287
ACG5	GCCGAGGGCACGCCCTGCCCTGGCGTCAGGAACAGTCGCCGCCACCTCACGCG--GGGC	287
ACG2	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTTGCCGCCACCTCACGCG--GGGCAC	287
ACC2	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTTGCCGCCACCTCACGCG--AGGC	286
ACC6	GCGGAGGGCCCGCTGCAAGGCTGAGGAAACGCCGCCGCCCCACGCG--GGGC	287
ACM-JQ910930.1	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCCGCCGCTACCTCACGCG--GGGC	287
ACM3	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCCGCCGCTACCTCACGCG--GGGC	287
ACM5	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCCGCCGACCTCACGCG--GGGC	287
ACB-HF564640.1	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCGCCGCTACCTCACGCG--GGGC	287
ACB2	GCCGAGGGCACGCTGCCCGGGCATCACGAAACGTGCGCCGCTACCTCACGCG--GGGC	287
ACB5	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCGCCGCTACGCG--GGGC	287
ACM2	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCGCCGCTACGCG--GGGC	287
ACB9	GCCGAGGGCACGCCCTGCCCGGGCATCACGAAACGTGCGCCGCTACGCG--GGGC	287
ACM7	GCCAAGAACACGCCCTGCTGGGATCACGATCGTGCCTACCTCACGCG--GGGC	287
ACM8	GCCGAGGGCACGCCCTGCCCTGGCTACGTATCGTGCCTGCCGCCCTAACGCG--GGGC	287
ACM10	GCTGAGGGCACCCCTGCCCTGGCGTCACGTAACGTGCGGCTACCTGACGCG--GGGC	287
AcM4	GCCGAGGGCACGCCCTGCCCGGGCTCACGGAACGTGCCGCCACCCCACGCG--GGGC	287
AcB4	GCCGAGGGCACGCCCTGCCCTGGGATCACGAAACGTGCCGCCACCTCACGCG--GGGC	287
CU	GCCGAGGGCACGCTGCCCTGGGTGTCACGAAACGTGCCAACGCCGATCCTCTGGCGT	297
CP	GCCGAGGGCACGCTGCCCTGGGTGTCACGAGCGTCGCCACCACGCCGATCATGCCG	290
* * . * * * . * * * : * * * . * * . * * * . * * . * . * * *		

ACG-HF564641.1	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	345
ACC1	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACC10	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACG1	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACC-HF564642.1	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	346
ACG9	GGTGAATGATGCCCTCCCAGGGCTCTGTCCCCCAGCTGGCTGAAATGACGGCCTAGCGC	347
ACC3	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACC7	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACC8	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACG4	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCTAACTGGCGAAATAACTGCCCTAGCGC	347
ACG10	GGCGAATGATGCCCTCCCAAGGGCTCTATCCCCAACCTGGCGAAATAACTGCCCTAGCGC	347
ACG3	GGTGAATGATGCCCTCCCAGGGCTCCATCCCCCAGCTGGCGAAATAACTGCCCTAGCGC	347
ACG5	CGAAATGATGCCCTCCCCAGGGCTCTATCCCCCAGCTGGACGAAATCACTGCCCTAGCGC	347
ACG2	GGCGAATGATGCCCTCCCAGGGCTCTATCCCCGGCTGGCGAAATAACTGCCCTAGCGC	347
ACC2	GGCGAATGATGCCCTCCCAGGGCTCCATCCCCTAGCTAGCCGAATGACGGCCTAGCGC	346
ACC6	CGCAGATGATGCCCTCCCAGGGCTCTATCCCCCGGCTAGCGGAATGACTCCCTAGCGT	347
ACM-JQ910930.1	GGTAGATGATGCCCTCCCTAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTCGC	347
ACM3	GGTAGATGATGCCCTCCCTAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTACG	347
ACM5	GGTAGATGATGCCCTCCCTAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTAGCG	347
ACB-HF564640.1	GGTAGATGATGCCCTCCCAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTCGC	347
ACB2	GGTAGATGATGCCCTCCCAGGGCTCCATCCCCCTGGCTAGGTGAAATGATGCCCTCGC	347
ACB5	GGTAGATGATGCCCTCCCAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTACG	347
ACM2	GATAGATGATGCCCTCCCAGGGCTCGATCCCCCTGGCTAGCTGAAATGATGCCCTCGC	347
ACB9	GCTAGATGATGCCCTCCCAGGGCTCCATCCCCCTGGCTAGCTGAAATGATGCCCTCGC	347
ACM7	GCTAGAAGATGCCCTCTTAGGGCTCCATCCCCCTGGCTACTTGAATTGATGCCCTCCCC	347
ACM8	GCTAGATGATGCCCTCTTAGGGCTCCATCCCCCTGGCTAGCCGAATGATGCCCTAGTG	347
ACM10	GGTTGATGATGCCCTCTAGGGCTCCATCCCCCTGGCTAGCTGAAATGTTGGCTCGC	347
AcM4	GGTGGATGATGCCCTCCCAGGGCTCCATCCCCCGGCTGGCTGAATGATGCCCTCGC	347
AcB4	GGTAGATGATGCCCTCCCAGGGCTCCATCCCCAGGCTGGCTGAATGATGCCCTAGCG	347
CU	GGCGGATGATGCCCTCCCAGGGAGCGTCGCCCTCCCGGCTGGCGAAAAGGGGCCGACGT	357
CP	GGCGGATGATGCCCTCCCAGGGAGCGTCGCCCTCCCGGCTGGCGAAAATAGGGGCCAACGT	350
. . * : * * * . * ** . . * * . * * . * . * * . * * : * *		

ACG-HF564641.1	GATGGCGGCAATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	404
ACC1	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACC10	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACG1	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACC-HF564642.1	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	405
ACG9	GACGGTGGCCACGATCCACGAGGACGCTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACC3	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACC7	ATGGCGGCCATGATCCACGGAGAAGTCGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACC8	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACG4	GATGGCGGCCATGATCCACGTGGACGTTGAGACCGAACGTGATCG-CACAATCCCAGTG	406
ACG10	GATGGCGGCCATGATCCACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	406
ACG3	GATGGCGGCCATGATCCATGGGGATGTTGAGACCGAACGTGACCG-CGCAATCCCATGG	406
ACG5	GATGGCGGCCATGATCCAGCAGGGACGTTGAGACCGAACGTGATCG-CATAATCCCAATG	406
ACG2	GATGGCGGCCACGATCTACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCACGG	406
ACC2	GATGGCGGCCACGATCTACGGGGACGTTGAGACCGAACGTGATCG-CACAATCCCATGG	405
ACC6	GATGGAGGCCATGATCCAGAGGGACGTTGAGACCGAACGTGATCG-CATTGTCCCCATGG	406
ACM-JQ910930.1	GATGGCGGCCACGATCCATAGGGATGTTCAAGAAATAGACGTGCGCG-CGTTGTCCCCACGG	406
ACM3	GATGGCGGCCACGATCCATAGGGATGTTCAAGAAATAGACGTGCGCG-CGTTGTCCCCACGG	406
ACM5	GATGGCGGCCACGATCCATAGGGATGTTCAAGAAATAGACGTACGCG-CGTTGTCCCCACGG	406
ACB-HF564640.1	GATGGCGGCCACGATCTAGGGATGTTCAAGAAATAGACGTGCACG-CGTTGTCCCCACGG	406
ACB2	GATGGCGGCCACGATCTAGGGATGTTCAAGAAATAGACGTGCACG-CGTTGTCCCCACGG	406
ACB5	GATGGCGGCCACGATCTAGGGATGTTCAAGAAATAGACGTGCACG-CGTTGTCCCCACGG	406
ACM2	GATGGCGGCAACGATCTAGGGATGTTCAAGAATTAGACGTGCACG-CGTTGTCCCCACGG	406
ACB9	GATGGCGGCCACGATCTAGGGATGTTCAAGAAATAGACGTGCACG-CGTTGTCCCCACGG	406
ACM7	GATGGCGGCAACAATCCATAGGGATGTTCAAGAAATGGACGTGCCCG-CGTTGACCCACGG	406
ACM8	GATGGCGGCCACGATCCATAGGGATGTTCAAGAAATAGACGTGCGCG-CGTTGTCCCCACGG	406
ACM10	GATGGCGGCCACGATCCATAGGGACGTTCAAGAAATAGACGTGCGCG-CGTTGACCCACGG	406
AcM4	GATGGCGGCCACGATCCATAGGGACGTTCAAGAAATAGACGTGCGCG-CGTTATCCCACGG	406
AcB4	GATGGCGGCCACGATCCATAGGGATGTTCAAGAAATAGACGTGCACG-CGTTGTCCCCACGG	406
CU	GACGACTGCCACGATCCACGGTGGT-TGGCGAACATCGCTCGAGGCCAAGACGTGCG-	415
CP	GACGGCCGCCACGATCCACGGTGGA-TGAGTGTACTCGCTCGAG-CCAGGTCGCGCG-	407

* * * . * * . * . * * . : * . . * * . : * .

ACG-HF564641.1	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCG-TCAA-----GCGG-	447
ACC1	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCGAGGTAG-----GCGG-	450
ACC10	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCGAGGTAG-----GCGG-	450
ACG1	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACC-HF564642.1	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	449
ACG9	GGAGGGTCGAACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACC3	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACC7	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACC8	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACG4	GGAGGGTCGTACCGGAATCCGACGGTACCCCTAGGTAG-----GCGG-	450
ACG10	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACG3	GGAGGGCGGGACCCCGAATCCCACGGCAACCCCTAGGTAG-----GCGG-	450
ACG5	GGAGGGCGGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACG2	GGAGGGTCGAACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	450
ACC2	GGAGGGTCGGACCCCGAATCCCACGGCGACCCCTAGGTAG-----GCGG-	449
ACC6	GGAGGGCTGGACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM-JQ910930.1	GGAGGGCTGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM3	GGAGGGCTGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM5	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACB-HF564640.1	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACB2	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACB5	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM2	GAAGGGCGAACCCCGAATCCCACAGCAACCCCTGGGTAG-----GCGG-	450
ACB9	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM7	GGAGGGTGAACCCCGAATCCACAGTAACCCCTGGTAG-----GCGG-	450
ACM8	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
ACM10	GGAGGGCTGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
AcM4	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
AcB4	GGAGGGCGAACCCCGAATCCCACAGCAACCCCTAGGTAG-----GCGG-	450
CU	--CGGGTCGTGCCACG-----GCAGGG-----GCC-----438	
CP	--TGCGCCGTGCCACGGTGTGGCCAGCAAGGGCGCTCGACGCCCTT	456

* * * . * * * . * * * .

Table S3 Boxshade of Clustal W2 alignment with evidenced nucleotide differences

ACG-HF564641.1	1	CAAGGAAC TGCAACAGAGCGAG-AGCGCCTTACGCCATTGCACCCGAAATGACTCTCAA
ACC1	1-T.....T.....
ACC10	1T.....
ACG1	1-T.....
ACC-HF564642.1	1-
ACG9	1C.....A.....-A.....C.T.....
ACC3	1C.....A.....-CA.....C.....T.....
ACC7	1A.....G.....A.....A.....
ACC8	1-
ACG4	1-C.....
ACG10	1-
ACG3	1-T.....
ACG5	1G.....-.....G.....
ACG2	1	..G.....-T.....C.T.....A..C.....
ACC2	1-T.....C.T.....C.....GG.....
ACC6	1C.....G.....-.....CTT.....A..TGC.....T..
ACM-JQ910930.1	1-T.....C.T.....A..C.....GG.....
ACM3	1-T.....C.T.....A..C.....GG.....
ACM5	1-T.....C.T.....A..C.....GG.....
ACB-HF564640.1	1-T.....C.T.....A..C.....GG.....
ACB2	1-T.....C.T.....A..C.....GG.....
ACB5	1-T.....C.T.....A..C.....GG.....
ACM2	1-T.....C.T.....A..C.....GG.....
ACB9	1-TAG.....C.T.....A..C.....GG.....
ACM7	1	A.C.....-T.....C.T.....A..C.....GG.....
ACM8	1T..-G.....C.T.....G..A..C.....GG.....
ACM10	1A..C.....A.....-C.....C.....A..A.....GG.....
AcM4	1-T.....C.T.....A..C.....GG.....
AcB4	1-.....A..C.....GG.....
CU	1AC.A.....A..AG.GCA.T.G.--AT.....T.....C.....GG.....
CP	1A..AGA..A..GCA..A.G.T..AT.....T.....C.....GG.....
ACG-HF564641.1	60	CAACGGATATCTCAGCTCTCGCATCGATG-AGAACGTAGTGAAATGCAATGCTTGG
ACC1	60A.....
ACC10	60A.....
ACG1	60A.....
ACC-HF564642.1	60A.....
ACG9	60A..A.....C.....A.....
ACC3	60	T.....A..A.....G.....
ACC7	60A.....G.....A.....
ACC8	60A.....
ACG4	60A.....
ACG10	60A.....
ACG3	60A..A.....
ACG5	60A.....G.....G.....
ACG2	60A..A..C.....G.....A.....
ACC2	60A.....C.....A.....
ACC6	60CT..G.....A.....C.C.....
ACM-JQ910930.1	60G.....A..A..C.....G.....
ACM3	60G.....A..A..C.....G.....
ACM5	60G.....A..A..C.....G.....
ACB-HF564640.1	60GA.....A..A..C.....G.....A.....
ACB2	60GA.....T.G.....A..A..C.....G.....A.....
ACB5	60GA.....A..A..C.....G.....A.....
ACM2	60GA.....A..A..C.....G.....A.....
ACB9	60GA.....A..A..C.....G.....
ACM7	60	T.C.....G.....A..A..C.....G.....
ACM8	60G.....A..A..C.....TG.....
ACM10	60T.....T.....AT..T.AAA.....AG.C.....ATG..A.....
AcM4	60A.....G.....A..A..C.....
AcB4	60GA.....A..A..C.....
CU	58G.....A.....C.....G..A.....
CP	61G.....A.....C.....G..A.....
ACG-HF564641.1	115	TGTGAATTGCAGAACCTGTGAACTATCGAGTC TTGAATGTAAGTTGCG-CCAAA
ACC1	116C.....
ACC10	116C.....
ACG1	116T.....C.....
ACC-HF564642.1	116T.....-
ACG9	116C.....C..G.....A..C..G..
ACC3	116C.....C..T.....C.....A..C.....

ACC7	116A.....C.....C.....C.....
ACC8	116C.....C.....C.....C.....
ACG4	116C.....C.....C.....C.....
ACG10	116C.....C.....C.....C.....
ACG3	116C.....C.....C.....C.....
ACG5	116T.....AT.C..C.T
ACG2	116T.....C.C.....C.....C.....
ACC2	116C.....C.T.....C.....C.C.....T.-.....
ACC6	116G.....A.....T.....G.G..C..T.C.....
ACM-JQ910930.1	116C.....C.T.....C.....C.C.....T.C..G..
ACM3	116C.....C.T.....C.....C.C.....T.C..G..
ACM5	116T.C.G.....C.T.....C.....C.C.....T.C..G..
ACB-HF564640.1	116C.....C.T.....C.....C.C.....T.C.....
ACB2	116C.....C..TT.....C.....C.C.....T.C.....
ACB5	116C.....C.T.....C.....C.C.....T.C.....
ACM2	116C.....C.T.....C.....C.C.....T.C.....
ACB9	116C.....C.T.....C.....C.C.....T.C.....
ACM7	116C.....C.T.....C.....C.C.....T.C..G..
ACM8	116C.....C.....C.....C.C.....T.C..G..
ACM10	116G..G.....C.....C.G.....C.....A..C..G..
AcM4	116T..C..T.....C.....C.G.....T.C..G..
AcB4	116C.....C.....C.....C.....C.....C.....
CU	114C.....C.....C.C.....C..G..
CP	117C.....C.....C.C.....C..G..

ACG-HF564641.1	170	GCTATTAGGCCGAGGGCACGCCCTGCCTGGCGTCACGCAACGTGCGCCACCCCA
ACC1	172
ACC10	172
ACG1	172
ACC-HF564642.1	171
ACG9	172T.....A.....T..A
ACC3	172T
ACC7	172	..C.....T.....G
ACC8	172
ACG4	172AT..A
ACG10	172
ACG3	172A.....T
ACG5	172G.....T..
ACG2	172C..A.....T.....G..T..
ACC2	171	..C.....C..A.....T.....G..T..
ACC6	172	TTG.....G.....C.....A.A..C.G.G.....C.....GC..T..
ACM-JQ910930.1	172	..C.....C..A.....T.....T..T..
ACM3	172	..C.....C..A.....G..T..
ACM5	172	..C.....G..C..A.....G..T..
ACB-HF564640.1	172	..C.....C..A.....T.....G..T..
ACB2	172	..C.....T..C..A.....T.....G..T..
ACB5	172	..C.....C..A.....T.....G..T..
ACM2	172	..C.....C..A.....T.....G..T..
ACB9	172	..C.....C..A.....T.....G..T..
ACM7	172	..C.....A..A.....T..A.....T.....GC..T..T..
ACM8	172	.TC.....CTT.....T..T.....GC..T..
ACM10	172	..C.....T..C.....T.....G..T..TG..
AcM4	172	..C.....C..C..G.....
AcB4	172A.....T..
CU	170	..CT.....T.....T.....AA.G..G..
CP	173	..CT.....T.....T.....A..G..G..

ACG-HF564641.1	226	CGCG--GGGCACGGCGAATGATGGCCTCCCGAGGCCTCTATCCCCCAGCTGGCCGA
ACC1	228--
ACC10	228--
ACG1	228--
ACC-HF564642.1	227--
ACG9	228--T.....G.....T..
ACC3	228--
ACC7	228--
ACC8	228--
ACG4	228--.A.....AGA.G.....T.A..
ACG10	228--.A.....A.....A..
ACG3	228--.C..T.....C.....
ACG5	228--.G.C..A.....CGA.G.....A..
ACG2	228--.....G..
ACC2	227-A..G.....G..C.....T..A..
ACC6	228-.G.C..AG.....G..G.....G..A..G..
ACM-JQ910930.1	228-.G..TAG.....TAG..G..C.....TG..A..T..
ACM3	228-.G..TAG.....TAG..G..C.....TG..A..T..

ACM5	228G..TAG.....TAG..G..C.....TG..A..T..
ACB-HF564640.1	228G..TAG.....AG..G..C.....TG..A..T..
ACB2	228G..TAG.....AG..G..C.....TG..A..GT..
ACB5	228G..TAG.....AG..G..C.....TG..A..T..
ACM2	228G..ATAG.....A.....AG..G..G.....TG..A..T..
ACB9	228G..TAG.....AG..G..C.....TG..A..T..
ACM7	228G..TAG.A.....T..TTAG.....C.....TG..ACTT..
ACM8	228	A.....G..TAG.....TTTG..G..C.....T..G..A.....
ACM10	228G..TTG.....TAG..G..C.....TG..A..T..
AcM4	228GG..T.G.....AG..G..C.....G.....T..
Acb4	228G..TAG.....AG..G..C.....AG.....T..
CU	226	TC.TCT....GT....G.....G.AG.CTCGC.T....G.....
CP	229	TCATGC....TT....G.....G.AG.GTCGC.T....G.....

ACG-HF564641.1	280	AATAACTGCCTAGCGCGATGGCGGCAATGATCCACGGGACGTTCGAGACCGAACG
ACC1	282C.....
ACC10	282C.....
ACG1	282C.....
ACC-HF564642.1	281C.....
ACG9	282	...G..G.....C..T..C.C.....A.....C.T..
ACC3	282C.....
ACC7	282A.....C.....A..A.....
ACC8	282C.....
ACG4	282C.....T.....
ACG10	282C.....
ACG3	282C.....T.....T.....
ACG5	282	...C.....C.....GC.....
ACG2	282C.....C.C.....T.....AG.....
ACC2	281	...G..G.....C.C.....T.....
ACC6	282	...G..C.....T.....A.....GA.....T.....AG.....
ACM-JQ910930.1	282	...G..TG.....C.....C.C.....TA.....T.....A.....ATAG.....
ACM3	282	...G..TG.....TA.....C.C.....TA.....T.....A.....ATAG.....
ACM5	282	...G..TG.....C.....C.C.....TA.....T.....A.....ATAG.....
ACB-HF564640.1	282	...G..TG.....C.....C.C.....T.A.....T.....A.....ATAG.....
ACB2	282	...G..TG.....C.....C.C.....T.TA.....T.....A.....ATAG.....
ACB5	282	...G..TG.....CA.....C.C.....T.TA.....T.....A.....ATAG.....
ACM2	282	...G..TG.....C.....C.....T.TA.....T.....A.....TTAG.....
ACB9	282	...G..TG.....C.....C.C.....T.TA.....T.....A.....ATAG.....
ACM7	282	.T.G.TGC..CC.C.....C.....CA.....TA.....T.....A.....AT.G.....
ACM8	282	...G..TG.....T.....C.C.....T.....T.....A.....ATAG.....
ACM10	282	...GTTG....C.....C..C..G.CTC..TT.....AT..AGA....
AcM4	282	...G..TG.....C.....C.C.....TA.....A.....ATAG.....
Acb4	282	...TG.....C.C.....TA.....T.....A.....ATAG.....
CU	282	.A.GGG..CGA..T..C.A.T..C.C.....T.GT..GG.C..A.ATT..
CP	285	...GGG..C.A..T..C..C..C.C.....T.GA..GA.T..T.ACT..

ACG-HF564641.1	336	TGATCG-CACAATCCCATGGGGAGGGTCGGACCCCGAATCCCACGGCGACCCAG-
ACC1	338-.....G.....
ACC10	338-.....G.....
ACG1	338-.....T..G.....
ACC-HF564642.1	337-.....T..G.....
ACG9	338-.....A.....T..G.....
ACC3	338-.....T..G.....
ACC7	338-.....T.C.....T..G.....
ACC8	338-.....A..G.....
ACG4	338-.....GT.....T..G.....G..T.....G.....
ACG10	338-.....G.....
ACG3	338	...A..-..G.....C.....A.....G.....
ACG5	338-..T.....AT.....CG.....G.....
ACG2	338-..C.....A.....T..G.....
ACC2	337-.....T..G.....
ACC6	338-..TTG.....CT.....A..A.....G.....
ACM-JQ910930.1	338	..CG..-..GTTG.....C.....CT..A.....A..A.....G.....
ACM3	338	..CG..-..GTTG.....C.....CT..A.....A..A.....G.....
ACM5	338	..ACG..-..GTTG.....C.....C..A.....A..A.....G.....
ACB-HF564640.1	338	..CA..-..GTTG.....C.....C..A.....A..A.....G.....
ACB2	338	..CA..-..GTTG.....C.....C..A.....A..A.....G.....
ACB5	338	..CA..-..GTTG.....C.....C..A.....A..A.....G.....
ACM2	338	..CA..-..GTTG.....C..A.....C..A.....A..A.....G.G.....
ACB9	338	..CA..-..GTTG.....C.....C..A.....A..C.....G.....
ACM7	338	..CG..-..GTTGA.....C.....T..A.....A..A.TA.....T..G.....
ACM8	338	..CG..-..GTTG.....C.....A..C..A.....A..A..G.....G.....
ACM10	338	..CG..-..GTTGA.....C.....CT..A.....A..A.....G.....
AcM4	338	..CG..-..GTT.....CT..A.....A..A.....G.....

AcB4	338	..CA...-GTTG.....C..A.....A..A.....G
CU	337	CTCGA.G.CA.GA.GTGC.---C.....TG..A.-----G.AG.G
CP	340	CTCGA.-.CAGG..G.GC.---T.C.C..TG..A..GTGATGG.CCG.CAG.A..G
ACG-HF564641.1	390	TCAA-----GCGG- 447
ACC1	393	...G-----....- 450
ACC10	393	...G-----....- 450
ACG1	393	...G-----....- 450
ACC-HF564642.1	392	...G-----....- 449
ACG9	393	...G-----....- 450
ACC3	393	...G-----....- 450
ACC7	393	...G-----....- 450
ACC8	393	...G-----....- 450
ACG4	393	...G-----....- 450
ACG10	393	...G-----....- 450
ACG3	393	...G-----....- 450
ACG5	393	...G-----....- 450
ACG2	393	...G-----....- 450
ACC2	392	...G-----....- 449
ACC6	393	...G-----....- 450
ACM-JQ910930.1	393	...G-----....- 450
ACM3	393	...G-----....- 450
ACM5	393	...G-----....- 450
ACB-HF564640.1	393	...G-----....- 450
ACB2	393	...G-----....- 450
ACB5	393	...G-----....- 450
ACM2	393	...G-----....- 450
ACB9	393	...G-----....- 450
ACM7	393	...G-----....- 450
ACM8	393	...G-----....- 450
ACM10	393	...G-----....- 450
AcM4	393	...G-----....- 450
AcB4	393	...G-----....- 450
CU	376	-----..C-- 438
CP	392	G.GCTCCGAC..CTT 456

Table S4 Estimates of Genetic Distance over Sequence Pairs between Groups

The number of base substitutions per site from averaging over all sequence pairs between groups are shown. Analyses were conducted using the Maximum Composite Likelihood model in MEGA6. The analysis involved 29 nucleotide sequences.

M,,
G,0.191,,
C,0.203,0.08,,
B,0.07,0.163,0.174,,