

ERRATUM

Erratum to “Choices of Stent and Cerebral Protection in the Ongoing ACST-2 Trial: A Descriptive Study” [Eur J Vasc Endovasc Surg 53 (2017) 617–625]

D.D. de Waard ^{a,b}, A. Halliday ^{a,*}, G.J. de Borst ^b, R. Bulbulia ^c, A. Huibers ^b, R. Casana ^d, L.H. Bonati ^e, V. Tolva ^f, on behalf of the ACST-2 Collaborative Group

^a Nuffield Department of Surgical Sciences, University of Oxford, Level 6 John Radcliffe Hospital, Oxford OX3 9DU, UK

^b Department of Vascular Surgery, University Medical Center Utrecht, PO Box 85500, Utrecht, The Netherlands

^c Clinical Trial Service Unit, Nuffield Department of Population Health, University of Oxford, Richard Doll Building, Old Road Campus, Roosevelt Drive, Oxford OX3 7LF, UK

^d Department of Surgery, Istituto Auxologico Italiano IRCCS, Via Mercalli 30, 20122 Milan, Italy

^e Department of Neurology and Stroke Center, University Hospital Basel, CH-4031 Basel, Switzerland

^f Department of Vascular Surgery, Policlinico di Monza, Via Amati 111, 20900 Monza, Italy

Due to a miscommunication during the production of this article, the members of the ACST-2 Collaborative Group were not properly indexed in PubMed. This has now been corrected online. We apologize for any confusion or inconvenience that this oversight might have caused.

DOI of original article: <http://dx.doi.org/10.1016/j.ejvs.2016.12.034>

* Corresponding author. Nuffield Department of Surgical Sciences, University of Oxford, Level 6 John Radcliffe Hospital, Oxford OX3 9DU, UK.

E-mail address: alison.halliday@nds.ox.ac.uk (A. Halliday).

1078-5884/© 2017 European Society for Vascular Surgery. Published by Elsevier Ltd. All rights reserved.

<http://dx.doi.org/10.1016/j.ejvs.2017.06.013>