

Book of Abstracts



ADVANCES IN MICROBIOLOGY OF **TABLE OLIVES** International Congress

Campus di Via Lanera, Matera

September 1-2, 2025

METAolive is funded by Ministero dell'Università e della Ricerca and the European Union 2022NN28ZZ and received funding from the European Union Next-GenerationEU, CUP C53D23005460006



Finanziato
dall'Unione europea
NextGenerationEU



Ministero
dell'Università
e della Ricerca



Italiadomani
PIANO NAZIONALE
DI RIPRESA E RESILIENZA



UNIVERSITÀ DEGLI STUDI
DELLA BASILICATA

Bioprotection of Nocellara del Belice table olives: effects of *Candida boidinii* LC1 and *Candida norvegica* OC10 under different thermal storage conditions

Alfonzo, A. (1)*, Alongi, D. (1), Perricone, G. (1), Naselli, V. (1), Irene, D. (1), Viola, E. (1), La Croce, F. (2), Settanni, L. (1), Moschetti, G. (1), Francesca, N. (1)

* corresponding author: antonio.alfonzo@unipa.it

(1) Department of Agricultural, Food and Forest Sciences (SAAF), University of Palermo, Viale delle Scienze, Building 5, 90128, Palermo, Italy

(2) Geolive Belice S.r.l., S.S. 115 Km Dir, Marinella, Castelvetro, 91022, Italy

Background.

The Castelvetro method for processing Nocellara del Belice table olives is a well-established Sicilian agrifood tradition, celebrated for producing olives with a distinctive sweet taste and bright green colour. This method has achieved notable commercial success at both national and international level. However, it faces challenges, particularly during warmer months, when the shelf life of the product is compromised due to the growth of spoilage and pathogenic microorganisms. To mitigate microbial spoilage and extend shelf life, producers often rely on refrigerated storage. Although partially effective, refrigeration significantly increases energy consumption and operational costs. To address these limitations and reduce the energy costs associated with cold storage, this study investigated the bioprotective potential of two yeast strains, *Candida boidinii* LC1 and *Candida norvegica* OC10, previously selected for their technological and antimicrobial properties ([10.1016/j.fm.2024.104477](https://doi.org/10.1016/j.fm.2024.104477)).

Methods.

Experimental batches of olives were processed using the traditional Castelvetro method and inoculated with the selected yeast strains. These batches were then stored under three thermal regimes: constant refrigeration (8 ± 1 °C); ambient temperature; and a combined regime: 90 days at ambient temperature followed by 90 days at 8 ± 1 °C. Over a 180-day period, various aspects were monitored, including: dynamics of microbial groups such as lactic acid bacteria, yeasts, *Enterobacteriaceae*, *Pseudomonadaceae*, and *Staphylococcaceae*; kinetics of physicochemical parameters such as pH, salinity, temperature, pulp firmness, fruit colour; and finally sensory attributes evaluated by a trained panel using a structured profile method in accordance with ISO standards.

Additionally, the presence of mycotoxigenic fungi was assessed to ensure food safety.

Results.

Yeast inoculation had a significant impact on controlling spoilage and pathogenic microorganisms, particularly under refrigerated and combined storage conditions. In these treatments, microbial populations such as *Enterobacteriaceae* and *Staphylococcaceae* were considerably reduced compared to uninoculated controls, and no Clostridia were detected.

Conversely, olives stored solely at ambient temperature exhibited increased levels of pathogens, including *Salmonella* spp. and *Escherichia coli*, especially toward the end of the storage period. The inoculated batches also exhibited more stable pH values, better retention of green colour, and improved pulp firmness. Sensory evaluation revealed enhanced organoleptic qualities in inoculated batches, with *C. norvegica* OC10 outperforming in terms of colour intensity, texture, and overall appreciation. Importantly, no significant presence of mycotoxigenic fungi was detected, confirming the microbiological safety of the batches inoculated with the selected strains.

Conclusions.

This study confirms the effectiveness of bioprotective yeasts, particularly *C. norvegica* OC10, in enhancing both the microbiological safety and sensory quality of Castelvetro-style olives. Notably, combining yeast inoculation with a reduced refrigeration period (from 180 to 90 days) resulted in a 50% energy cost reduction without compromising product quality. This approach offers a sustainable and cost-effective alternative for the olive processing industry, while also supporting the preservation and enhancement of traditional food products.

Further research is recommended to explore the application of these yeasts in other processing styles and under extended ambient storage, with the aim of developing safe and functional table olives with a reduced environmental footprint.