



C O N S I D E R I N G  
R E S E A R C H

PROCEEDINGS OF THE ARCC  
SPRING RESEARCH CONFERENCE

ARCHITECTURAL RESEARCH  
CENTERS CONSORTIUM

Proceedings of the 2011 ARCC Spring Research Conference  
Architectural Research Centers Consortium Considering Research  
Reflecting upon current themes in Architectural Research

Editors: Philip Plowright, Bryce Gamper  
Graphic Design: Tyler Hays  
Publisher: Lawrence Technological University

ISBN 978-1-257-32189-6

© 2011 Lawrence Technological University. All rights reserved. No part of  
this book may be reproduced in any manner whatsoever without prior  
written permissions from the publisher.

Lawrence Technological University  
College of Architecture + Design  
[www.ltu.edu/architecture+design](http://www.ltu.edu/architecture+design)  
248.204.2805

**Lawrence  
Tech**

Lawrence Technological University  
21000 West Ten Mile Road  
Southfield, MI 48075

CONSIDERING  
RESEARCH:

REFLECTING  
UPON CURRENT  
THEMES IN  
ARCHITECTURAL  
RESEARCH

DETROIT, MICHIGAN  
APRIL 20-23, 2011  
LAWRENCE TECH  
UNIVERSITY

EDITORS:  
PHILIP PLOWRIGHT  
BRYCE GAMPER

# CONTENTS

INTRODUCTION Philip Plowright	X
ON APPROACHES	
Appropriating space in an assisted living residence. On architecture and elderly frail people's spatial use Jonas E. Anderson	1
Creating regional Detroit's first "net zero energy" community Constance C. Bodurow, Calvin Creech, Robert Fletcher, Jordan R.M Martin, and Aaron E. Olko, Kurt V. Neiswender	21
Does size matter?—Considering the importance of size and scale in educational environments Ulrike Altenmüller-Lewis	37
Transformative architecture for the shrinking city Hollée Hitchcock Becker	49
Architecture and Landscape of a Mined Environment: Reading the Traces Peter Butler, Charlie Yuill, and Paul Kinder	57
Nelson Goodman's philosophy: an analytical account of architecture Remei Capdevila-Werning	65
Project Nervi: Aesthetics and Technology Dale Clifford	73
Architectonics for evolving pastoralists: nomadic architecture and modern global culture Dariel Cobb	85
Experiencing Architecture - Exploring the Soul of the Eye Christina Bodin Danielsson	95
Giedion's Figural Conception of Urban Space-Time & The Analysis of Le Corbusier's Modern Urbanisms Matt Demers	103
Integrating geometry and light: daylight solutions through performance-based algorithms Michael D. Gibson	111
Temporal processes in research, green building and material reuse Bradley Guy and Diana Nicholas	127
Toward an Analytic Framework for Active Living Strategies in Parks and Recreation Systems Jawaid Haider, Peter Aeschbacher and Mallika Bose	139
Regenerative Suburbanism: LIRR Long Island Radically Reconsidered Tobias Holler	151

Research into drawing and building Zuzanna Karczewska	159
Bakhtinian dialogism as framework for participant architectural research Thomas-Bernard Kenniff	169
Energy performance of an adaptive façade system Kyounghee Kim, Ph.D. and Chris Jarrett	179
Heritages' management and operative strategies on the Alto Douro Wine region, Portugal Marta Duarte Oliveira and Jorge Tavares Ribeiro	187
An Urban Crisis of a Financial Model: The Adaptive Reuse of Socialist Industrial Complexes in Moscow Eric Oskey, Ana Leshchinsky	197
Traveling Michel Serres' Passage du NordOuest: what happens, once the ice breaks? A reflection on architectural research conducted between the humanities and engineering. Ulrike Passe	209
Humanization and Architecture in Contemporary Hospital Building Giuseppe Pellitteri and Flavia Belvedere	225
Quality in Architecture - A Disputed Concept Magnus Rönn	235
Arrière-garde of de-colonization: Critical regionalist research on an Asia-Pacific architecture Marja Sarvimäki	245
Learning from Lafitte: An Interdisciplinary Place-based Approach to Architectural Research and Education Meredith Sattler	257
Digital Steam Bending: Re-Casting Historical Craft Through Digital Techniques Matthew Schulte, Steven Mankouche, Joshua Bardl and Tsz Yan Ng	269
Research in crisis: new analytical tools for the humanitarian architect Scott Gerald Shall	281
Intelligent Skins: Daylight harvesting through dynamic light-deflection in office spaces Mohamed El Sheikh and Karen Kensek	293
User-Participation and the Design Charrette: A Systematic Approach to Furthering Design Process Alexandra Staub and Lisa D. Iulo	305
Action Research and Prototype Testbeds: Prioritizing Collaborative Making in Architectural Research Geoffrey Thün and Kathy Velikov	315

Spatial Layout and the Promotion of Innovation in Organizations	327
Jean Wineman, Felichism Kabo, Jason Owen-Smith, Gerald Davis	
<b>ON MEASUREMENT</b>	
The effect of spatial knowledge on sense of belonging in university/academic environments	337
Ahmed Alawadhi, Tilanka Chandrasekera, and Chen Yang	
Energy performance assessment of a naturally ventilated combined shaft-corridor DSF in an office building in Chicago	345
Mona Azarbayjani	
Sustainability vs. Performance Impact of reducing thickness of brick in veneer walls	359
Susan Benjamin, Vera Straka, and Hitesh Doshi	
Empirical aesthetics: the body and emotion in extraordinary architectural experiences	369
Julio Bermudez	
Sliding scale: A case study in metric selection	381
Martha Bohm	
Urban heritage in action in the historic city of Fez: guest houses rehabilitation models	393
Amina El Bouaichi	
What Else Do Design Professionals Need to Know About Sustainable Buildings Investment? A New Assessment Approach	407
Alireza Bozorgi and James R. Jones	
Cultural Cartographic Archive: empowering communities through archi-digital technology	419
Tim B. Castillo and Geraldine Forbes Isais	
Education and architecture. Young people's perspectives and dialogues for a better understanding of built environment.	427
Ana Rute Costa, Sofia Marques da Silva and Francisco Barata	
Measuring sustainable homes - a Mixed Methods approach	435
Gitte Gylling, Mary-Ann Knudstrup, Per K. Heiselberg, and Ellen K. Hansen	
Urbanized Ecosystems: Conceptualization to Application	449
Michael Iversen	
Louvered door research and development for user needs and energy efficiency in Thailand's context	463
Daranee Lehtonen, Chujit Teerattanapan, and Jayada Boonyakiat	
Urban grain and the vibrancy of older neighborhoods: metrics and measures	477
Kathryn Rogers Merlino	



SELCO Credit Union: a case study in quantifying the environmental impacts of design for deconstruction Erin E. Moore and E. Eva Peterson	489
Urban Rooftops as Productive Resources Rooftop Farming versus Conventional Green Roofs Gundula Proksch	497
From a Consumer Product to a Complex Building: A Quantitative Approach to Sustainability Using Life Cycle Assessment (LCA) Ashraf Ragheb	511
Reaching Zero Energy in Florida's Hot Humid Climate Stanley Russell	521
Intangible patterns in real space: using social science methods to enhance urban research in Egypt Marika Snider	531
Resolving Form Generations through Analogue and Digital Human Simulations U. Sean Vance, Parke MacDowell and Diana Tomova	541
Four Theorems of African Archetype and Landscape La Barbara James Wigfall	547
Impact of different weather data sets on photovoltaic system performance evaluation Chanikarn Yimprayoon and Mojtaba Navvab	559
Historic preservation and adaptive use: a significant opportunity for sustainability Robert A. Young	569
 <b>ON RELEVANCE</b>	
Building technology research in architectural practice: emerging trends Ajla Aksamija	585
THE LATER ACT   semiotics < computational craft Mollie Claypool	595
Infrastructure, the shipping container, and the globalization of American space Matthew Heins	603
Design Research in Search of Direction in Architecture Pedagogy & Practice Mitra Kanaani , David Kopec and Linda Thomas-Mobley	611
A paradigm in architectural education: Kolb's Model and learning styles in studio pedagogy Sara Khorshidifard	621

SEAty_ living beyond the waterfront dynamics outcomes and risk of a new trend Giuseppe Pelliteri and Sebastiano Provenzano	635
Syncretistic Vernacular Architecture Santa Fe, New Mexico Benjamin King Shacklette, AIA	645
Information Urbanism Parametric urbanism in junction with GIS data processing & fabrication Ming Tang and Jonathon Anderson	661
Utilizing Virtual Reality for Simulating the Auditory Perception In Architectural Designed Spaces Sentagi S. Utami and Mojtaba Navvab	669
Concretion, abstraction: the place of materials in architectural design processes. Case study: Peter Zumthor Benoît Vandenbulcke	679



# Humanization and Architecture in Contemporary Hospital Building

Giuseppe Pellitteri and Flavia Belvedere  
University of Palermo, Italy

## ABSTRACT:

Architecture and health are closely dependent. Architecture more positively influences human health as appropriating to its needs. However, humanization of hospital spaces wasn't always evident. Since the end of Second World War, in fact, the hospitals are good buildings if they meet only the technological and functional requirements.

Dealing with humanization and its architectural quality means to focus the human needs and understand their interaction with the environment. In these terms, it is not easy to define the architectural quality, because it is based on principles, which in turn are not quantifiable. Although, there are several studies from different disciplines which allow choices in terms of "added value that can be achieved".

In this paper, we propose the results of a research about this issue. Focusing on the psychological need of man, treasuring contributions of these disciplines (particularly about environmental psychology, expressive arts, Ergonomics, Evidence-based Design, the art of gardening, the studies on the perception of shape and color) and analyzing the functional and formal features of contemporary hospital, we developed a system evaluating architectural design choices, and a methodology defining guidelines to direct the choices aimed at the humanization of hospital space.

Conference theme: On Approaches

Keywords: hospitals, humanization, architectural quality

## INTRODUCTION

Many scientific patient-centered researches have shown, as the psychological distress which inevitably follows the sickness can be contrasted with an environment able to support patients' psychological needs (Ulrich 1991, McKahan 1993, Lemprecht 1996). Patient psychological well-being depends on many factors, such as, for example, light, exterior views, art, accessibility to gardens, etc. The architectural design has to take into account these considerations in order to build an environment where the patient will be able to live without anxiety.

In the years immediately following the Second World War the hospital construction has answered, essentially, only to functional and technological requirements. It was an efficient *machine à guérir* (Foucault 1979), "the perfect architectural expression in the age of high-tech medicine" (Verdeber 2000,13).

In the late 50s, the Modernist counter-culture, as reaction to this point of view and under the influence of the studies of the psychologist Abraham Maslow (1968) on *Hierarchy of Needs*, begins to talk about humanization regarding the care, the healthcare institutions and the user needs. Since then many initiatives, including for example the "Hospice movement" (1967), have developed their activity on the issue of the humanization of healthcare. In the last twenty years, the hospital humanization has focused also on architectural and design aspects. Nowadays to guide the designers' choices in such sense, there are only just indications with general and approximate character. The main problem in order to formulate a system of guidelines is due to the same nature of the concept of humanization, based on the psychological well-being, often not quantifiable. In fact, different disciplines: Environmental Psychology, Architectural Psychology, Neuroscience, Immunoneuropsychology, Ergonomics, Evidence-based Design, Theories about Perception, contribute to define the concept of humanization and then contribute to the definition of the quality of contemporary hospitals, that is related also to the humanization of hospital spaces and therefore to the quality of contemporary hospital buildings. Each of these disciplines aims at achieving the architectural quality and improving

users' well-being, because the beneficial effects derived from their application but are not easily quantifiable.

The work presented is part of a more general research, *Hospital space: design guidelines and trends*, whose purposes are: 1) the comprehension of the formal identity of contemporary hospitals and the expectation about their possible future development; 2) the definition of an assessment methodology of architectural design choices, and 3) the development of a system of guidelines able to direct the project from the point of view of the humanization of spaces supporting the healthcare activity.

Omitting the first part, the other points were already carried out in a previous work, (Pellitteri, Belvedere 2010) of which this is a further consistent development.

## I. METHODOLOGY OF ANALYSIS AND ASSESSMENT OF THE CHARACTERIZING SPACES FOR THE HUMANIZATION

The spaces serving hospital not only communicate and represent their health content, but they also provide stimuli affecting the user psychological well-being, satisfying his needs of humanization. These spaces are: entrance hall, corridors, rest and waiting areas, patient rooms and day rooms. In these areas often more representative and characterizing than others of the architectural quality of building, users can "save/affirm the identity of their own personal and social existence" (Spinelli et al. 1994). The methodology assessing the quality of architectural space in terms of humanization, derives from the study of the environmental system (UNI 10838:1999, Italian standard) based on its needs, requirements and performances. Respectively about these we deal mainly with:

- Need: What it is required for the correct carrying out of user activity;
- Requirement: Identification of factors and conditions that can satisfy the need;
- Performance: Behavior of the space considered.

The requirements, that we have considered, are the psychological ones.

The main activities performed have been identified for each characterizing area for humanization. The main psychological needs of patient based on the Hierarchy of users needs (Jordan 1998), are: Recognition, Acceptability, Usability, Territoriality and Amenity (Table 1).

Herein there are indicated some performances (Table 2) referred only to the **entrance hall** (of course, in theresearch, all the performances were defined related to each space). Among all the mentioned areas, the entrancehall is the most important for the humanization. It is not only a simple instrument to enter into the hospital building, itis not a static barrier, it is a dynamic threshold between the interior and exterior space, "making gradual and not brusque the detachment from the everyday existential dimension" (Pellitteri 2008).

NEED	REQUIREMENT	DEFINITION
Recognition	Visibility	Ability to detect and identify an area on basis of physical and context characteristics.
	Representativeness	Ability to communicate the function in an unequivocal way.
	Spatiality	Own qualities (shape, distribution and physical disposition of the environments) of the built environment.
Acceptability	Comfort	Environment ability to convey a sense of well-being, eliminating or reducing the unpleasant o inconvenience sensations.
	Variety	Presence inside an environment of multiple and different elements.
Usability	Continuity	Ability to maintain the relationships that link together two separate and distinct pieces/areas of the building and of these between them.
	Orientation	Ability to transmit information that activates cognitive functions. It can be <i>guided</i> and <i>spontaneous</i> .
Territoriality	Privacy	Ability of a space to protect the personal and private sphere.
	Socialization	Ability of a space to improve interpersonal communication.
	Familiarization	Ability of a space to have features more similar to house/urban appearance.
Amenity	Sensory	Ability of an environment to stimulate the sensory perception.
	Unity	Expression of the formal and functional relations of each part of the building and of them together.

**Table 1:** Requirements corresponding to such classes of needs with the related definitions.

REQUIREMENT	PERFORMANCE
<b>Comfort</b>	<b>Presence of exterior views</b> According to Psychology, it meets the needs of man establishing continuity with a point located outside of themselves and of his sickness.
<b>Sensory</b>	<b>Prevalence and chromatic agreement</b> It has been demonstrated by immunoneuropsychology studies (Gappell 1992, Solomon 1996) that the color, beyond being an important communication element, full of expressive and symbolic contents, affects also emotions and human physiology: red stimulates the sympathetic nervous system and the brain wave activity, and accelerates heart rate, increases blood pressure and respiration; blue triggers the parasympathetic nervous system, and is credited with a tranquilizing effect. Color, according to the Gestalt Theory, influences the perception: the warm colors (red, orange, yellow) seem moving forward, cold ones (green, blue and purple) appear receding. The use of cold colors make lighter and smaller objects, while the rooms seem bigger, etc.
<b>Spatiality</b>	<b>Shape</b> "Theory of good form" (Gestalt Theory) says that the structure more easily recognizable is the simplest one, that in which the obviousness of the intended use is associated with clarity and essentiality of the volume and the spatial distribution.
<b>Privacy</b>	<b>Distance among sittings</b> The same distances, indicating the intimate, personal and social relationships between people, (Theory of Proxemics, Edward T. Hall 1963) are used to indicate the right distance among sittings.

**Table 2:** Some performances related to the entrance hall.

Needs, requirements and performances, specified for each area, are inserted into a form (Fig. 1 and Fig. 2). For each spatial unit, the needs, requirements and performance with the related conditions for their implementation are inserted into a report. An assessment parameter is assigned to each condition of implementation of the performances, that expresses the presence/absence of the environmental requirements requested, that is the perfect matching of the requirements for implementation to the requirement (value equal to one) or, if the value is null, the opposite. It is also an intermediate value, 0.5, where the performance does not fully meet the requirement. They express, in quantitative terms, the value of environmental quality aimed at humanization.

So for each spatial unit there have been obtained indexes that express in numerical terms, the value of environmental quality aimed at the humanization.

## 2. CASE STUDIES

The case studies represent a range of different design experiences, hospitals built in the last ten years in industrialized countries. In these buildings the designers have demonstrated attention to the definition of design solutions oriented to the humanization of space.

The analysis form of each case study is organized into three parts. In the first part of the form, there are general information about the history of building, the location and the relationship with the place, the materials characterizing the exterior surfaces, the utilization of non-traditional building technology and the presence of qualitative elements such as gardens, art installations or places for spirituality.

The second part of the form, on the basis of reference tables, relates the assessment of characterizing areas for humanization (entrance hall, corridors, rest and waiting areas, patient rooms and day rooms).

In the third part, for each area, a brief comment has been drawn showing the points of strength, weaknesses and possible innovations.


Comparative assessment of the case studies highlights architectural trends, spatial potentiality and compositional variations, of such spaces.

The case studies are 32 (9 in Italy, 3 in Austria, 8 in Germany, 3 in France, 3 in Spain, 3 in United Kingdom and 2 in Turkey and 1 in Israel).

Entrance hall is mainly as a *Street* or a *Square*, but there is a substantial number of cases which can't be related to these "traditional" types. These are spaces having only the reception, the stairs and the lifts, the waiting areas and, sometimes a cafeteria. They are generic "hall". Few examples are hybrid, a crossbreeding between the *Street* type and the *Square* one.

11. Graz-West State Hospital  
Graz, Austria.  
1998-2002

Architektur Consult: Domenig Eisenböck Gruber




HOSPITAL SPACES: STAIRS AND GALLERY COURSEWAYS

117

Figure 1: Part of the form about Graz-West State Hospital (Austria).

AREA	NEED	REQUIREMENT	PERFORMANCE	VALUE
ENTRANCE HALL ACCEPTABILITY	Comfort	Presence of a reception	Visible from the entrance	1
		Characterization of the point of reception	Part visible from the entrance	0.5
		Position of the point of reception respect to the entrance	Yes	1
		Position of the point of reception respect to the gallery	No	0
		Position of the point of reception respect to the paths	Central	1
		Position of the point of reception respect to the paths	Central	1
		Presence of rest areas	All visible	1
		Presence of rest areas	Not rest visible	0.5
		Presence of artistic installations / paintings / sculptures	Well visible	1
		Presence of artistic installations / paintings / sculptures	Part visible	0.5
		Presence of artistic installations / paintings / sculptures	Not visible	0
		Presence of plants	Well visible	1
		Presence of plants	Part visible	0.5
		Presence of plants	Not visible	0
		Presence of aquariums / fountains	Well visible	1
Presence of aquariums / fountains	Part visible	0.5		
Presence of aquariums / fountains	Not visible	0		
Presence of coffee/tea/beverages dispensers	Well visible	1		
Presence of coffee/tea/beverages dispensers	Part visible	0.5		
Presence of coffee/tea/beverages dispensers	Not visible	0		
Presence of natural lateral lighting	Only zenithal or lateral	0.5		
Source of the natural lateral lighting	From north	0		
Source of the natural lateral lighting	From south	1		
Source of the natural lateral lighting	From east	1		
Source of the natural lateral lighting	From west	1		
Presence of control systems of the natural light	They don't impede the visual continuity between interior and exterior	1		
Presence of control systems of the natural light	They impede the visual continuity between interior and exterior	0		
Presence of control systems of the natural light	They don't impede the visual continuity between interior and exterior	1		
Presence of control systems of the natural light	They impede the visual continuity between interior and exterior	0		
Presence of views on the exterior	On green: on areas of reception or reception respect on internal courtyard with garden	1		
Presence of views on the exterior	On the external courtyard garden without garden	0.5		
Presence of views on the exterior	On the parking or other areas, on areas of reception, architectural monumentalized status environment	0		

The full-height entrance hall with the gallery and the red blood sculptures.



ENTRANCE HALL OF STATE HOSPITAL

Figure 2: Part of the form about Graz-West State Hospital (Austria).


A strong element, recurrent, in the latest architectural expression, is that of a large open route, which from the entrance crosses the entire complex, both horizontally and vertically. It is a place of enormous connection, not only functional, among the most used areas (both in care and in non-hospital services offered), but also perceptual. It's the "hospital Street" that, in particular morphological situations, can become a *Square*, like for example at Kentish Town Health Centre (London). A place that is the connective tissue of hospital pathways and spaces, a space that is also a "gallery" inside the hospital, continuously projected toward the urban space and the external environment. "The street as a figure", according to Arnheim (1981), where the traveler's eye directs the route supported by his experience of urban space and guided by the *impression* of the road that is "a sense of easy access, clear direction, boundaries defined to advance with confidence". Entrance hall is the site of the initial impact with the hospital, the interface between the healthcare facility and the user, the communications center and the junction of crossing flows. The morphology of the environment is particularly important. It can facilitate the identification of the main directions. The unitary language of the architectural elements and furnishings is important too. The presence of numerous and different activities, hospital and non, are representative of the accepting will of the hospital, respecting patient different needs and proposing an usage, not only hospital, of its spaces. So the building opens itself also to the territory and the social context where it resides. The double-height entrance hall of the Provincial Hospital of Graz (Austria), for example, is conceived as an exhibition space with minimalist furniture, works of graphic art and the work of Hans Kuperlwieser, a permanent installation of red blood sculptures that evoke the shape of human organs. Always in Austria, the entrance hall of the Hospital Center in Anichstraße, Innsbruck (Fig. 3) is a real public living room, with comfortable sofas, soft lighting and a nice garden view, here people can take a break and talk friendly.

A functional conception still different, influenced by that of the “mall”, is that which indicates the entrance hall as the ideal forum for businesses. So, for example, the double-height hall of Agatharied Hospital (Germany) is dominated by a *promenade* that connects the ground floor to commercial activities at the first level. A magnificent example of entrance hall is the large covered one, enriched with luxuriant vegetation, in the new Mestre Hospital. This is thought to be a large garden square with reception, bar, restaurant, shopping areas, offices for the public, religious services and offices for the associations. On its façade, on the upper floors: the outpatient department, the day hospital, medical offices and wards.

Entrance hall in pediatric hospitals are even more daring. In the entrance hall of the Pediatric Clinic of Aschau (Germany), for playful and also therapeutic use, it has been prepared a climbing wall, 15 meters high and 4 wide. The entrance hall of Royal Alexandra Children’s Hospital (Brighton, UK), offers a continuous sequence of fantastic and colored places that reproduce the different natural habitats with their animals. The ‘bioclimatic greenhouse’, of the Meyer Children’s Hospital (Fig. 4) in Florence is a laminated wooden structure, it is like a fairy forest. Within a very bright environment the “kiosks” for information and acceptance are located near the waiting areas, whose colorful character is part of a larger artistic project. In this art project, coordinated by the designer Andrea Rauch, every single interior is designed as part of an imaginary tale: the *artistic glass*, separating the giant waiting room from the service corridors, gives stylized natural forms; the *zodiac* is made up of a group of metallic installations suspended; the *clouds in the sky* are a group of paintings placed along the walkways connected and under a large skylight; the *light cones* are two great spinners coated ceramic glazed in bright colors; the *fantastic fishes*, the *multimedia installation*, the *sails as curtains*, the *care toys*.

Although the hospital is a building complex, also for the distribution, the user should be able to perceive it as simple and cross it instinctively, without being confused. So the presence of a system of wayfinding assumes a fundamental role, contributing to the construction of mental maps. For example, in the Circolo Hospital and Macchi Foundation in Varese, a sequence of color was adopted for different floors. It is based on the balance principle of the ‘harmony of the four colors’ by Jorrit Tornquist, international artist. Four different pastel colors are alternated, with a modulation exponential of brightness, from lower floors (dark) to the highest (unclear). Where the transition is fast, colors are more saturated, while in the living areas the colors are de-saturated. In a wayfinding system are important: the visual, acoustic and tactile signs and also the lighting and the shape and distribution of the ways. In fact, these are often sewing up among different parts, instead of an organic and contextual operation of the whole building. Sensitive points in the design of the routes are: landings of stairs and lifts, which must be clearly identifiable, and the waiting areas, presence and location, which need not to be an obstacle for either visual or walk.

*Corridor*, as the same word of Latin origin means, is a fast link where the soldiers, under siege, ran between the towers of the fortification. The corridors of modern hospitals, unfortunately, give the same sense of danger, siege and anxiety, trying in vain and for a long time to look for a never seen destination that seems unattainable. The feeling of futility of the elapsed time is associated with those of the isolation and the rejection, the inaccessibility of space and the unknown (Pellitteri 2008). Corridors of cases studied show that, despite the lengths shorter and less tortuous paths, are still



**Figure 3:** Hospital Center in Anichstraße (Innsbruck, Austria) - entrance hall, corridor, patient room (Nickl-Weller 2007).




monotonous and anonymous. In addition to the aforementioned system of *wayfinding*, some design choices work positively for the perception of their spatial and functional property: the proportions of the cross section, the length, the views toward the exterior, and views of interior spaces placed at multiple height, the integration between natural and artificial light and the color of the walls and the flooring. Color is not just essential for guidance, but also, according to the studies of *Biological Perceptibility*(Bertagna 2008), it is crucial for correct perception and space usage. Man has the psychological need to walk on a “solid basis”, dark colors, recalling those of “ground” (brown, yellow and red), are recommended.

Even the waiting areas, such as the journeys, are not always designed together to the building functional articulation. They are often made out of residual space. They are peripheral to the area to which you have to access and don't show any element (an exterior view, an art object, the composition of plants, etc.) drawing attention to the user, detaching him from his stressful waiting.

Outlining the requirements and performances of waiting areas, it is necessary to distinguish different types of ‘waiting’, because different ways of using and different psychological needs correspond to each of them. Waiting areas of the outpatient hospitals are characterized by a high state of anxiety and emotional tension and a perception of dilated time. In the atrium the waiting support to other functions, have a considerable degree of representativeness and there is a greater tendency toward socialization, among users and users/operators. The waiting areas in the corridors, punctiform through the building, have the force of disruption and characterization of pathways and they are an extension of functional areas more defined. Among the cases investigated are reported some German examples. The waiting area in the outpatient clinic of Radiotherapy in the Hospital Center Ostalb Aalen, has a courtyard garden and also a large aquarium participating at the space composition. The rest area in the entrance hall of Children's and Gynecology Hospital Carl Gustav Carus in Dresden is a wide area extended along the entrance hall opening into the garden with a terrace. The rest area, set along the path connecting outside with the central covered atrium in Albklink Hospital, proposes in the size and furniture the intimacy of a domestic living room.

Together with the entrance hall another area subject of special attention is the patient room. There are more avant-gardes examples in profit health system. These rooms, using the studies of Evidence Based Design, have hotel-like characteristics. They improve patients' quality of life. Inside the room a semi-private area is foresaw. This is a living that allows more and better interaction between the patient and the family members who assist him, ensuring a greater sense of ‘territoriality’, too. From the room the patient can see outside. In temperate zones, the rooms are also equipped with a solarium, to enjoy the therapeutic effects, including psychological, of the sun. The furniture, taking care to the tactile and visual characteristic, allows customizing the environment by patients. However, medical instruments and equipment technology tend to be camouflaged, almost hidden. Patients may act independently on the systems of lighting/dimming and on those for the temperature control in the room. Two particularly significant examples of the trend that wants the patient room similar to hotel ones, are the patient rooms in the Evelina Children's Hospital (London, UK) and in the Angel's Hospital in Mestre (Venice, Italy). Both have no hospital furniture-type, the medical equipment is hidden, and patients can look out of the room and onto the atrium, or can close dimming systems, resulting in privacy. These rooms are open and permeable areas within the hospital building, they aren't areas of segregation.



**Figure 4:** Meyer Pediatric Hospital (Florence, Italy): entrance hall, waiting area, corridor (Belvedere 2010).

A space where the project is not careful as in the patient rooms is the day room. Indeed, not all the hospitals surveyed are provided of it. Probably, this is because the patients' rooms, even when they are not hotel-like, have within living/sitting areas, used by the occupants to receive visitors or to socialize with each other.

### 3. GUIDELINES FOR HUMANIZATION

We have defined the guidelines providing the designers' choices for the humanization (there are not contemplated others design aspects) of each area above mentioned, from the analysis and evaluation of the case studies and the actual theoretical studies. They are aimed at the architectural design of new hospitals, even if they can be applied to existing buildings and some of them might not always be coherent with the culture and any specific local need.

For each requirement, if not for each area, the arguments related to the individual elements constituting the space (paths, architectural elements, signs, etc.) are highlighted. Also the relations that the spaces have with the outside of the building and with other related parties orientation; size; organization and distribution; lighting and perceptual aspects related to the shape, the color, the materials, the finishes are highlighted.

Regarding the need of **Recognition**, the guidelines of the **Entrance Hall** are reported for example (Table 3 and Table 4).

NEED	REQUIREMENT	GUIDELINE
Recognition	Visibility	The paths, also from the parking area to the entrance hall must be clear and legible: <ul style="list-style-type: none"> <li>- those vehicular must be distinguished from the pedestrian ones;</li> <li>- both vertical and horizontal signs must be present;</li> <li>- if longer than 50 meters, they must include a waiting area clearly identifiable;</li> <li>- must be adequately lighted.</li> </ul>
		The outdoor areas, if available, should be used as garden and provide parking at no more than 50 meters from the entrance.
		Parking: <ul style="list-style-type: none"> <li>- in small hospital building (no more than 500 beds) can be buried, thus allocating superficial areas as garden.</li> </ul>
		Architectural elements (canopies, overhangs, recesses, arcades, etc.) can be placed on the façade, showing the location of the entrance. They must be distinguished in shape, color, materials and finishing. <ul style="list-style-type: none"> <li>- colors must be complementary or otherwise contrary; they must not be of the same tone;</li> <li>- if the materials are the same, finish / texture must be different.</li> </ul>
		Entrance must be lighted to be visible at night.
		The shape of the building must be lighted to be seen easily in the urban/territorial area.
		The luminous must be clearly visible from a distance: <ul style="list-style-type: none"> <li>- color is different, preferably in contrast with background;</li> <li>- position must be predominant, with no visual obstacle, and lighting the entrance;</li> <li>- dimensions must be related to those of the building.</li> </ul>

**Table 3:** Guidelines of the Entrance hall.



NEED	REQUIREMENT	GUIDELINE
Recognition	Representativeness	Position of the entrance hall must be the gravity center of the building complex, otherwise it must be the focus of streams and paths and related and connecting with the different areas and functions of the building.
		Architectonic elements and furniture, like information desk, sculptures, columns, etc.: <ul style="list-style-type: none"> <li>- can be placed on a side and/or centrally in the entrance hall;</li> <li>- can be placed on a side, not interfering with the path, if the entrance hall is mainly longitudinal (<i>Street</i> or <i>Gallery</i>)</li> <li>- can be placed in the center if it is not a visual obstacle;</li> <li>- must harmonize in color and material with the context;</li> <li>- can be accentuated or damped cooperating in relation to all the environment;</li> <li>- It is advised against monochrome and monomateriality.</li> </ul>
		Materials of floors, retaining some of the exterior characters and preparing to introduce to the interior spaces, must be different from both the interior and the exterior ones.
		Brightness must be different in singular areas/spaces: <ul style="list-style-type: none"> <li>- waiting areas must be lighted differently than path;</li> <li>- lift landings must be lighted differently than entrances to services.</li> </ul>
		Artificial light must complement the natural one. It must be dosed related to the specific area, to the type of activity and number of people that are inside.
	Spatiality	Entrance must not be directed near the North.
		Organization of areas and services with their main and secondary vertical and horizontal systems must be simple, obvious and clearly distinguishable.
		Geometry of the entrance hall must be clear and ascribable to primary geometric forms. In small hospital building (no more than 500 beds): <ul style="list-style-type: none"> <li>- <i>Street</i> or <i>Gallery</i> type, which primary form is a rectangle, should have width not less than 5 meters and length from 50 and 80 meters;</li> <li>- <i>Square</i> type should be 30 meters in length;</li> <li>- "<i>Covered patio</i>" type should have a length no more than 15 m.</li> </ul>
		Section must be rich and varied, showing changes in the shape of coverage, especially in correspondence to the different space usage. If the height is constant, it is recommended that the height is not equal to or less than the width, because the space is perceived as oppressive (in the <i>Square</i> ) or monotonous (in the <i>Street</i> ).
		Natural light must be filtered by control systems that must not impede the visual continuity between inside and outside.

**Table 4:** Guidelines of the Entrance hall.

#### 4. CONCLUSIONS

The methodology of analysis and assessment elaborated is here presented in order to verify if hospital spaces are designed for their humanization. From the case studies we have seen that the goal of humanizing hospital spaces sometimes is centered. Many times it remains a designer's intention because functional requirements or economical purposes prevail over humanization needs. When designers are free to take into account also this fundamental aspect, we can find architectures qualitatively acceptable. Humanization improves spatial and therapeutic features, so it improves architecture. Then, our research wants to define an approach to design not based on a "good practice" but on a scientific methodology, aimed to write specific guidelines for humanizing hospital spaces. Guidelines are a way of suggesting a system of criteria for designing new spaces or to adequate the existent ones. Certainly, they have to be verified experimentally with a really project and they are susceptible to further careful examination.

However we can highlight some critical aspects. First, the field of research isn't limited to the areas that we have considered. In fact, there are many hospital spaces like outpatients' departments, day hospitals, diagnostic areas that are very important, too. In these areas the medical aspects often exceed the human one. In recovery rooms and intensive care unit the contrast between the technological sophistication of modern medicine and the incapacity to consider adequately the human needs is the most evident. The patient, even if "passive", is very sensitive to the environmental quality around him. Other areas external to hospital have an important therapeutic role, i.e. the healing garden, and they are important for the relations between the building hospital and the urban and landscape context. Another field of study concerns the user. Our research actually considers only the patient, but in the future we might consider the staff, too. Consequently, we'll study another side of humanization, related to workplaces.

## REFERENCES

- Arnheim, R., 1981. *La dinamica della forma architettonica*, Feltrinelli: Milan.
- Bertagna, G., 2008. "Percezione e colore, un necessario ambito progettuale per i luoghi della terapia", *Convegno Internazionale "L'Ospedale del Terzo Millennio"*, 14-16 May 2008, Alba (CN, Italy).
- Del Nord, R. (ed.), 2008. *L'ospedale del futuro. Modelli per una nuova sanità*, EdA Esempli di Architettura, il prato: Padua.
- de Swaan, A, Jencks, C., Verderber, S., Betsky, A., 2006. *The Architecture of Hospitals*, NAI Publishers: Beeldrecht Amsterdam.
- Foucault, M., Fortier, B., et al., 1979. *Les Machines à guérir (aux origines del l'hôpital moderne)*, Paris.
- Gappell, M., 1992. "Design Technology: Psyconeuroimmunology", *Journal of Healthcare Design, Proceedings from the Fourth Symposium on Healthcare Design*, 14-17 November 1991, Boston, Massachusetts. National Symposium on Healthcare Design Inc.: United States of America.
- Giovenale, A.M. (ed), 2006. *Qualità degli spazi e prevenzione dello stress*, Alinea: Florence.
- Hall, E. T., 1988. *La dimensione nascosta. Vicino e lontano: il significato delle distanze tra le persone*, Bompiani: Milan.
- Jordan, P.W., 1998. *An introduction to usability*, Taylor & Francis: London.
- Lemprecht, B., 1996. The gap between design and healing, in "Metropolis", 77.
- Maslow, A., 1968. *Toward a Psychology of Being*, John Wiley and Sons: New York.
- McKahan, D. C., 1993. "Healing environments: healing by design. Therapeutic environments for healthcare", *Journal of Healthcare Design, Proceedings from The Fifth Symposium on Healthcare Design*, 19-22 November 1992, San Diego, California, U.S.A.
- Pellitteri, G., 2008. *Nuove qualità degli spazi ospedalieri*, in Greco A., Morandotti, M. (ed), "Progettare i luoghi della cura tra complessità e innovazione", Edizioni TCP: Padua.
- Pellitteri, G., Belvedere, F., 2010. "Characteristics of the hospital buildings: changes, processes and quality", *Proceedings from 2010 ARCC\_EAAE International Conference on Architectural Research*, 23-26 June 2010, Howard University, Washington, DC.
- Spinelli, F., Bellini, E., Bocci, P., Fossati, R., 1994. *Lo spazio terapeutico. Un metodo per il progetto di umanizzazione degli spazi ospedalieri*, Alinea: Florence.
- Solomon, G. F., 1996. "Physiological responses to environmental design: understanding psychoneuroimmunology (PNI) & its application for healthcare", *Journal of Healthcare Design, Proceedings from the Eighth Symposium on Healthcare Design*, 16-19 November 1995, San Diego, California U.S.A.
- Terranova, F. (ed), 2005. *Edilizia per la Sanità*, UTET: Turin.
- Ulrich, R., 1991. "Effect of Interior Design on Wellness: Theory and Recent Scientific Research", *Journal of Healthcare Design, Proceedings from the Third Symposium on Healthcare Design*, 15-18 November 1990, Dan Francisco, California, United States of America.
- Verdeber, S., 2010. *Innovation in Hospital Architecture*, Routledge: New York.
- Verdeber, S., Fine, D.J., 2000. *Healthcare Architecture in an Era of Radical Transformation*, Yale University Press: New Haven and London.

