

Index

1. Introduction

1.1 Interstitial cells of Leydig in the testes	pag.1
1.2 Biosynthesis of testosterone	pag.3
1.3 Pathways regulating steroidogenesis	pag.6
1.4 Testosterone and exercise	pag.8
1.5 The perilipin family	pag.13
1.6 Hormone sensitive lipase	pag.18
1.7 Conjugated Linoleic Acids	pag.23

2. Aims of the project

pag.26

3. Experimental procedures

3.1 Subjects	pag.28
3.2 Experimental design	pag.28
3.3 CLA and PLA supplementation	pag.29
3.4 1-RM strength test	pag.29
3.5 Resistance exercise bout protocol	pag.30
3.6 Body composition analysis	pag.30
3.7 Blood sampling and analysis	pag.31
3.8 Cell cultures	pag.31
3.9 (3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium) Assay	pag.32
3.10 Immunofluorescence staining	pag.33
3.11 Western Blotting analysis	pag.33
3.12 Cell Based ELISA	pag.35

3.13 Statistics	pag.35
4. Results	
4.1 Training volume	pag.37
4.2 Body composition	pag.37
4.3 Serum hormones and sex hormone-binding globulin	pag.38
4.4 Testosterone production in vitro	pag.38
4.5 Perilipin A/C expression	pag.38
4.6 Hormone sensitive lipase (HSL) expression	pag.39
5. Discussion and conclusion	pag.51
References	pag.54

