


Provided for non-commercial research and education use.  
Not for reproduction, distribution or commercial use.



This article appeared in a journal published by Elsevier. The attached copy is furnished to the author for internal non-commercial research and education use, including for instruction at the authors institution and sharing with colleagues.

Other uses, including reproduction and distribution, or selling or licensing copies, or posting to personal, institutional or third party websites are prohibited.


In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information regarding Elsevier's archiving and manuscript policies are encouraged to visit:

<http://www.elsevier.com/authorsrights>



Contents lists available at ScienceDirect

## Applied Energy

journal homepage: [www.elsevier.com/locate/apenergy](http://www.elsevier.com/locate/apenergy)

## Corrigendum

Corrigendum to “A procedure to calculate the five-parameter model of crystalline silicon photovoltaic modules on the basis of the tabular performance data” [Appl. Energy 102 (2013) 1160–1177]



Aldo Orioli \*, Alessandra Di Gangi

*D.d.E. Dipartimento dell'Energia, Università degli Studi di Palermo, Viale delle Scienze Edificio 9, 90128 Palermo, Italy*

The authors regret to inform that there were errors in Eq. (25). The correct form is:

$$V_{oc}(\alpha_G, T) = V_{oc,ref} \left\{ 1 + C_1 \ln(\alpha_G) + C_2 [\ln(\alpha_G)]^2 + C_3 [\ln(\alpha_G)]^3 \right\} + \mu_{V,oc}(T - T_{ref})$$

The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.apenergy.2012.06.036>

\* Corresponding author. Tel.: +39 09123861905; fax: +39 091484425.

E-mail addresses: [aldo.orioli@unipa.it](mailto:aldo.orioli@unipa.it), [orioli@dream.unipa.it](mailto:orioli@dream.unipa.it) (A. Orioli).