

Acknowledgements

At the first place I have to thank my tutor Dr. Paola Quatrini to give me the opportunity to work in this research topic and for her suggestions and supports during these long three years.

My thanks also go to Dr. Giuseppe Gallo, Ruggero La Rosa and Prof. A.M. Puglia, who kindly cooperated in the studies of proteomics. Everyone taught me research at the best.

I have to thank Dr. Claudio De Pasquale for her help with SPME GC-MS analysis.

Thanks also to the students who worked in our lab, specially: Valentina Imparato and Mariangela Tabone. They brought the right atmosphere to the lab.

References

1. Alvarez H. M. (2006). Bacterial Triacylglycerols. Triglycerides and Cholesterol Research New York: Nova Science Publishers Inc: Welson LT, (6), 159–176.
2. Alvarez H.M. (2003). Relationship between b-oxidation pathway and the hydrocarbon-degrading profile in actinomycetes bacteria. *Inter Biodeter Biodeg*, (52), 35–42
3. Alvarez, H. M., Luftmann, H., Silva, R. A., Cesari, A. C., Viale, A., Wältermann, M., et al. (2002). Identification of phenyldecanoic acid as a constituent of triacylglycerols and wax ester produced by rhodococcus opacus PD630. *Microbiology*, 148(5), 1407-1412.
4. Alvarez, H. M., Kalscheuer, R., and Steinbüchel, A. (2000). Accumulation and mobilization of storage lipids by rhodococcus opacus PD630 and rhodococcus ruber NCIMB 40126. *Applied Microbiology and Biotechnology*, 54(2), 218-223.
5. Alvarez HM, Mayer F, Fabritius D and Steinbüchel A. (1996). Formation of intracytoplasmic lipid inclusion by Rhodococcus opacus PD630. *Arch Microbiol*, (165), 377–386.
6. Arabolaza A, Rodriguez E, Altabe S, Alvarez H and Gramajo H. (2008). Multiple Pathways for Triacylglycerol Biosynthesis in Streptomyces coelicolor. *Appl Environ Microbiol*, (74), 2573–2582.
7. Arenskötter, M., D. Baumeister, M. M. Berekaa, G. Pötter, R. M. Kroppenstedt, A. Linos, and A. Steinbüchel. (2001). Taxonomic characterization of two rubber degrading bacteria belonging to the species Gordonia polyisoprenivorans and analysis of hypervariable regions of 16S rDNA sequences. *FEMS Microbiol. Lett.* (205), 277-282.
8. Ashraf, W., Mihdhir, A., and Murrell, J. C. (1994). Bacterial oxidation of propane. *FEMS Microbiology Letters*, 122(1-2), 1-6.
9. Ashraf, W., and Murrell, J. C. (1990). Propane-specific alcohol dehydrogenase from rhodococcus rhodochrous PNKb1. *Methods in Enzymology*, 188, 21-26.
10. Austin, R. N., Chang, H., Zylstra, G. J., and Groves, J. T. (2000). The non-heme diiron alkane monooxygenase of pseudomonas oleovorans (AlkB) hydroxylates via a substrate radical intermediate. *Journal of the American Chemical Society*, 122(47), 11747-11748.
11. Banchio C. and Gramajo H. (2002). A stationary-phase acyl-coenzyme A synthetase of Streptomyces coelicolor A3 (2) is necessary for the normal onset of antibiotic production. *Appl Environ Microbiol*, (68), 4240–4246

12. Banchio, C., and Gramajo, H. C. (1997). Medium- and long-chain fatty acid uptake and utilization by *streptomyces coelicolor* A3(2): First characterization of a gram-positive bacterial system. *Microbiology*, 143(7), 2439-2447.
13. Barabás, G., Vargha, G., Szabó, I. M., Penyige, A., Damjanovich, S., Szöllösi, J., (2001). n-alkane uptake and utilisation by *streptomyces* strains. *Antonie Van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 79(3-4), 269-276.
14. Beal, R., and W. B. Betts. (2000). Role of rhamnolipid biosurfactants in the uptake and mineralization of hexadecane in *Pseudomonas aeruginosa*. *J. Appl. Microbiol.* 89:158-168.
15. Bendinger, B., H. H. M. Rijnaarts, K. Altendorf, and A. J. B. Zehnder. (1993). Physicochemical cell surface and adhesive properties of coryneform bacteria related to the presence and chain length of mycolic acids. *Appl. Environ. Microbiol.* 59:
16. Bentley SD, Chater KF, Cerdeño-Tárraga AM, Challis GL, Thomson NR, James KD, Harris DE, Quail MA, Kieser H, Harper D, Bateman A, Brown S, Chandra G, Chen CW, Collins M, Cronin A, Fraser A, Goble A, Hidalgo J, Hornsby T, Howarth S, Huang CH, Kieser T, Larke L, Murphy L, Oliver K, O'Neil S, Rabbinowitsch E, Rajandream MA, Rutherford K, Rutter S, Seeger K, Saunders D, Sharp S, Squares R, Squares S, Taylor K, Warren T, Wietzorek A, Woodward J, Barrell BG, Parkhill J, Hopwood DA. Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). *Nature*. 2002 May 9;417(6885):141-7.
17. Bertrand, E., Sakai, R., Rozhkova-Novosad, E., Moe, L., Fox, B. G., Groves, J. T., et al. (2005). Reaction mechanisms of non-heme diiron hydroxylases characterized in whole cells. *Journal of Inorganic Biochemistry*, 99(10), 1998-2006.
18. Bouchez-Naïtali, M., H. Rakatozafy, R. Marchal, J.-Y. Leveau, and J.-P. Vandecasteele. (1999). Diversity of bacterial strains degrading hexadecane in relation to the mode of substrate uptake. *J. Appl. Microbiol.* 86:421-428.
19. Bury, S. J., and C. A. Miller. (1993). Effect of micellar solubilization on biodegradation rates of hydrocarbons. *Environ. Sci. Technol.* 27:104-110.
20. Canosa, I., Sánchez-Romero, J. M., Yuste, L., and Rojo, F. (2000). A positive feedback mechanism controls expression of AlkS, the transcriptional regulator of the *pseudomonas oleovorans* alkane degradation pathway. *Molecular Microbiology*, 35(4), 791-799.

21. Canosa, I., Yuste, L., and Rojo, F. (1999). Role of the alternative sigma factor $\sigma(s)$ in expression of the alkS regulator of the pseudomonas oleovorans alkane degradation pathway. *Journal of Bacteriology*, 181(6), 1748-1754.
22. Chen, Q., Janssen, D. B., and Witholt, B. (1996). Physiological changes and alk gene instability in pseudomonas oleovorans during induction and expression of alk genes. *Journal of Bacteriology*, 178(18), 5508-5512.
23. Cole, S. T., and Barrell, B. G. (1998). Analysis of the genome of mycobacterium tuberculosis H37Rv
24. Daniel, J., Deb, C., Dubey, V. S., Sirakova, T. D., Abomoelak, B., Morbidoni, H. R., et al. (2004). Induction of a novel class of diacylglycerol acyltransferases and triacylglycerol accumulation in mycobacterium tuberculosis as it goes into a dormancy-like state in culture. *Journal of Bacteriology*, 186(15), 5017-5030.
25. Das N. and Chandran P. (2010). Microbial Degradation of Petroleum Hydrocarbon Contaminants: An Overview. Biotechnology Research International, doi:10.4061/2011/941810
26. De Bont, J. A. M. (1998). Solvent-tolerant bacteria in biocatalysis. *Trends in Biotechnology*, 16(12), 493-499.
27. De Pasquale, C., Guarino, S., Peri, E., Alonso, G., Colazza, S. (2007). Investigation of cuticular hydrocarbons from *Bagrada hilaris* genders by SPME/GC-MS. *Anal. Bioanal. Chem.* 389:1259-1265.
28. De Smet, M. J., Eggink, G., and Witholt, B. (1983). Characterization of intracellular inclusions formed by pseudomonas oleovorans during growth on octane. *Journal of Bacteriology*, 154(2), 870-878.
29. Deppe U., Richnow H.H., Michaelis W. and Antranikian G., (2005). Degradation of crude oil by an arctic microbial consortium, *Extremophiles* 9, pp. 461–470.
30. Feng, L., Wang, W., Cheng, J., Ren, Y., Zhao, G., Gao, C., et al. (2007). Genome and proteome of long-chain alkane degrading *geobacillus thermodenitrificans* NG80-2 isolated from a deep-subsurface oil reservoir. *Proceedings of the National Academy of Sciences of the United States of America*, 104(13), 5602-5607.
31. Finnerty WR. (2000)
32. Frazão, C., Silva, G., Gomes, C. M., Matias, P., Coelho, R., Sieker, L., et al. (2000). Structure of a dioxygen reduction enzyme from *desulfovibrio gigas*. *Nature Structural Biology*, 7(11), 1041-1045.

33. Fujii, T., Narikawa, T., Takeda, K., and Kato, J. (2004). Biotransformation of various alkanes using the escherichia coli expressing an alkane hydroxylase system from gordonia sp. TF6. *Bioscience, Biotechnology and Biochemistry*, **68**(10), 2171-2177.
34. Funhoff, E. G., Bauer, U., García-Rubio, I., Witholt, B., and Van Beilen, J. B. (2006). CYP153A6, a soluble P450 oxygenase catalyzing terminal-alkane hydroxylation. *Journal of Bacteriology*, **188**(14), 5220-5227.
35. Gauthier M.J., Lafay B., Christen R., Fernandez L., Acquaviva M., Bonin P. and Bertrand J.C., (1992). Marinobacter hydrocarbonoclasticus gen. nov., sp. nov., a new, extremely halotolerant, hydrocarbon-degrading marine bacterium, *Int. J. Syst. Bacteriol.* **42**, pp. 568–576.
36. Geißdörfer, W., Kok, R. G., Ratajczak, A., Hellingwerf, K. J., and Hillen, W. (1999). The genes rubA and rubB for alkane degradation in acinetobacter sp. strain ADPI are in an operon with estB, encoding an esterase, and oxyR. *Journal of Bacteriology*, **181**(14), 4292-4298.
37. Green D.H., Bowman J.P., Smith E.A., Gutierrez T. and Bolch C.J.S., (2006). Marinobacter algicola sp. nov., isolated from laboratory cultures of paralytic shellfish toxin-producing dinoflagellates, *Int. J. Syst. Evol. Microbiol.* **56**, pp. 523–527.
38. Grund, A., Shapiro, J., and Fennewald, M. (1975). Regulation of alkane oxidation in pseudomonas putida. *Journal of Bacteriology*, **123**(2), 546-556.;
39. Hamamura, N., Yeager, C. M., and Arp, D. J. (2001). Two distinct monooxygenases for alkane oxidation in nocardiooides sp. strain CF8. *Applied and Environmental Microbiology*, **67**(3-12), 4992-4998.
40. Harwood, C. S., N. N. Nichols, M.-K. Kim, J. L. Ditty, and R. E. Parales. (1994). Identification of the pcaRKF gene cluster from Pseudomonas putida: involvement in chemotaxis, biodegradation, and transport of 4-hydroxybenzoate. *J. Bacteriol.* **176**:6479-6488.
41. Hawkins, A. C., and C. S. Harwood. (2002). Chemotaxis of Ralstonia eutropha JMP134 (pJP4) to the herbicide 2,4-dichlorophenoxyacetate. *Appl. Environ. Microbiol.* **68**:968-972.
42. Head I.M., Jones D.M. and Röling W.F., (2006). Marine microorganisms make a meal of oil, *Nat. Rev. Microbiol.* **4**, pp. 173–182.
43. Iida, T., Sumita, T., Ohta, A., and Takagi, M. (2000). The cytochrome P450ALK multigene family of an n-alkane-assimilating yeast, yarrowia lipolytica: Cloning and characterization of genes coding for new CYP52 family members. *Yeast*, **16**(12), 1077-1087.

44. Ishige, T., A. Tani, K. Takabe, K. Kawasaki, Y. Sakai, and N. Kato. (2002). Wax ester production from n-alkanes by *Acinetobacter* sp. strain M-1: ultrastructure of cellular inclusions and role of acyl coenzyme A reductase. *Appl. Environ. Microbiol.* 68:1192-1195.
45. Ishige, T., Tani, A., Sakai, Y., and Kato, N. (2000). Long-chain aldehyde dehydrogenase that participates in n-alkane utilization and wax ester synthesis in *acinetobacter* sp. strain M-1. *Applied Environ. Microbiol.* 66(8), 3481-3486.;
46. Ishikawa, J., Yamashita, A., Mikami, Y., Hoshino, Y., Kurita, H., Hotta, K., Shiba, T., Hattori, M. (2004). The complete genomic sequence of *Nocardia farcinica* IFM 10152. *Proc. Natl. Acad. Sci. U S A.* 101:14925-30
47. Ivanova N, Sikorski J, Jando M, Lapidus A, Nolan M, Lucas S, Del Rio TG, Tice H, Copeland A, Cheng JF, Chen F, Bruce D, Goodwin L, Pitluck S, Mavromatis K, Ovchinnikova G, Pati A, Chen A, Palaniappan K, Land M, Hauser L, Chang YJ, Jeffries CD, Chain P, Saunders E, Han C, Detter JC, Brettin T, Rohde M, Göker M, Bristow J, Eisen JA, Markowitz V, Hugenholtz P, Klenk HP, Kyrpides NC. Complete genome sequence of *Gordonia bronchialis* type strain (3410). *Stand Genomic Sci.* 2010 Jan 28;2(1):19-28.
48. Johnsen A.R. and Karlson U., (2004). Evaluation of bacterial strategies to promote the bioavailability of polycyclic aromatic hydrocarbons, *Appl. Microbiol. Biotechnol.* **63**, pp. 452–459.
49. Johnson, E. L., and Hyman, M. R. (2006). Propane and n-butane oxidation by *pseudomonas putida* GPo1. *Appl. Environ. Microbiol.*, 72(1), 950-952.
50. Junker, F., and Ramos, J. L. (1999). Involvement of the cis/trans isomerase cti in solvent resistance of *pseudomonas putida* DOT-T1E. *Journal of Bacteriology*, 181(18), 5693-5700.
51. Kalscheuer, R., Stöveken, T., Malkus, U., Reichelt, R., Golyshin, P. N., Sabirova, J. S., et al. (2007). Analysis of storage lipid accumulation in *alcanivorax borkumensis*: Evidence for alternative triacylglycerol biosynthesis routes in bacteria. *Journal of Bacteriology*, 189(3), 918-928.
52. Kalscheuer, R., Stölting, T., and Steinbüchel, A. (2006). Microdiesel: *Escherichia coli* engineered for fuel production. *Microbiology*, 152(9), 2529-2536.
53. Kalscheuer, R., and Steinbüchel, A. (2003). A novel bifunctional wax ester synthase/acyl-CoA:Diacylglycerol acyltransferase mediates wax ester and triacylglycerol biosynthesis in *acinetobacter calcoaceticus* ADP1. *Journal of Biological Chemistry*, 278(10), 8075-8082.

54. Kalscheuer, R., Wältermann, M., Alvarez, H., and Steinbüchel, A. (2002). Preparative isolation of lipid inclusions from *rhodococcus opacus* and *rhodococcus ruber* and identification of granule-associated proteins. *Archives of Microbiology*, 177(1), 20-28.
55. Kieser, T., Bibb, M.J., Buttner, M.J., Chater, K.F. and Hopwood, D.A.. (2000). Practical *Streptomyces* Genetics. The John Innes Foundation
56. Kim, I. S., J. M. Foght, and M. R. Gray. (2002). Selective transport and accumulation of alkanes by *Rhodococcus erythropolis* S+14He. *Biotechnol. Bioeng.* 80:650-659.
57. Koma, D., Hasumi, F., Yamamoto, E., Ohta, T., Chung, S.Y., Kubo, M. (2001). Biodegradation of long-chain n-paraffins from waste oil of car engine by *Acinetobacter* sp. *J. Biosci. Bioeng.*, 91:94-96
58. Kotani, T., Yamamoto, T., Yurimoto, H., Sakai, Y., and Kato, N. (2003). Propane monooxygenase and NAD₀RW1S34RfeSDcfkexd09rT3+IRW1S34RfeSDcfkexd09rT3-dependent secondary alcohol dehydrogenase in propane metabolism by *gordonia* sp. strain TY-5. *Journal of Bacteriology*, 185(24), 7120-7128.
59. Kubota, M., Nodate, M., Yasumoto-Hirose, M., Uchiyama, T., Kagami, O., Shizuri Y., Misawa, N. (2005). Isolation and functional analysis of cytochrome P450 CYP153A genes from various environments. *Biosci. Biotechnol. Biochem.* 69: 2421-2430
60. Lee, H., Birren, B., and Lai, E. (1991). Ultraviolet nicking of large DNA molecules from pulsed-field gels for southern transfer and hybridization. *Analytical Biochemistry*, 199(1), 29-34.
61. Li, L., Liu, X., Yang, W., Xu, F., Wang, W., Feng, L., et al. (2008). Crystal structure of long-chain alkane monooxygenase (LadA) in complex with coenzyme FMN: Unveiling the long-chain alkane hydroxylase. *Journal of Molecular Biology*, 376(2), 453-465.
62. Li Z et al., (2002)
63. Li, X., Li, Y., Wei, D., Li, P., Wang, L., and Feng, L. (2010). Characterization of a broad-range aldehyde dehydrogenase involved in alkane degradation in *geobacillus thermodenitrificans* NG80-2. *Microbiological Research*, 165(8), 706-712.
64. Lo Piccolo L, De Pasquale C, Fodale R, Puglia AM, Quatrini P. Involvement of an Alkane Hydroxylase System of *Gordonia* sp. Strain SoCg in Degradation of Solid n-Alkanes. *Appl Environ Microbiol*. 2011 Feb;77(4):1204-13. Epub 2010 Dec 23.
65. Maeng, J. H., Sakai, Y., Ishige, T., Tani, Y., and Kato, N. (1996). Diversity of dioxygenases that catalyze the first step of oxidation of long-chain n-alkanes in *acinetobacter* sp. M-1. *FEMS Microbiology Letters*, 141(2-3), 177-182.

66. Maier, T., Förster, H. -, Asperger, O., and Hahn, U. (2001). Molecular characterization of the 56-kDa CYP153 from acinetobacter sp. EB104. *Biochemical and Biophysical Research Communications*, 286(3), 652-658.
67. Manachini, P. L., Mora, D., Nicastro, G., Parini, C., Stackebrandt, E., Pukall, R., et al. (2000). *Bacillus thermodenitrificans* sp. nov., nom. rev. *International Journal of Systematic and Evolutionary Microbiology*, 50(3), 1331-1337.
68. Marín, M. M., Yuste, L., and Rojo, F. (2003). Differential expression of the components of the two alkane hydroxylases from *pseudomonas aeruginosa*. *Journal of Bacteriology*, 185(10), 3232-3237.
69. Marín, M. M., Smits, T. H. M., Van Beilen, J. B., and Rojo, F. (2001). The alkane hydroxylase gene of *burkholderia cepacia* RR10 is under catabolite repression control. *Journal of Bacteriology*, 183(14), 4202-4209.
70. Ohkuma, M., Zimmer, T., Iida, T., Schunck, W. -, Ohta, A., and Takagi, M. (1998). Isozyme function of n-alkane-inducible cytochromes P450 in *candida maltosa* revealed by sequential gene disruption. *Journal of Biological Chemistry*, 273(7), 3948-3953.
71. Perry, J. J., and Scheld, H. W. (1968). Oxidation of hydrocarbons by microorganisms isolated from soil. *Canadian Journal of Microbiology*, 14(4), 403-407.
72. Pham T.H., Webb J.S. and Rehm B.H., (2004). The role of polyhydroxyalkanoate biosynthesis by *Pseudomonas aeruginosa* in rhamnolipid and alginate production as well as stress tolerance and biofilm formation, *Microbiology* **150**, pp. 3405–3413.
73. Pinkart, H. C., and White, D. C. (1997). Phospholipid biosynthesis and solvent tolerance in *pseudomonas putida* strains. *Journal of Bacteriology*, 179(13), 4219-4226.
74. Prieto, M., Mayor, S., Rodríguez, K., Lloyd-Williams, P., and Giralt, E. (2007). Racemization in suzuki couplings: A quantitative study using 4-hydroxyphenylglycine and tyrosine derivatives as probe molecules. *Journal of Organic Chemistry*, 72(3), 1047-1050.
75. Puglia, A.M., Vohradsky, J., Thompson, C.J. 1995. Developmental control of the heat-shock stress regulon in *Streptomyces coelicolor*. *Mol. Microbiol.* 17:737-746.
76. Purswani, J., Pozo, C., Rodríguez-Díaz, M., and Gonzalez-López, J. (2008). Selection and identification of bacterial strains with methyl-tert-butyl ether, ethyl-tert-butyl ether, and tert-amyl methyl ether degrading capacities. *Environmental Toxicology and Chemistry*, 27(11), 2296-2303.
77. Quatrini, P., Scaglione, G., De Pasquale, C., Riela, S., and Puglia, A. M. (2008). Isolation of gram-positive n-alkane degraders from a hydrocarbon- contaminated mediterranean shoreline. *Journal of Applied Microbiology*, 104(1), 251-259.

78. Radwan, S. S., Barabás, G., Sorkhoh, N. A., Damjanovich, S., Szabó, I., Szöllosi, J., et al. (1998). Hydrocarbon uptake by streptomyces. *FEMS Microbiology Letters*, 169(1), 87-94.
79. Rahman, T. J., Marchant, R., and Banat, I. M. (2004). Distribution and molecular investigation of highly thermophilic bacteria associated with cool soil environments. *Biochemical Society Transactions*, 32(2), 209-213.
80. Ramos, J. L., Marqués, S., and Timmis, K. N. (1997). *Transcriptional control of the pseudomonas TOL plasmid catabolic operons is achieved through an interplay of host factors and plasmid-encoded regulators*
81. Ratajczak, A., Geißdörfer, W., and Hillen, W. (1998). Expression of alkane hydroxylase from acinetobacter sp. strain ADPI is induced by a broad range of n-alkanes and requires the transcriptional activator AlkR. *Journal of Bacteriology*, 180(22), 5822-5827.
82. Rojo, F. 2009. Degradation of alkanes by bacteria. *Environ. Microbiol.* 11:2477-90
83. Rojo, F. (2005). Specificity at the end of the tunnel: Understanding substrate length discrimination by the AlkB alkane hydroxylase. *Journal of Bacteriology*, 187(1), 19-22.
84. Ron, E. Z., and Rosenberg, E. (2002). Biosurfactants and oil bioremediation. *Current Opinion in Biotechnology*, 13(3), 249-252.
85. Sabirova, J. S., Ferrer, M., Regenhardt, D., Timmis, K. N., and Golyshin, P. N. (2006). Proteomic insights into metabolic adaptations in *alcanivorax borkumensis* induced by alkane utilization. *Journal of Bacteriology*, 188(11), 3763-3773.
86. Sambrook, J., Fritsch, E.F. and Maniatis, J. 1989. Molecular Cloning: A Laboratory Manual. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press
87. Sameshima, Y., Honda, K., Kato, J., Omasa, T., Ohtake, H. (2008). Expression of *Rhodococcus opacus* alkB genes in anhydrous organic solvents. *J. Biosci. Bioeng.* 106:199-203
88. Sayavedra-Soto, L. A., Doughty, D. M., Kurth, E. G., Bottomley, P. J., and Arp, D. J. (2005). Product and product-independent induction of butane oxidation in *pseudomonas butanovora*. *FEMS Microbiology Letters*, 250(1), 111-116.
89. Schmitz, C., Goebel, I., Wagner, S., Vomberg, A., and Klinner, U. (2000). Competition between n-alkane-assimilating yeasts and bacteria during colonization of sandy soil microcosms. *Applied Microbiology and Biotechnology*, 54(1), 126-132.
90. Sekelsy, A. M., and Shreve G. S.. (1999). Kinetic model of biosurfactant-enhanced hexadecane biodegradation by *Pseudomonas aeruginosa*. *Biotechnol. Bioeng.* 63:401-409

91. Sekine, M., Tanikawa, S., Omata, S., Saito, M., Fujisawa, T., Tsukatani, N., et al. (2006). Sequence analysis of three plasmids harboured in *rhodococcus erythropolis* strain PR4. *Environmental Microbiology*, 8(2), 334-346.
92. Shanklin, J., Achim, C., Schmidt, H., Fox, B. G., and Münck, E. (1997). Mössbauer studies of alkane ω -hydroxylase: Evidence for a diiron cluster in an integral-membrane enzyme. *Proceedings of the National Academy of Sciences of the United States of America*, 94(7), 2981-2986.
93. Shanklin, J. (1994). Eight histidine residues are catalytically essential in a membrane-associated iron enzyme, stearoyl-CoA desaturase, and are conserved in alkane hydroxylase and xylene monooxygenase I. *Biochemistry*, 33(43), 12787-12794.
94. Sikkema, J., De Bont, J. A. M., and Poolman, B. (1995). Mechanisms of membrane toxicity of hydrocarbons. *Microbiological Reviews*, 59(2), 201-222.
95. Silva R, Grossi V. and Alvarez H.M. (2007). Biodegradation of phytane (2,6,10,14-tetramethylhexadecane) and accumulation of related isoprenoid wax esters by *Mycobacterium ratisbonense* starin SD4 under nitrogen-starved conditions. *FEMS Microbiol Lett*, (272),220–228.
96. Sirakova, T. D., Dubey, V. S., Deb, C., Daniel, J., Korotkova, T. A., Abomoelak, B., et al. (2006). Identification of a diacylglycerol acyltransferase gene involved in accumulation of triacylglycerol in *mycobacterium tuberculosis* under stress. *Microbiology*, 152(9), 2717-2725.
97. Smits, T. H. M., Balada, S. B., Witholt, B., and Van Beilen, J. B. (2002). Functional analysis of alkane hydroxylases from gram-negative and gram-positive bacteria. *Journal of Bacteriology*, 184(6), 1733-1742.
98. Smits, T. H. M., Röthlisberger, M., Witholt, B., and Van Beilen, J. B. (1999). Molecular screening for alkane hydroxylase genes in gram-negative and gram-positive strains. *Environmental Microbiology*, 1(4), 307-317.
99. Soltani M., Metzger P. and Largeau C., (2004). Effects of hydrocarbon structure on fatty acid, fatty alcohol, and β -hydroxy acid composition in the hydrocarbon-degrading bacterium *Marinobacter hydrocarbonoclasticus*, *Lipids* 39, pp. 491–505.
100. Sorkhoh, N. A., Al-Hasan, R. H., Khanafer, M., and Radwan, S. S. (1995). Establishment of oil-degrading bacteria associated with cyanobacteria in oil-polluted soil. *Journal of Applied Bacteriology*, 78(2), 194-199.

101. Stackebrandt, E., F. A. Rainey, and N. L. Ward-Rainey. (1997). Proposal for a new hierarchic classification system, Actinobacteria classis nov. *Int. J. Syst. Bacteriol.* 47:479-491.
102. Stöveken, T., Kalscheuer, R., Malkus, U., Reichelt, R., and Steinbüchel, A. (2005). The wax ester synthase/acyl coenzyme A:Diacylglycerol acyltransferase from *acinetobacter* sp. strain ADPI: Characterization of a novel type of acyltransferase. *Journal of Bacteriology*, 187(4), 1369-1376.
103. Sullivan, J. P., Dickinson, D., and Chase, H. A. (1998). Methanotrophs, *methylsinus trichosporium* OB3b, sMMO, and their application to bioremediation. *Critical Reviews in Microbiology*, 24(4), 335-373.
104. Takami, H., Takaki, Y., Chee, G. -, Nishi, S., Shimamura, S., Suzuki, H., et al. (2004). Thermoadaptation trait revealed by the genome sequence of thermophilic *geobacillus kaustophilus*. *Nucleic Acids Research*, 32(21), 6292-6303.
105. Tani, A., Ishige, T., Sakai, Y., and Kato, N. (2001). Gene structures and regulation of the alkane hydroxylase complex in *acinetobacter* sp. strain M-1. *Journal of Bacteriology*, 183(5), 1819-1823.
106. Thijssse, G. J. E., and van der Linden, A. C. (1958). n-alkane oxidation by a pseudomonas - studies on the intermediate metabolism. *Antonie Van Leeuwenhoek*, 24(1), 298-308.
107. Throne-Holst, M., Wentzel, A., Ellingsen, T. E., Kotlar, H. -, and Zotchev, S. B. (2007). Identification of novel genes involved in long-chain n-alkane degradation by *acinetobacter* sp. strain DSM 17874. *Applied and Environmental Microbiology*, 73(10), 3327-3332.
108. Throne-Holst, M., Markussen, S., Winnberg, A., Ellingsen, T.E., Kotlar, H.K., Zotchev, S.B. (2006). Utilization of n-alkanes by a newly isolated strain of *Acinetobacter venetianus*: the role of two AlkB-type alkane hydroxylases. *Appl. Microbiol. Biotechnol.* 72:353-360
109. Toren, A., Ron, E. Z., Bekerman, R., and Rosenberg, E. (2002). Solubilization of polyaromatic hydrocarbons by recombinant bioemulsifier AlnA. *Applied Microbiology and Biotechnology*, 59(4-5), 580-584.
110. Toren, A., Navon-Venezia, S., Ron, E. Z., and Rosenberg, E. (2001). Emulsifying activities of purified alasan proteins from *acinetobacter radioresistens* KA53. *Applied and Environmental Microbiology*, 67(3), 1102-1106.
111. Uthoff, S., Stöveken, T., Weber, N., Vosmann, K., Klein, E., Kalscheuer, R., et al. (2005). Thio wax ester biosynthesis utilizing the unspecific bifunctional wax ester synthase/acyl

- coenzyme A:Diacylglycerol acyltransferase of *acinetobacter* sp. strain ADPI. *Applied and Environmental Microbiology*, 71(2), 790-796.
- I 12. van Beilen, J. B., and Funhoff, E. G. (2007). Alkane hydroxylases involved in microbial alkane degradation. *Applied Microbiology and Biotechnology*, 74(1), 13-21.
- I 13. van Beilen, J. B., Funhoff, E. G., Van Loon, A., Just, A., Kaysser, L., Bouza, M., et al. (2006). Cytochrome P450 alkane hydroxylases of the CYP153 family are common in alkane-degrading eubacteria lacking integral membrane alkane hydroxylases. *Applied and Environmental Microbiology*, 72(1), 59-65.
- I 14. van Beilen, J. B., Smits, T. H. M., Roos, F. F., Brunner, T., Balada, S. B., Röthlisberger, M., et al. (2005). Identification of an amino acid position that determines the substrate range of integral membrane alkane hydroxylases. *Journal of Bacteriology*, 187(1), 85-91.
- I 15. van Beilen, J. B., Marín, M. M., Smits, T. H. M., Röthlisberger, M., Franchini, A. G., Witholt, B., et al. (2004). Characterization of two alkane hydroxylase genes from the marine hydrocarbonoclastic bacterium *alcanivorax borkumensis*. *Environmental Microbiology*, 6(3), 264-273.
- I 16. van Beilen, J. B., Duetz, W. A., Schmid, A., and Witholt, B. (2003). Practical issues in the application of oxygenases. *Trends in Biotechnology*, 21(4), 170-177.
- I 17. van Beilen, J. B., Smits, T. H. M., Whyte, L. G., Schorcht, S., Röthlisberger, M., Plaggemeier, T., et al. (2002). Alkane hydroxylase homologues in gram-positive strains. *Environmental Microbiology*, 4(11), 676-682.
- I 18. van Beilen, J. B., Panke, S., Lucchini, S., Franchini, A. G., Röthlisberger, M., and Witholt, B. (2001). Analysis of *pseudomonas putida* alkane-degradation gene clusters and flanking insertion sequences: Evolution and regulation of the alk genes. *Microbiology*, 147(6), 1621-1630.
- I 19. van Beilen, J. B., Kingma, J., and Witholt, B. (1994). Substrate specificity of the alkane hydroxylase system of *pseudomonas oleovorans* GPoI. *Enzyme and Microbial Technology*, 16(10), 904-911.
- I 20. van Beilen, J. B., Penninga, D., and Witholt, B. (1992). Topology of the membrane-bound alkane hydroxylase of *pseudomonas oleovorans*. *Journal of Biological Chemistry*, 267(13), 9194-9201.
- I 21. van Hamme J.D. and Urban J. (2009). Biosurfactants in Bioremediation. *Advances in Applied Bioremediation Soil Biology*, 17, 73-89
- I 22. van Hamme, J. D., Singh, A., and Ward, O. P. (2003). Recent advances in petroleum microbiology. *Microbiology and Molecular Biology Reviews*, 67(4), 503-549.

123. van Hamme, J. D., and O. P. Ward. (2001). Physical and metabolic interactions of *Pseudomonas* sp. strain JA5-B45 and *Rhodococcus* sp. strain F9-D79 during growth on crude oil and effect of a chemical surfactant on them. *Appl. Environ. Microbiol.* 67:4874-4879.
124. Vangnai, A. S., Sayavedra-Soto, L. A., and Arp, D. J. (2002). Roles for the two 1-butanol dehydrogenases of *pseudomonas butanovora* in butane and 1-butanol metabolism. *Journal of Bacteriology*, 184(16), 4343-4350.
125. Vangnai, A. S., and Arp, D. J. (2001). An inducible 1-butanol dehydrogenase, a quinohaemoprotein, is involved in the oxidation of butane by 'pseudomonas butanovora'. *Microbiology*, 147(3), 745-756.
126. Vaysse, P., Prat, L., Mangenot, S., Cruveiller, S., Goulas, P., and Grimaud, R. (2009). Proteomic analysis of *marinobacter hydrocarbonoclasticus* SPI17 biofilm formation at the alkane-water interface reveals novel proteins and cellular processes involved in hexadecane assimilation. *Research in Microbiology*, 160(10), 829-837.
127. Wältermann M., Stöveken T. and Steinbüchel A (2007). Key enzymes for biosynthesis of neutral lipid storage compounds in prokaryotes: Properties, function and occurrence of wax ester synthases/acyl-CoA:diacylglycerol acyltransferases. *Biochimie* (89), 230–242.
128. Wältermann, M., and Steinbüchel, A. (2005). Neutral lipid bodies in prokaryotes: Recent insights into structure, formation, and relationship to eukaryotic lipid depots. *Journal of Bacteriology*, 187(11), 3607-3619.
129. Wältermann, M., Hinz, A., Robenek, H., Troyer, D., Reichelt, R., Malkus, U., et al. (2005). Mechanism of lipid-body formation in prokaryotes: How bacteria fatten up. *Molecular Microbiology*, 55(3), 750-763.
130. Wang, L., Tang, Y., Wang, S., Liu, R. -, Liu, M. -, Zhang, Y., et al. (2006). Isolation and characterization of a novel thermophilic bacillus strain degrading long-chain n-alkanes. *Extremophiles*, 10(4), 347-356.
131. Weisburg, W., Barns, S.M., Pelletier, D.A., Lane, D.J. (1991). 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.* 173:697–703
132. Wick, L.Y., Colangelo, T., Harms, H. 2001. Kinetics of mass transfer-limited bacterial growth on solid PAHs. *Environ. Sci. Technol.* 15:354-361.
133. Whitman, B. E., D. R. Lueking, and J. R. Mihelcic. (1998). Naphthalene uptake by a *Pseudomonas fluorescens* isolate. *Can. J. Microbiol.* 44:1086-1093.

134. Whyte, L. G., Smits, T. H. M., Labb  , D., Witholt, B., Greer, C. W., and Van Beilen, J. B. (2002). Gene cloning and characterization of multiple alkane hydroxylase systems in *rhodococcus* strains Q15 and NRRL B-16531. *Applied and Environmental Microbiology*, **68**(12), 5933-5942.
135. Whyte, L. G., Hawari, J., Zhou, E., Bourbonni  re, L., Inniss, W. E., and Greer, C. W. (1998). Biodegradation of variable-chain-length alkanes at low temperatures by a psychrotrophic *rhodococcus* sp. *Applied and Environmental Microbiology*, **64**(7), 2578-2584.
136. Xue, Y., X. Xuesong, P. Zhou, R. Liu, F. Liang, and Y. Ma. (2003). *Gordonia paraffinivorans* sp. nov., a hydrocarbon-degrading actinomycete isolated from an oil-producing well. *Int. J. Syst. Evol. Microbiol.* **53**:1643-1646.
137. Yakimov M.M., Timmis K.N. and Golyshin P.N., (2007). Obligate oil-degrading marine bacteria, *Curr. Opin. Biotechnol.* **18**, pp. 257-266.
138. Yakimov M.M., Giuliano L., Crisafi E., Gentile G., Chernikova T.N., Abraham W.R., L  nsdorf H, Timmis K.N. and Golyshin P.N., (2003). *Oleispira antarctica* gen. nov., sp. nov., a novel hydrocarbonoclastic marine bacterium isolated from Antarctic coastal sea water, *Int. J. Syst. Evol. Microbiol.* **53**, pp. 779-785.
139. Yuste, L., Canosa, I., and Rojo, F. (1998). Carbon-source-dependent expression of the PalkB promoter from the *pseudomonas oleovorans* alkane degradation pathway. *Journal of Bacteriology*, **180**(19), 5218-5226.
140. Zimmer, T., Ohkuma, M., Ohta, A., Takagi, M., and Schunck, W. (1996). The CYP52 multigene family of *candida maltosa* encodes functionally diverse n-alkane-inducible cytochromes p450. *Biochemical and Biophysical Research Communications*, **224**(3), 784-789.