

Annals of Computer Science and Information Systems
Volume 2

Proceedings of the 2014 Federated Conference on Computer Science and Information Systems

September 7–10, 2014. Warsaw, Poland



Maria Ganzha, Leszek Maciaszek, Marcin Paprzycki
(eds.)



Annals of Computer Science and Information Systems, Volume 2

Series editors:

Maria Ganzha,

Systems Research Institute Polish Academy of Sciences and University of Gdańsk, Poland

Leszek Maciaszek,

Wrocław University of Economy, Poland and Macquarie University, Australia

Marcin Paprzycki,

Systems Research Institute Polish Academy of Sciences and Management Academy, Poland

Senior Editorial Board:

Wil van der Aalst,

Technische Universiteit Eindhoven, Netherlands

Marco Aiello,

University of Groningen, Netherlands

Barrett Bryant,

University of North Texas, USA

Ana Fred,

Technical University of Lisbon, Portugal

Janusz Górski,

Gdansk University of Technology, Poland

Mike Hinchey,

University of Limerick, Ireland

Janusz Kacprzyk,

Systems Research Institute Polish Academy of Sciences, Poland

Irwin King,

The Chinese University of Hong Kong, Hong Kong

Juliusz L. Kulikowski,

Nałęcz Institute of Biocybernetics and Biomedical Engineering Polish Academy of Sciences, Poland

Michael Luck,

King's College London, United Kingdom

Jan Madey,

University of Warsaw, Poland

Andrzej Skowron,

University of Warsaw, Poland

Ivan Stojmenovic,

Deakin University, Australia, and University of Ottawa, Canada

Editorial Associate: Katarzyna Wasielewska,

Systems Research Institute Polish Academy of Sciences, Poland

TeXnical editor: Aleksander Denisiuk,

University of Warmia and Mazury in Olsztyn, Poland

Proceedings of the 2014 Federated Conference on Computer Science and Information Systems

Maria Ganzha, Leszek Maciaszek, Marcin Paprzycki
(eds.)



2014, Warszawa,
Polskie Towarzystwo
Informatyczne



2014, New York City,
Institute of Electrical and
Electronics Engineers

Annals of Computer Science and Information Systems, Volume 2
Proceedings of the 2014 Federated Conference on Computer Science and
Information Systems

ART: ISBN 978-83-60810-61-3, IEEE Catalog Number CFP1485N-ART
USB: ISBN 978-83-60810-57-6, IEEE Catalog Number CFP1485N-USB
WEB: ISBN 978-83-60810-58-3

ISSN 2300-5963
DOI 10.15439/978-83-60810-58-3

© 2014, Polskie Towarzystwo Informatyczne
Al. Solidarności 82A m. 5
01-003 Warsaw
Poland

© 2014, IEEE
10662 Los Vaqueros Circle
Los Alamitos, CA 90720
USA

Contact: secretariat@fedcsis.org
<http://annals-csis.org/>

Cover:
Alisa Denisiuk,
Elbląg, Poland

Also in this series:

Volume 1: Position Papers of the 2013 Federated Conference on Computer Science and
Information Systems (FedCSIS), ISBN WEB: 978-83-60810-55-2, ISBN USB: 978-83-60810-56-9

Volume 3: Position Papers of the 2014 Federated Conference on Computer Science and
Information Systems, ISBN WEB: 978-83-60810-60-6, ISBN USB: 978-83-60810-59-0

Volume 4: Proceedings of the E2LP Workshop, ISBN WEB: 978-83-60810-64-4, ISBN USB:
978-83-60810-63-7

Dear Reader, it is our pleasure to present to you Proceedings of the 2014 Federated Conference on Computer Science and Information Systems (FedCSIS), which took place in Warsaw, Poland, on September 7–10, 2014. Each of the papers, found in this volume, was refereed by at least two referees and the acceptance rate of full (regular) papers was 34.88% (150 papers out of 430 submissions).

FedCSIS 2014 was organized by the Polish Information Processing Society (Mazowsze Chapter), Warsaw University of Technology, Wrocław University of Economics and Systems Research Institute Polish Academy of Sciences. FedCSIS was organized in technical cooperation with: IEEE Computer Society, IEEE Region 8, Computer Society Chapter Poland, Gdańsk Computer Society Chapter, Poland, Polish Chapter of the IEEE Computational Intelligence Society (CIS), ACM Special Interest Group on Applied Computing, International Federation for Information Processing (IFIP), European Alliance for Innovation (EAI), Łódź ACM Chapter, Informatics Europe, Asociación de Técnicos de Informática, Committee of the Computer Science of the Polish Academy of Sciences, Polish Society for Business Informatics, Polish Chamber of Information Technology and Telecommunications, Polish Chamber of Commerce for High Technology, Mazovia Cluster ICT and Eastern Cluster ICT Poland. Furthermore, the 9th International Symposium Advances in Artificial Intelligence and Applications (AAIA'14) was organized in technical cooperation with: International Rough Set Society, International Fuzzy Systems Association and Polish Neural Networks Society.

FedCSIS 2014 consisted of the following events:

- **AAIA'14—9th International Symposium Advances in Artificial Intelligence and Applications**
 - AIMA'14 – 4th International Workshop on Artificial Intelligence in Medical Applications
 - ASIR'14 – 4th International Workshop on Advances in Semantic Information Retrieval
 - CEIM'14 – 1st Complex Events and Information Modelling
 - WCO'14 – 7th Workshop on Computational Optimization
- **CSS—Computer Science & Systems**
 - CANA'14 – 7th Computer Aspects of Numerical Algorithms
 - MMAP'14 – 7th International Symposium on Multimedia Applications and Processing
 - ScoDiS-LaSCoG'14 – 2nd Workshop on Scalable Computing in Distributed Systems and 7th Workshop on Large Scale Computations on Grids
- **ECRM—Education, Curricula & Research Methods**
 - E2LP Workshop Application of Innovative Teaching Methods in Embedded Engineering
 - ISEC'14 – Information Systems Education & Curricula Workshop
- **iNetSApp—Innovative Network Systems and Applications**
 - EAIS'14 – Emerging Aspects in Information Security
 - SoFAST-WS'14 – 3rd International Symposium on Frontiers in Network Applications, Network Systems and Web Services
 - WSN'14 – 3rd International Conference on Wireless Sensor Networks
- **IT4MBS—Information Technology for Management, Business & Society**
 - ABICT'14 – 5th International Workshop on Advances in Business ICT
 - AITM'14 – 12th Conference on Advanced Information Technologies for Management
 - ISM'14 – 9th Conference on Information Systems Management
 - IT4L'14 – 3rd Workshop on Information Technologies for Logistics
 - KAM&AI4KM'14 – 20th Conference on Knowledge Acquisition and Management and 2nd Workshop on Artificial Intelligence for Knowledge Management
- **Joint Agent-oriented Workshops in Synergy (JAWS)**
 - MAS&M'14 – International Workshop on Multi-Agent Systems and Simulation
 - SEN-MAS'14 – 3rd International Workshop on Smart Energy Networks & Multi-Agent Systems
- **SSD&A—Software Systems Development & Applications**
 - ATSE'14—5th International Workshop Automating Test Case Design, Selection and Evaluation
 - MDASD'14 – 3rd Workshop on Model Driven Approaches in System Development

Furthermore, an AAIA'14 Data Mining Competition, focused on key risk factors for the Polish State Fire Service has been organized. This competition was an integral part of the 1st Complex Events and Information Modeling workshop, while its results constitute a separate section in these proceedings. Awards for the winners of the contest were sponsored by: Dituel Ltd. and F&K Consulting Engineers Ltd.

Each event constituting FedCSIS had its own Organizing and Program Committee. We would like to express our warmest gratitude to members of all of them for their hard work attracting and later refereeing 430 submissions.

FedCSIS 2014 was organized under the auspices of Prof. Lena Kolarska-Bobińska, Minister of Science and Higher Education, Dr Rafał Trzaskowski, Minister of Administration and Digitization, Prof. Michał Kleiber, President of the Polish Academy of Sciences, Major General Wiesław Leśniakiewicz, Chief Commandant of the State Fire Service, Prof. Hanna Gronkiewicz-Waltz, Mayor of the Capital City of Warsaw, Prof. Jan Szmidt, Rector of Warsaw University of Technology, Gen. Prof. Zygmunt Mierczyk, Rector of Military Technical Academy, and Prof. Andrzej Gospodarowicz, Rector of Wrocław University of Economics.

FedCSIS was sponsored by the Ministry of Science and Higher Education, Intel, Orange Polska S.A. and Samsung.

Maria Ganzha, *Co-Chair of the FedCSIS Conference Series, Systems Research Institute Polish Academy of Sciences, Warsaw, Poland, and Gdańsk University, Gdańsk, Poland*

Leszek Maciaszek, *Co-Chair of the FedCSIS Conference Series, Wrocław University of Economics, Wrocław, Poland and Macquarie University, Sydney, Australia*

Marcin Paprzycki, *Co-Chair of the FedCSIS Conference Series, Systems Research Institute Polish Academy of Sciences, Warsaw and Management Academy, Warsaw, Poland*

Annals of Computer Science and Information Systems, Volume 2
Proceedings of the 2014 Federated Conference
on Computer Science and Information Systems
(FedCSIS)

September 7–10, 2014. Warsaw, Poland

TABLE OF CONTENTS

CONFERENCE KEYNOTE PAPERS

The Fog Computing Paradigm: Scenarios and Security Issues	1
<i>Ivan Stojmenovic, Sheng Wen</i>	
The Smart Grid's Data Generating Potentials	9
<i>Marco Aiello, Giuliano Andrea Pagani</i>	

9TH INTERNATIONAL SYMPOSIUM ADVANCES IN ARTIFICIAL
INTELLIGENCE AND APPLICATIONS

Call For Papers	17
Neural network approach to ECT inverse problem solving for estimation of gravitational solids flow	19
<i>Hela Garbaa, Lidia Jackowska-Strumillo, Krzysztof Grudzień, Andrzej Romanowski</i>	
Adaptive Learning for Improving Semantic Tagging of Scientific Articles	27
<i>Andrzej Janusz, Sebastian Stawicki, Hung Son Nguyen</i>	
A Brain Emotional Learning-based Prediction Model A Brain Emotional Learning-based Prediction Model For the Prediction of Geomagnetic Storms	35
<i>Mahboobeh Parsapoor, Urban Bilstrup, Bertil Svensson</i>	
Parallel Feature Selection Algorithm based on Rough Sets and Particle Swarm Optimization	43
<i>Mateusz Adamczyk</i>	
Global versus modular link prediction approach for discapnet: website focused to visually impaired people	51
<i>Olatz Arbelaitz, Aizea Lojo, Javier Muguerza, Iñigo Perona</i>	
Using Fuzzy Logic and Q-Learning for Trust Modeling in Multi-agent Systems	59
<i>Abdullah Aref, Thomas Tran</i>	
Minimizing Size of Decision Trees for Multi-label Decision Tables	67
<i>Mohammad Azad, Mikhail Moshkov</i>	
The inverse infection problem	75
<i>András Bóta, Miklós Krész, András Pluhár</i>	
An unorthodox view on the problem of tracking facial expressions	85
<i>Magdalena Błażek, Maria Kazimierczak, Artur Janowski, Katarzyna Mokra, Marek Przyborski, Jakub Szulwic</i>	

Experimental evaluation of selected tree structures for exact and approximate k-nearest neighbor classification	93
<i>Aleksander Cislak, Szymon Grabowski</i>	
Identification of malware activities with rules	101
<i>Bartosz Jasiul, Joanna Śliwa, Kamil Gleba, Marcin Szpyrka</i>	
The influence of using fractal analysis in hybrid MLP model for short-term forecast of closing prices on Warsaw Stock Exchange	111
<i>Michał Paluch, Lidia Jackowska-Strumillo</i>	
Fuzzy Logic Rules Modeling Similarity-based Strict Equality	119
<i>Ginés Moreno, Jaime Penabad, Carlos Vázquez</i>	
Dynamic Weighting New method of weighting panels with large numbers of weighting parameters	129
<i>Marcin Pery</i>	
Election Algorithms Applied to the Global Aggregation in Networks of Comparators	135
<i>Lukasz Sosnowski, Andrzej Pietruszka, Stanisław Łazowy</i>	
MITC: An Intention-Based Model for Cooperative Resolution of Traffic Conflicts	145
<i>Alejandro Triana Castañeda, Enrique González Guerrero</i>	
Fully Informed Swarm Optimization Algorithms: Basic Concepts, Variants and Experimental Evaluation	155
<i>Szymon Łukasik, Piotr Andrzej Kowalski</i>	
Ladder Tagger—Splitting Decision Space to Boost Tagging Quality	163
<i>Mariusz Paradowski, Adam Radziszewski</i>	
A Developmental Genetic Approach to the cost/time trade-off in Resource Constrained Project Scheduling	171
<i>Grzegorz Pawiński, Krzysztof Sapiecha</i>	
<hr/>	
4TH INTERNATIONAL WORKSHOP ON ARTIFICIAL INTELLIGENCE IN MEDICAL APPLICATIONS	
<hr/>	
Call For Papers	181
Fuzzy Viktor Approach: Evaluating Quality of Internet Health Information	183
<i>Eric Afful-Dadzie, Stephen Nabareseh, Zuzana Komínková Oplatková</i>	
Construction of Healthcare System Structure for Reliability Analysis	191
<i>Miroslav Kvassay, Elena Zaitseva</i>	
Bronchopulmonary Dysplasia Prediction Using Support Vector Machine and LIBSVM	201
<i>Marcin Ochab, Wiesław Wajs</i>	
Improving the performance of machine learning classifiers for Breast Cancer diagnosis based on feature selection	209
<i>Noel Pérez, Miguel Angel Guevara, Augusto Silva, Isabel Ramos, Joana Loureiro</i>	
Topological Prostate Segmentation Method in MRI	219
<i>Done Stojanov, Saso Koceski</i>	
EMG Speller with Adaptive Stimulus Rate and Dictionary Support	227
<i>Mindaugas Vasiljevas, R-utenis Turčinas, Robertas Damaševičius</i>	
Feature Selection for Classification Incorporating Less Meaningful Attributes in Medical Diagnostics	235
<i>Agnieszka Wosiak, Danuta Zakrzewska</i>	
An infrastructure for efficient reporting workflow in grid based teleradiology architectures using Relation Based Semantic Matching and Integer Linear Programming	241
<i>Ayhan Ozan Yılmaz, Nazife Baykal</i>	

A new approach to automatic continuous artery diameter measurement	247
<i>Bartosz Zieliński, Adam Roman, Agata Drózd, Agata Kowalewska, Marzena Frołow</i>	

4TH INTERNATIONAL WORKSHOP ON ADVANCES IN SEMANTIC INFORMATION RETRIEVAL

Call For Papers	253
Semantic sentence structure search engine	255
<i>Nikita Gerasimov, Maxim Mozgovoy, Alexey Lagunov</i>	
Extracting Semantic Prototypes and Factual Information from a Large Scale Corpus Using Variable Size Window Topic Modelling	261
<i>Michał Korzycki, Wojciech Korczyński</i>	
An approach to service-oriented information systems architecture development based on semantic closure measure	269
<i>Viktor Mokerov</i>	
Learning History with Timelines: Use Cases, Requirements and Design	273
<i>Evgeny Pyshkin, Nikita Bogdanov</i>	
LELA - A natural language processing system for Romanian tourism	281
<i>Bernadette Varga, Alina Dia Trambitas-Miron, Andrei Roth, Anca Marginean, Radu Razvan Slavescu, Adrian Groza</i>	
Ontology-based Concept Similarity Integrating Image Semantic and Visual Information	289
<i>Mengyun Wang, Xianglong Liu, Lei Huang, Bo Lang, Hailiang Yu</i>	

1ST COMPLEX EVENTS AND INFORMATION MODELLING

Call For Papers	297
Heuristic to Build RCC8 for Event Locations	299
<i>Majed Ayyad</i>	
An approach to discover false alarms in monitoring system in the copper mine	307
<i>Bartłomiej Karaban, Jerzy Korczak</i>	
Virtual Reality for Fire Evacuation Research	313
<i>Max Kinateder, Enrico Ronchi, Daniel Nilsson, Margrethe Kobes, Mathias Müller, Paul Pauli, Andreas Mühlberger</i>	
A Framework for Dynamic Analytical Risk Management at the Emergency Scene. From Tribal to Top Down in the Risk Management Maturity Model	323
<i>Adam Krasuski</i>	
Data Cleansing of the Fire & Rescue Text Corpus. The Case Study of Correction of the Misspellings and Segmentation into Sentences.	331
<i>Karol Kreński, Mateusz Fliszkiewicz</i>	
A Granular Evacuation Modeling Framework	337
<i>Wojciech Świeboda, Andrzej Krauze, Hung Son Nguyen</i>	

AAIA'14 DATA MINING COMPETITION AT THE KNOWLEDGE PIT

Call For Papers	343
Key Risk Factors for Polish State Fire Service: a Data Mining Competition at Knowledge Pit	345
<i>Andrzej Janusz, Adam Krasuski, Sebastian Stawicki, Mariusz Rosiak, Dominik Ślęzak, Hung Son Nguyen</i>	
Parsimonious Naive Bayes	355
<i>Marc Boullé</i>	

Building an Ensemble from a Single Naive Bayes Classifier in the Analysis of Key Risk Factors for Polish State Fire Service	361
<i>Stefan Nikolić, Marko Knežević, Vladimir Ivančević, Ivan Luković</i>	
Identification of Key Risk Factors for the Polish State Fire Service with Cascade Step Forward Feature Selection	369
<i>Piotr Płoński</i>	
Robust Method of Sparse Feature Selection for Multi-Label Classification with Naive Bayes	375
<i>Dymitr Ruta</i>	
Feature Selection for Naive Bayesian Network Ensemble using Evolutionary Algorithms	381
<i>Adam Zagorecki</i>	
Feature selection and allocation to diverse subsets for multi-label learning problems with large datasets	387
<i>Eftim Zdravevski, Petre Lameski, Andrea Kulakov, Dejan Gjorgjevikj</i>	
<hr/>	
7TH WORKSHOP ON COMPUTATIONAL OPTIMIZATION	
Call For Papers	395
A Look-Forward Heuristic for Packing Spheres into a Three-Dimensional Bin	397
<i>Hakim Akeb</i>	
3-D filter SQP method for optimal control of the multistage differential-algebraic systems with inconsistent initial values	405
<i>Paweł Drąg, Krystyn Styczeń</i>	
Hybrid GA-ACO Algorithm for a Model Parameters Identification Problem	413
<i>Stefka Fidanova, Marcin Paprzycki, Olympia Roeva</i>	
Width Beam and Hill-Climbing Strategies for the Three-Dimensional Sphere Packing Problem	421
<i>Mhand Hifi, Labib Yousef</i>	
Meta-optimization method for wavelet-based damage identification in composite structures	429
<i>Andrzej Katunin, Piotr Przystalka</i>	
Optimisation using Natural Language Processing: Personalized Tour Recommendation for Museums	439
<i>Mayeul Mathias, Assema Moussa, Juan-Manuel Torres-Moreno, Fen Zhou, Marie-Sylvie Poli, Didier Josselin, Marc El-Bèze, Andréa Carneiro Linhares, Françoise Rigat</i>	
Exploratory Equivalence in Graphs: Definition and Algorithms	447
<i>Jurij Mihelič, Luka Fürst, Uroš Čibej</i>	
An adaptive branching scheme for the Branch & Prune algorithm applied to Distance Geometry	457
<i>Douglas Gonçalves, Antonio Mucherino, Carlile Lavor</i>	
Higher-Order Quantum-Inspired Genetic Algorithms	465
<i>Robert Nowotniak, Jacek Kucharski</i>	
Change-Point Detection in Binary Markov DNA Sequences by Cross-Entropy Method	471
<i>Tatiana Polushina, Georgy Sofronov</i>	
An efficient algorithm for the density Turán problem of some unicyclic graphs	479
<i>Halina Bielak, Kamil Powroźnik</i>	
Routing on Dynamic Networks: GRASP versus Genetic	487
<i>Benoit Bernay, Deleplanque Samuel, Alain Quilliot</i>	

Exact and Approximation Algorithms for Linear Arrangement Problems	493
<i>Alain Quiliot, Djamel Rebaine</i>	
An Application of Developmental Genetic Programming for Automatic Creation of Supervisors of Multi-task Real-Time Object-Oriented Systems	501
<i>Krzysztof Sapiiecha, Leszek Ciopiński, Stanisław Deniziak</i>	
A Comparison between Different Chess Rating Systems for Ranking Evolutionary Algorithms	511
<i>Niki Veček, Marjan Mernik, Matej Črepinšek, Dejan Hrnčič</i>	
Data-driven Genetic Algorithm in Bayesian estimation of the abrupt atmospheric contamination	519
<i>Anna Wawrzynczak-Szaban, Marcin Jaroszyński, Mieczysław Borysiewicz</i>	
Dispersive Flies Optimisation	529
<i>Mohammad Majid Al-Rifaie</i>	
<hr/>	
COMPUTER SCIENCE & SYSTEMS	
Call For Papers	539
<hr/>	
7TH COMPUTER ASPECTS OF NUMERICAL ALGORITHMS	
Call For Papers	541
Solving Systems of Polynomial Equations: a Novel End Condition and Root Computation Method	543
<i>Maciej Bartoszek</i>	
Accuracy Evaluation of Classical Integer Order Based and Direct Non-integer Order Numerical Algorithms of Non-integer Order Derivatives and Integrals Computations	553
<i>Dariusz W. Brzeziński, Piotr Ostalczyk</i>	
Performance analysis of the WZ factorization in MATLAB	561
<i>Beata Bylina, Jarosław Bylina</i>	
Performance Analysis of Multicore and Multinodal Implementation of SpMV Operation	569
<i>Beata Bylina, Jarosław Bylina, Przemysław Stpiczyński, Dominik Szatkowski</i>	
Implementation of a distributed parallel in time scheme using PETSc for a Parabolic Optimal Control Problem	577
<i>Juan Cáceres, Benjamín Barán, Christian Schaerer</i>	
An error estimate of Gaussian Recursive Filter in 3Dvar problem	587
<i>Salvatore Cuomo, Ardelio Galletti, Livia Marcellino, Raffaele Farina, Livia Marcellino</i>	
Inexact Newton matrix-free methods for solving complex biotechnological systems	597
<i>Paweł Drag, Marlena Kwiatkowska</i>	
Finite Element Numerical Integration on Xeon Phi coprocessor	603
<i>Filip Kružel, Krzysztof Banaś</i>	
Performance analysis of scalable algorithms for 3D linear transforms	613
<i>Ivan Lirkov, Marcin Paprzycki, Maria Ganzha, Stanislav Sedukhin, Paweł Gepner</i>	
MuPAD codes which implement limit-computable functions that cannot be bounded by any computable function	623
<i>Apoloniusz Tyska</i>	
On multivariate cryptosystems based on maps with logarithmically invertible decomposition corresponding to walk on graph	631
<i>Vasyl Ustimenko</i>	

**7TH INTERNATIONAL SYMPOSIUM ON MULTIMEDIA
APPLICATIONS AND PROCESSING**

Call For Papers	639
Gaussian-Based Approach to Subpixel Detection of Blurred and Unsharp Edges	641
<i>Anna Fabijańska</i>	
Computer Aided Assessment of Linear and Quadratic Function Graphs Using Least-squares Fitting	651
<i>Wojciech Bieniecki, Sebastian Stoliński, Magdalena Stasiak-Bieniecka</i>	
Efficient Volumetric Segmentation Method	659
<i>Dumitru Dan Burdescu, Liana Stanescu, Marius Brezovan, Cosmin Stoica Spahiu</i>	
3D model reconstruction and evaluation using a collection of points extracted from the series of photographs	669
<i>Marcin Luckner, Katarzyna Rzażewska</i>	
Indoor head detection and tracking on RGBD images	679
<i>Katarzyna Niżałowska, Łukasz Burdka, Urszula Markowska-Kaczmar</i>	
High quality, low latency in-home streaming of multimedia applications for mobile devices	687
<i>Daniel Pohl, Stefan Nickels, Ram Nalla, Oliver Grau</i>	
An Optimized Version of the K-Means Clustering Algorithm	695
<i>Cosmin Marian Poteraş, Cristian Mihăescu, Mihai Mocanu</i>	
Handwritten Signature Verification with 2D Color Barcodes	701
<i>Marco Querini, Marco Gattelli, Valerio M. Gentile, Giuseppe F. Italiano</i>	
Movement Tracking in Terrain Conditions Accelerated with CUDA	709
<i>Piotr Skłodowski, Witold Żorski</i>	
Masking the Effects of Delays in Human-to-Human Remote Interaction	719
<i>Fei Su, John Markus Bjørndalen, Phuong Hoai Ha, Otto J. Anshus</i>	
Pong Game on FPGA with CRT or LCD Display and Push Button Controls	729
<i>Roland Szabó, Aurel Gotean</i>	
Image Hashing Secured With Chaotic Sequences	735
<i>Relu-Laurentiu Tataru</i>	

**2ND WORKSHOP ON SCALABLE COMPUTING IN DISTRIBUTED
SYSTEMS AND 7TH WORKSHOP ON LARGE SCALE
COMPUTATIONS ON GRIDS**

Call For Papers	741
Synthesis of Real Time Distributed Applications for Cloud Computing	743
<i>Sławomir Bąk, Stanisław Deniziak</i>	
Performance Analysis of SaaS Ticket Management Systems	753
<i>Pano Gushev, Sasko Ristov, Marjan Gusev</i>	
Creating portable TOSCA archive for iKnow University Management System	761
<i>Magdalena Kostoska, Ivan Chorbev, Marjan Gusev</i>	
Performance Analysis of Distributed Internet System Models using QPN Simulation	769
<i>Tomasz Rak</i>	
Implementation of a Network Based Cloud Load Balancer	775
<i>Sasko Ristov, Marjan Gusev, Kiril Cvetkov, Goran Velkoski</i>	
Supporting job-level secure access to GPGPU resources on existing grid infrastructures	781
<i>John Walsh, Jonathan Dukes</i>	

EDUCATION, CURRICULA & RESEARCH METHODS

Call For Papers 791

3RD INFORMATION SYSTEMS EDUCATION & CURRICULA WORKSHOP

Call For Papers 793

Flipped Computer Science Classes 795

R. Robert Gajewski, Marcin Jaczewski

New Teaching Methods: Merging “John Dewey” and “William Heard Kilpatrick” Teaching Techniques 803

Habib M. Fardoun, Abdullah Almalaise Alghamidi, Antonio Paules Cipres

New Teaching Techniques of Mathematics Subjects by means of Artificial Genesis 809

Habib M. Fardoun, Daniyal M. Alghazzawi, Antonio Paules Cipres

Global Unification Model of Studies based on similar subjects 815

Habib M. Fardoun, Daniyal M. Alghazzawi, Lorenzo Carretero González

Benu: Operating System Increments for Embedded Systems Engineer’s Education 819

Leonardo Jelenković, Domagoj Jakobović, Stjepan Groš

Experience with Real-Life Students’ Projects 827

Jaroslav Král, Michal Žemlička

Strategies for the Individualization of an Informatics Course 835

Olga Mironova, Irina Amitan, Jelena Vendelin, Merike Saar, Tiia Rүүtman

Situational Software Engineering: Complex Adaptive Responses of Software Development Teams 841

Barry Myburgh

Requirement Engineering for Effective Mobile Learning: Modelling Mobile Device Technologies Integration for Alignment with Strategic Policies in Learning Establishments 851

Remy Olasoji, David Preston, Amin Mousavi

INNOVATIVE NETWORK SYSTEMS AND APPLICATIONS

1ST WORKSHOP ON EMERGING ASPECTS IN INFORMATION SECURITY

Call For Papers 861

Enterprise-oriented Cybersecurity Management 863

Tomasz Chmielecki, Piotr Chołda, Piotr Pacyna, Paweł Potrawka, Norbert Rapacz, Rafał Stankiewicz, Piotr Wydrych

A New Mode of Operation for Arbiter PUF to Improve Uniqueness on FPGA 871

Takanori Machida, Dai Yamamoto, Mitsugu Iwamoto, Kazuo Sakiyama

Evaluation of highly available and fault-tolerant middleware clustered architectures using RabbitMQ 879

Maciej Rostański, Krzysztof Grochla, Aleksander Seman

Solution for Secure Private Data Storage in a Cloud 885

Kirill Shatilov, Vladislav Boiko, Sergey Krendelev, Diana Anisutina, Artem Sumanev

Order-preserving encryption schemes based on arithmetic coding and matrices 891

Maria Usoltseva, Sergey Krendelev, Mikhail Yakovlev

A Comparison between Business Process Management and Information Security Management	901
<i>Gaute Wangen, Einar Arthur Snekkenes</i>	
Security Evaluation of Bistable Ring PUFs on FPGAs using Differential and Linear Analysis	911
<i>Dai Yamamoto, Masahiko Takenaka, Kazuo Sakiyama, Naoya Torii</i>	

3RD INTERNATIONAL SYMPOSIUM ON FRONTIERS IN NETWORK APPLICATIONS, NETWORK SYSTEMS AND WEB SERVICES

Call For Papers	919
Automated Discovery of Worldwide Content Servers Infrastructure - the SNIFFER Project	921
<i>Andrzej Bąk, Piotr Gajowniczek, Marcin Pilarski, Marcin Borkowski</i>	
Graph Based Messaging APIs—concept and implementation	925
<i>Michał Cieszko, Jarosław Legierski</i>	
Requirements for IMS services and applications over interoperable broadband Public Protection & Disaster Relief Networks and Commercial Communication Networks	933
<i>Henryk Gierszal, Anna Stachowicz, Filip Majerowski, Bartłomiej Kowalczyk, Michał Goryński, Vassilis Kassouras, Spase Dracul</i>	
Throughput Improvement by Adjusting RTS Transmission Range for W-LAN Ad Hoc Network	941
<i>Akihisa Matoba, Masaki Hanada, Moo Wan Kim</i>	
The procedure for monitoring and maintaining a network of distributed resources	947
<i>Tomasz Malinowski, Artur Arciuch</i>	
Anonymization of data sets from Service Delivery Platforms	955
<i>Radosław Naumiuk, Jarosław Legierski</i>	
MonSamp: an SDN Application for QoS Monitoring	961
<i>Daniel Raumer, Lukas Schwaighofer, Georg Carle</i>	
POI Explorer – A Sonified Mobile Application Aiding the Visually Impaired in Urban Navigation	969
<i>Piotr Skulimowski, Piotr Korbel, Piotr Wawrzyniak</i>	
Characterizing webpage load from the perspective of TCP connections	977
<i>Luis Miguel Torres, Eduardo Magaña, Mikel Izal, Daniel Morato</i>	

3RD INTERNATIONAL CONFERENCE ON WIRELESS SENSOR NETWORKS

Call For Papers	985
Energy Harvesting for Wireless Sensor Networks Review	987
<i>Saba Akbari</i>	
Lifetime and Reliability Evaluation Models based on the Nearest Closer Protocol in Wireless Sensor Networks	993
<i>Ning Cao, Russell Higgs, Gregory M. P. O’Hare, Rui Wu</i>	
Universal Synchronization Algorithm for Wireless Sensor Networks—“FUSA algorithm”	1001
<i>Michal Chovanec, Jana Púchyová, Martin Hudík, Michal Kochláň</i>	
A hybrid indoor localization solution using a generic architectural framework for sparse distributed wireless sensor networks	1009
<i>Tom Van Haute, Jen Rossey, Pieter Becue, Eli De Poorter, Ingrid Moerman, Piet Demeester</i>	

Wireless Sensor Network – Value Added Subsystem of ITS Communication Platform	1017
<i>Ján Kapitulík, Juraj Miček, Matus Jurecka, Michal Hodoň</i>	
WSN for Traffic Monitoring using Raspberry Pi Board	1023
<i>Michal Kochláň, Michal Hodoň, Lukáš Čechovič, Ján Kapitulík, Matus Jurecka</i>	
2.4GHz ISM Band Radio Frequency Signal Indoor Propagation	1027
<i>Michal Kochláň, Juraj Miček, Peter Ševčík</i>	
Mixed-Mode Wireless Indoor Positioning System Using Proximity Detection and Database Correlation	1035
<i>Piotr Korbel, Piotr Wawrzyniak, Piotr Skulimowski, Paweł Poryzala</i>	
Tool-supported Requirements-based Topology Design for Wireless Sensor Networks	1043
<i>Stefan Lange, Jürgen Lösche, Krzysztof Piotrowski</i>	
An Energy Conservative Wireless Sensor Network Model for Object Tracking	1049
<i>Gokcer Peynirci, Ilker Korkmaz, Muharrem Gurgen</i>	
Power aware MOM for telemetry-oriented applications using GPRS-enabled embedded devices – levee monitoring use case	1059
<i>Tomasz Szydło, Piotr Nawrocki, Robert Brzoza-Woch, Krzysztof Zielinski</i>	
A low power Wireless Sensor Node with Vibration Sensing and Energy Harvesting capability	1065
<i>Mateusz Zieliński, Fabien Meyeville, David Navarro, Olivier Bareille</i>	
Carrier sense range effect on performances of multipath routing in Wireless Sensor Networks	1073
<i>Ismail Bennis, Hacene Fouchal, Ouadoudi Zytoune, Driss Aboutajdine</i>	
Switched-Beam Antenna for WSN Nodes Enabling Hardware-driven Power Saving	1079
<i>Luca Catarinucci, Sergio Guglielmi, Riccardo Colella, Luciano Tarricone</i>	

INFORMATION TECHNOLOGY FOR MANAGEMENT, BUSINESS & SOCIETY

Call For Papers	1087
------------------------	-------------

5TH INTERNATIONAL WORKSHOP ON ADVANCES IN BUSINESS ICT

Call For Papers	1089
Selected Aspects of Temporal Knowledge Engineering	1091
<i>Maria Mach-Król, Krzysztof Michalik</i>	
A note on BPMN Analysis. Towards a Taxonomy of Selected Potential Anomalies	1097
<i>Anna Mroczek, Antoni Ligeza</i>	
Towards an Understanding Business Intelligence. A Dynamic Capability-Based Framework for Business Intelligence	1103
<i>Celina M. Olszak</i>	
Using parameter optimization to calibrate a model of user interaction	1111
<i>Bernd Pfitzinger, Tommy Baumann, Dragan Mačoš, Thomas Jestädt</i>	
Hybrid framework for investment project portfolio selection	1117
<i>Bogdan Rębiasz, Iwona Skalna, Bartłomiej Gawel</i>	
Analysis of Aggregated Bot and Human Traffic on E-Commerce Site	1123
<i>Grażyna Suchacka</i>	

**12TH CONFERENCE ON ADVANCED INFORMATION
TECHNOLOGIES FOR MANAGEMENT**

Call For Papers	1131
Towards Semantic-based Process-oriented Control in Digital Home <i>Tatiana Atanasova</i>	1133
Implementation of Virtual Desktop Infrastructure in academic laboratories <i>Pawel Chrobak</i>	1139
Multi-criteria Evaluation of the Intelligent Dashboard for SME Managers based on Scorecard Framework <i>Miroslaw Dyczkowski, Jerzy Korczak, Helena Dudycz</i>	1147
Identification of the knowledge conflicts' sources in the architecture of cognitive agents supporting decisions-making process <i>Marcin Hernes, Jadwiga Sobieska-Karpińska</i>	1157
On Winners and Losers in Procurement Auctions <i>Grzegorz Kersten, Tomasz Wachowicz</i>	1163
Performance evaluation of decision-making agents' in the multi-agent system <i>Jerzy Korczak, Marcin Hernes, Maciej Bac</i>	1171
Critical Success Factors for ERP Projects in Small and Medium-sized Enterprises – The Perspective of Selected German SMEs <i>Christian Leyh</i>	1181
Algorithms for Automating Task Delegation in Project Management <i>Bogdan Pop, Florian Boian</i>	1191
Development of the Organizational Agility Maturity Model <i>Roy Wendler</i>	1197
Comparison of architectures for service management in IoT and sensor networks by means of OSGi and REST services <i>Daniel Wilusz, Jarogniew Rykowski</i>	1207

9TH CONFERENCE ON INFORMATION SYSTEMS MANAGEMENT

Call For Papers	1215
Towards a Comprehensive Model for E-Government Adoption and Utilisation Analysis: The Case of Saudi Arabia <i>Saleh Alghamdi, Natalia Beloff</i>	1217
The Application of a Conversion Method in a Confrontational Pattern-Based Design Method Used for the Evaluation of IT Systems <i>Witold Chmielarz, Marek Zborowski</i>	1227
Semantic Organization of Information Resources for Supporting the Work of Academic Staff <i>Ilona Pawełoszek</i>	1235
Barriers in Creating Regional Business Spatial Community <i>Tomasz Turek, Dorota Jelonek, Cezary Stepniak</i>	1243
Identification of mental barriers in the implementation of cloud computing in the SMEs in Poland <i>Tomasz Turek, Dorota Jelonek, Cezary Stepniak, Leszek Ziara</i>	1251
Assessing the quality of e-government portals – the Polish experience <i>Ewa Ziemia, Tomasz Papaj, Danuta Descours</i>	1259
Investigation of the COBIT Framework Input/Output Relationships by Using Graph Metrics <i>Mesut Ateşer, Özgür Tanrıöver</i>	1269
Acquiring a Digital Audience for Theaters – Looking Through The Lenses of Customer Equity and Empirical Research <i>Urszula Świerczyńska-Kaczor, Paweł Kossecki</i>	1277

3RD WORKSHOP ON INFORMATION TECHNOLOGIES FOR LOGISTICS

Call For Papers	1285
Task Assignments in Logistics by Adaptive Multi-Criterion Evolutionary Algorithm with Elitist Selection	1287
<i>Jerzy Balicki</i>	
Using UAVs for Remote Study of ice in the Arctic with a View to Laying the Optimal Route Vessel	1293
<i>Dmitriy Fedin, Alexey Lagunov, Anatoliy Tyagunin</i>	
Visual enhancement of service maps in logistics clouds	1301
<i>Michael Glöckner, Björn Schwarzbach, Andreas Barton, André Ludwig, Bogdan Franczyk</i>	
Modeling enablers for sustainable logistics collaboration integrating - Canadian and Polish perspectives	1311
<i>Katarzyna Grzybowska, Anjali Awasthi, Mohammad Hussain</i>	
Sustainable Supply Chain - Supporting Tools	1321
<i>Katarzyna Grzybowska, Gábor Kovács</i>	
Adaptive scheduling in dynamic environments	1331
<i>Hanno Hildmann, Miquel Martin</i>	
Information System Framework Architecture for Organization Agnostic Logistics Utilizing Standardized IoT Technologies	1337
<i>Dimitris Karadimas, Elias Polytarchos, Kyriakos Stefanidis, John Gialelis</i>	
A hybrid CP/MP approach to supply chain modelling, optimization and analysis	1345
<i>Paweł Sitek</i>	
Road Vehicles Identification and Positioning System	1353
<i>Cemil Sungur, Hacı Bekir Gökgündüz, Adem Alpaslan Altun</i>	

20TH 20TH CONFERENCE ON KNOWLEDGE ACQUISITION AND MANAGEMENT & 2ND WORKSHOP ON ARTIFICIAL INTELLIGENCE FOR KNOWLEDGE MANAGEMENT

Call For Papers	1361
CKD: a Cooperative Knowledge Discovery Model for Design Project	1363
<i>Xinghang Dai, Nada Matta, Guillaume Duceillier</i>	
Social media and emotions in organisational knowledge creation	1371
<i>Harri Jalonen</i>	
Application of selected classification schemes for fault diagnosis of actuator systems	1381
<i>Mateusz Kalisch, Piotr Przystalka, Anna Timofiejczuk</i>	
Intelligent Association Rules for Innovative SME Collaboration	1391
<i>Gulgun Kayakutlu, Irem Duzdar, Eunika Mercier-Laurent</i>	
Danger Theory-based Privacy Protection Model for Social Networks	1397
<i>Nai-Wei Lo, Alexander Yohan</i>	
Knowledge extraction from professional e-mails	1407
<i>Nada Matta, Hassan Atifi, François Rauscher</i>	
Knowledge Portal for Exclusion Process Services	1415
<i>Krzysztof Hauke, Mieczysław Owoc, Maciej Pondeł</i>	
Data Warehouse as a Source of Knowledge Acquisition. An Empirical Study	1421
<i>Mieczysław Owoc, Mohammad Alsqour, Abdulrhman Ahmed</i>	
Knowledge Sharing in Distributed Agile Projects: Techniques, Strategies and Challenges	1431
<i>Mohammad Abdur Razzak, Rajib Ahmed</i>	

Information security in IT global sourcing models	1441
<i>Małgorzata Sobińska, Kazimierz Perekuda</i>	
<hr/>	
4TH JOINT AGENT-ORIENTED WORKSHOPS IN SYNERGY	
Call For Papers	1449
<hr/>	
1ST INTERNATIONAL WORKSHOP ON MULTI-AGENT SYSTEMS AND SIMULATION	
Call For Papers	1451
Opening Pandora's box: Some Insight into the Inner Workings of an Agent Based Simulation Environment	1453
<i>Daniel Dawson, Peer-Olaf Siebers, Tuong Manh Vu</i>	
Improving the Social Capital of Trust-based Competitive Multi-Agent Systems by Introducing Meritocracy	1461
<i>Antonello Comi, Lidia Fotia, Domenico Rosaci</i>	
Common and Domain-specific Metamodel Elements for Problem Description in Simulation Problems	1467
<i>Valeria Seidita, Patrizia Ribino, Carmelo Lodato, Salvatore Lopes, Massimo Cossentino</i>	
Stigmergic MASA: A Stigmergy Based Algorithm for Multi-Target Search	1477
<i>Ouarda Zedadra, Nicolas Jouandeau, Hamid Seridi, Giancarlo Fortino</i>	
<hr/>	
3RD INTERNATIONAL WORKSHOP ON SMART ENERGY NETWORKS & MULTI-AGENT SYSTEMS	
Call For Papers	1487
Multi-Agent-based Distributed Optimization for Demand-Side-Management Applications	1489
<i>Tim Dethlefs, Thomas Preisler, Wolfgang Renz</i>	
Overview of Research Challenges towards Smart Grid Quality by Design	1497
<i>David Gešvindr, Barbora Buhnova, Jan Rosecky</i>	
Conjoint Dynamic Aggregation and Scheduling Methods for Dynamic Virtual Power Plants	1505
<i>Astrid Nieße, Sebastian Beer, Jörg Bremer, Christian Hinrichs, Ontje Lünsdorf, Michael Sonnenschein</i>	
El Farol Bar problem, Potluck problem and electric energy balancing - on the importance of communication	1515
<i>Weronika Radziszewska, Ryszard Kowalczyk, Zbigniew Nahorski</i>	
Don't step on the Distribution's Tail (Investigating the impact of random fluctuations on efficient resource utilization)	1525
<i>Fabrice Saffre, Hanno Hildmann</i>	
Synthesised Constraint Models for Distributed Energy Management	1529
<i>Alexander Schiendorfer, Jan-Philipp Steghöfer, Wolfgang Reif</i>	
A New Intrusion Prevention System for Protecting Smart Grids from ICMPv6 Vulnerabilities	1539
<i>Manali Chakraborty, Nabendu Chaki, Agostino Cortesi</i>	
<hr/>	
SOFTWARE SYSTEMS DEVELOPMENT & APPLICATIONS	
Call For Papers	1549

5TH INTERNATIONAL WORKSHOP AUTOMATING TEST CASE DESIGN, SELECTION AND EVALUATION

Call For Papers	1551
Tool for Automatic Testing of Web Services <i>Ilona Bluemke, Michal Kurek, Małgorzata Purwin</i>	1553
Handling Conflicts to Test Transport Protocol's Parallel Routing on a Vehicle Gateway System <i>Hassan Mohammad, Muhammad Shamooun Saleem</i>	1559
Automating Acceptance Testing with tool support <i>Tomasz Straszak, Michal Smiatek</i>	1569
ons on Test Design Techniques <i>Marc-Florian Wendland</i>	1575
Automating Test Case Design within the Classification Tree Editor <i>Ute Zeppetbauer, Peter M. Kruse</i>	1585
A Comparison of Three Black-Box Optimization Approaches for Model-Based Testing <i>Teemu Kanstren, Marsha Chechik</i>	1591

3RD WORKSHOP ON MODEL DRIVEN APPROACHES IN SYSTEM DEVELOPMENT

Call For Papers	1599
Grammar-Based Model Transformations <i>Galina Besova, Dominik Steenken, Heike Wehrheim</i>	1601
Extended Entity-Relationship Approach in a Multi-Paradigm Information System Modeling Tool <i>Vladimir Dimitrieski, Milan Čelikovič, Slavica Aleksic, Sonja Ristić, Ivan Luković</i>	1611
Stormgen - A Domain specific language to create ad-hoc Storm Topologies <i>K Chandrasekaran, Siddharth Santurkar, Abhishek Arora</i>	1621
Study of Interoperability between Meta-Modeling Tools <i>Heiko Kern</i>	1629
Alvis Virtual Machine <i>Piotr Matyasik</i>	1639
Pragmatic Model-Driven Software Development from the Viewpoint of a Programmer: Teaching Experience <i>Jaroslav Porubán, Michaela Bačíková, Sergej Chodarev, Milan Nosál</i>	1647
MuSCa: A Multiscale Characterization Framework for Complex Distributed Systems <i>Sam Rottenberg, Sébastien Leriche, Chantal Taconet, Claire Lecocq, Thierry Desprats</i>	1657
Efficient Description and Cache Performance in Aspect-Oriented User Interface Design <i>Tomáš Černý, Miroslav Macik, Michael J. Donahoo, Jan Janousek</i>	1667
Author Index	1677

Common and Domain-specific Metamodel Elements for Problem Description in Simulation Problems

Patrizia Ribino[‡], Valeria Seidita^{§‡}, Carmelo Lodato[‡], Salvatore Lopes[‡] and Massimo Cossentino[‡]

[‡]Istituto di Reti e Calcolo ad Alte Prestazioni
Consiglio Nazionale delle Ricerche
Palermo, Italy

Email: {ribino,c.lodato,lopes,cossentino}@pa.icar.cnr.it

[§]Dip. di Ingegneria Chimica Gestionale Informatica Meccanica, University of Palermo
Palermo, Italy

Email: {valeria.seidita}@unipa.it

Abstract—It is well known that the multi-agent system paradigm is well suited for modelling and developing simulations of complex systems belonging to several application domains. Simulation study aims at developing simulation models useful for representing, studying and analyzing entities and their behavior in a system according to specific purposes. With our work we are trying to understand what are the right elements to be considered and included in the description of a simulation problem. In order to root our resulting metamodel in the state of the art of multi-agent simulations we started from the study of twelve papers dealing with four different application domains: Crowd Dynamics, Traffic and Transportation, Electricity Power Engineering and Supply Chain and Logistic. From this study we obtained a metamodel that may be used by an analyst as a guideline and concept repository for facing a new system design. The metamodel is the result of a well defined approach that is described together with the obtained results consisting in one core metamodel containing elements that are common to all the four application domains and some domain extension contents. These latter contain the elements that are specific of each of the studied domains and are not present in the others.

I. INTRODUCTION

MULTIAGENT system paradigm is well suited for modeling and developing simulations of complex systems belonging to several application domains. As Klügl says in [1], multiagent simulation is considered a killer application of agent-based technology. But an engineering approach for developing simulation models is still lacking and several issues are still open. Moreover the author says “*a categorization of models with respect to relevant design concepts would be a good starting point advancing the knowledge on what is relevant for multiagent simulations*”[1]. This future research is suggested to address the challenge about: *which design concepts are relevant for which type of model?* Due to the wide variety of domains in which multiagent simulations are employed, our question is: *which concepts are relevant for which type of agent based simulation problem?* Answering to this question, in our opinion, helps to find a solution to the proposed challenge.

The main aim of our research is to develop a complete methodological approach for conducting simulation studies. Our approach will be composed of: (i) the phase devoting

to describe the features of the simulation problem, (ii) the phase for verifying if the simulation model adheres to the real system and then (iii) the phase for defining experiments and implementing them in the simulation framework. The development of a specific MAS resides inside the whole simulation methodology.

In this paper we focus on the first part of our project, the one related to the first activities of a simulation study. Simulation study aims at developing simulation models useful for representing, studying and analyzing entities and their behavior in a system following specific purposes. Activities in simulation studies are mainly performed by the analyst and the model designer that have to create a model of the world starting from the description of the problem. But what are the right tools for them to build the simulation model that best fits their needs? And above all, agent simulation is used in several application domain presenting very different features that affect the creation of simulation models, so how may the model designer identify the elements helping him to construct the simulation model?

This starting point is very demanding, several authors in literature agree on that and propose different solutions. In this work we propose a preliminary work for solving this problem by focusing on the problem statement, our aim is to create a metamodel of all the elements and their relationships that we have to find in the problem description of a simulation study. As we said, several different simulation studies greatly differ for the application domain they refer to, so in order to be as much general as possible in the creation of the metamodel, we analyzed and studied papers by four different application domains (Crowd Dynamics, Traffic and Transportation, Electricity Power Engineering and Supply Chain and Logistic) in order to retrieve common and specific elements.

In other words, the contribution of this paper is in the identification of what elements are commonly used for describing some simulation problems and, moreover, what elements are used in specific application domains. From this study we obtained a metamodel that may be used by an analyst as a guideline and concept repository while describing a new problem. We do not claim that all situations may be faced

(or have to be faced) with the proposed metamodel but we think that if the elements we list in that have been frequently used in papers dealing with similar problems, it is likely that such elements may be useful again in the same context or in a similar one.

The rest of the paper is organized as follows: in section II we detail the motivations for our work against the related works in literature, in section III we show the process for bundling the metamodel and then in sections IV and V some discussions and conclusions are drawn.

II. MOTIVATION AND RELATED WORKS

Simulation is the discipline for designing a model of actual or physical systems. It abstractly represents a real system involving the elaboration of models where system behavior is reproduced following a set of hypothesis used to define different scenarios. Multiagent simulation focuses on the study and description of distributed behavior in a dynamic context [2] and consists in identifying simulation models where entities (such as agents), their behaviors, their interactions among themselves or with the environment in which they are situated, are described. Hence simulation studies prescribe to work with models of the problem and not with the problem itself.

Simulation results are used in place of experimentation over the actual or real system. If the model were not the closest approximation of the actual system then it might lead to erroneous considerations, faults and costly decisions.

The question we want to answer is: which are the activities to made in order to build adequate simulation models?

In [3] and [4] the life cycle of a simulation study is illustrated, it prescribes ten phases organized in a quite iterative way. Briefly, the first step is *communicating the problem and formulating it*, then defining the system objectives, creating the conceptual model and finally designing experiments. Defining and setting the objectives of the study is a very important step that may lead to the identification and the definition of the right simulation model to use for investigating a specific problem and analyzing its results.

In [5] the author investigates how to build a valid and credible simulation model. He does not describe a real and complete methodological approach, rather he presents a set of techniques for building a valid model. Law's approach starts with the identification of a set of steps to do for formulating the problem, these steps sound like advises more then techniques, indeed he say "Problem of interest is stated by the decision-maker. It may not be stated precisely or in quantitative terms. An iterative process is often necessary" and still "a kickoff meeting is necessary for discussing the overall objectives of the study, the scope of the model, the performance measures, etc.". Nothing is said, in Balci's, Nance's and Law's works, about *how* to perform these activities in order to retrieve the most useful elements for creating simulation models starting from problem description.

It is clear that the description of the problem, or of the domain under study, greatly affects the production of simulation models. The risk of influencing the result of simulation study is

high. The model developer and then the decision maker have to be sure to work with problem domain description where useful elements are described. From a literature review and above all from [6] we can highlight the following elements: entities of the domain exposing behavior, the objective of the simulation, the parameters to be tuned for evaluating results, the interactions among entities, possible rules or constraints for interacting, resources and services from which entities take data for implementing their behavior.

Balci and Nance in [7] presented an high level procedure for guiding the analyst during problem formulation; he identified the need of formulating the problem in objective terms and distinguished between problems requiring prescriptive or descriptive solutions. The procedure he proposed is very detailed and is followed by a formulated problem verification activity and the measurement of the formulated problem. The overall approach may be resumed in fifteen very detailed tasks that, we may say, influenced all the successive work in problem domain description and from which the previous said elements may also be abstracted.

In the agent oriented context Garro et al. [8] propose a methodology for guiding domain experts from analysis to modeling. Our approach mainly focuses on the problem formulation and, starting from the same considerations of Balci and Nance, does not "still" propose detailed guidelines for problem statement description but instead provides the set of elements and relationships among them, a metamodel, that we abstracted from several works presented in literature. This metamodel is the base for obtaining the sequence of activities to do for building the most correct problem statement for a specific problem.

Today, it is quite usual that existing software engineering design methodologies start with the assumption that the Problem Statement document is already available, it is usually presented in the form of a text document, sometimes delivered using techniques such as interviews or ethnographic approaches [9] as often as not it is presented as an unstructured document containing a free description of the problem.

Our aim is to pose the base for creating guidelines for writing problem statements as a useful input for an agent-based simulation methodology and we want to answer to the following questions:

- *How the problem statement has to be done?*
- *Which are the essential elements it has to present?*
- *How to describe the specific problem that should be solved by the model in the simulation study?*

First of all, we considered that if the Problem Statement has to serve as a basis for obtaining a simulation model it has to contain and make explicit elements such as the entities involved in the real system, their behavior and interaction with the environment but also elements representing the objectives of the simulation and a fair set of parameters settings and measures.

This is very different from a common problem statement, for instance from the one devoted to illustrate elements useful for obtaining an object model (of a object-oriented methodology).




Fig. 1. Metamodel Building Process

In what does a simulation study differ from an agent based methodology? May differences be reported on the structure (or on how to build) of a problem statement? In order to answer to these questions we decided to explore and analyze the research products of several fields in which agent-based simulation is used in order to retrieve the common elements in use and to create a metamodel for supporting the creation of problem statements for agent-based simulation systems.

We analyzed literature from the fields of Financial Market, Urban Development, Traffic and Transportation, Crowd Dynamics and Logistic and Supply Chain Management in order to identify the shared elements in all these categories of problems and to conduct a generalization process that is detailed in the following section.

The reason for which we create a metamodel for representing abstract simulation study elements lies in the deep experience we have in creating and documenting design methodologies [10], [11], [12], [13]. Indeed, in the PRoDe approach [14], elements and relationships among them are used for representing dependencies among elements and establishing the right sequence of tasks/activities to do for reaching a design result. This is what we mean to do with the problem domain, once having determined the elements and their relationships that have to be present in a problem statement we might be able to determine the set of activities for instantiating them. This results, in the context of our complete building-in-progress methodology, in a set of guidelines to be used for writing the most useful problem statement for a specific need.

III. METAMODEL DEFINITION

A critical point for a simulation study is to accurately formulate the problem to be addressed in order to obtain a high-quality simulation model. Problem statement is the first activity by which the addressed problem is translated into a well formulated one that is sufficiently detailed for allowing specific modeling activities. Several studies have highlighted that agent-based simulations seem to be more suited in the field of socio-economic systems, which covers a wide range of problem domains. These domains share some common concepts but differ from some others. Hence, for answering the question “*which concepts are relevant for specific types*

of agent based simulation problems?”, we are leading a systematic analysis of several scientific papers in order to determine: (i) what are the domains of simulation problems commonly faced with an agent-based approach; (ii) what is the set of shared concepts useful for describing such problems and (iii) what is the set of concepts that differ among domains of agent based simulation problems.

As we previously said, we are working on the development of a methodology that covers the entire life cycle of a simulation study starting from the problem statement activity. In this paper we propose a preparatory study whose aim is building a metamodel that may be applicable in different agent based simulation studies for supporting the problem statement creation activity.

In the following we show the process we performed for building such metamodel and its preliminary results.

A. Metamodel Building Process

In order to build the metamodel for agent based simulation problems, we followed the process shown in Fig.1. The first three steps allow us to collect data and information that will be the starting point for our analysis. Then, a key concepts identification, followed by a categorization activity, enables us to make some reasoning useful for determining the metamodel. In the following we show the results of these steps.

a) *Data Collection Phase*: Firstly, we performed a literature review for identifying problem categories addressed by means of agent based simulation approaches. The preliminary results of this research highlighted that agent based simulations are applied to solve problems in the following domains (and not only¹): (i) *Financial Markets* [15], [16] where simulations are used for studying the behavior of individual investors, the dynamics of markets, trading mechanism and so on; (ii) *Urban Development* [17], [18] that studies models for urban planning, city dynamics, individual residential behaviors; (iii) *Traffic and Transportation* [19], [20], [21] dealing with simulation models for transportation planning, design and operations; (iv) *Crowd Dynamics* [22], [23], [24] that studies the behaviors of individuals, groups in several critical scenarios often with the

¹This research is not intended to be exhaustive. The results we present are only preliminary. We are doing further researches in order to obtain more accurate results.

aim of buildings design; (v) *Social Networks* that studies the evolution and dynamics of networks [25], [26]; (vi) *Logistics and Supply Chain Management* that studies processes inside different nodes of supply chain or the whole supply chain in order to find the best organizational structure for collaborative companies working together [27], [28], [29]; (vii) *Electric Power Engineering* [30], [31], [32] deals with the generation, transmission, distribution and utilization of electric power as well as the electrical devices connected to such systems.

The second step in the Data Collection phase was papers selection for each of the previously identified categories. The selection was based on two criteria: details of the simulation problem description and its relevance/impact of the paper. Finally, we analytically gathered elements from each paper. Such elements were opportunely ordered according to their semantic and functional similarity.

So far, we have examined only four problem domains: Traffic and Transportation [19], [20], [21], Crowd Dynamics [22], [23], [24], Electric Power Engineering [30], [31], [32], Logistics and Supply Chain Management [27], [28], [29]. In this preliminary work we selected 12 papers, three for each domain.

The results of this phase are sets of domain dependent concepts. All the common concepts of each domain have been grouped by analyzing the text describing each domain in the papers. Each element has been identified firstly looking at its explicit presence in sentences, the same was made for relationships, and secondly analyzing the whole domain description text in order to find unexpressed implicit knowledge.

b) *Key Concepts Identification and Categorization*: The key concepts identification (see Fig.1) is the conceptual activity we performed for processing sets of domain dependent concepts coming from the previous stage. Our aim was to infer a set of “higher level” abstraction categories that can be more widely applicable to generic agent based simulation problems (see Fig.2). For instance, in the domains we studied, we found concepts like room, road and city that may be represented, at an higher level, by the “spatial position” concept.




Fig. 2. Identification of higher level abstraction categories for the problem description metamodel.

The results of this activity are listed below:

- 1) A problem statement of an agent based simulation study describes active entities. For representing such entities, each domain uses concepts such as: (i) people, persons, pedestrian, individuals, human beings in the field of crowd dynamics; (ii) cars, drivers, buses, vehicles, people, AGVs, trucks etc... in the domain of traffic and transportation; (iii) electric cars, devices, households, electricity sellers, buyers, players etc... in the domain of power engineering; (iv) companies, suppliers, production, customers, resources, organization etc... in the domain of logistic and supply chain management.
- 2) Active entities may be located in a physical space. Their local position could either be a geographic position or a particular place (for example a room, a corridor, a road, in a station and so on);
- 3) Active entities are described by means of features and behaviors. The kinds of features we discovered in our domains are: physical, psychological and technical features. To give some examples in the domain of Crowd Dynamics a problem statement may contain sentences such as: “*Agents in a hurry will not respect others’ personal space ... More polite agents will respect lines and wait for others to move first...*” [23]; “*Agents are given different psychological (e.g., impatience, panic, personality attributes) and physiological traits*” [23]; “*Human individuals are different from each other by age, body dimension, mobility and personality*” [33]. Examples in Power Engineering are: “*The market operator manages the pool using a market-clearing tool to set market price and a set of accepted selling and buying bids for every negotiation period*” [30]. “*Room air conditioning Schedule time on: 15 min Schedule time off: 35 min, Power: 221 W ... The simulated vehicles are able to move to and between different cities and recharge from time to time*” [31]. In the domain of Traffic and Transportation, typical features are described with sentences such as “*Each driver or pedestrian is assigned an agent’s profile that includes height, width, velocity steering ...*” [21]. In the Logistic and Supply Chain domain we may find sentences such as “*...forest is harvested by small-size entrepreneurs responsible for felling trees, for cross cutting them into appropriate length logs, and for hauling them to roadside*” [34].
- 4) The problem statement includes a description of a real world portion (physical or abstract). The represented environment may contain active entities, static and dynamic objects, groups of entities. Some examples: “*Each smart city starts with a number of households, vehicles and power stations. ... Its area is placed at the origin of a coordinated system or as a neighbor to an existing reference city e.g. on north, south, east or west*” [31]. “*The electricity market environment typically consists of a pool that players submit their bids to, which can be symmetric or asymmetric, and a floor for bilateral*

contracts” [30]. “Ten thousand agents that fill a corridor that is 300m long” [22]. “The floor plan contains a number of office spaces organized along hallways and corridors. There are two egress exits, exit A on the west and exit B on the south” [33]. “The static structure of a bus network is composed of four elements: itinerary, line, bus stop and bus station” [20]. “is a warehouse consisting of: number of Gates where the articulated lorries leave their containers waiting to be unloaded; number of Sorting Area with twelve Sorter Places (where the pallets are left in order to be addressed toward next destination)...” [29].

- 5) The problem statement describes the dynamics occurring in the real world portion. These dynamics are expressed in terms of actions and interactions of active entities. They can also be constrained by some regulations. To give some examples: “When people are crossing portals, care must be taken to avoid intersection between agents leaving and agents entering”[23]. “High truck A is stopped in the lane closest to the sidewalk and obscures the pedestrian’s view. Vehicle B approaches the crosswalk from the second lane and the view of the driver is obscured too”[21]. “Players negotiating on the pool must prepare a bid for the 24 periods of the spot market ... The market operator must assure that the economical dispatch accounts for the specified conditions, which might imply removing entities that have presented competitive bids but whose complex conditions were not satisfied” [30], “a network of facilities is responsible for orchestrating all operations from the forest to the customers, including the operations of many sawmills” “Once dried, bundles are disassembled to be planed, cut to length, sorted, and graded according to standard rules or customer specifications”[34]. “In a normal situation(non-panic), people will respect lines and wait for others to walk first” [23]. “People movement can also be restricted due to environmental constraints imposed by the spatial geometries” [33]. “The length of time that elapses during an assembly depends on a specified manufacturing delay parameter. It also depends on whether the assembly is performed in parallel or sequentially” [28].
- 6) The problem statement may contain information about entity groupings and roles of the entities. Examples: “Members in a hierarchically structured group (such as families) tend to stay together and follow the leader”[33]. “Each household belongs to one city and it is randomly placed within the city area. Households have a number of appliances that consume and/or produce energy” [31].
- 7) The problem statement defines the objectives of the simulation study. Examples taken from the examined papers are: “Egress Analysis for building design”[33]. “Traffic analysis for support decision for example road safety” [21]. “Efficient management of electricity network”[31]. “The goal of both simulations was to service

TABLE I
KEY ELEMENTS AND THEIR MAPPING WITH THE ANALYZED DOMAINS.

			PROBLEM DOMAINS			
			Crowd Dynamics	Traffic & Transportation	Power Engineering	Logistics & Supply Chain
PROBLEM ELEMENT	INDIVIDUAL ENTITY	Active Entity	X	X	X	X
		Physical Features	X	X	X	X
		Psychological Features	X	V	-	V
		Technical Features	-	-	X	-
		Behavior	X	X	X	X
		Behavioral rules	X	X	-	V
	REAL WORLD PORTION	Physical Environment	X	X	V	V
		Abstract Environment	-	-	V	V
		Static Object	X	X	X	X
		Dynamic Object	X	X	-	X
		Physical Features	X	X	X	X
		Spatial Position	X	X	V	V
		Structural Constraints	V	X	V	V
	SCENARIO	Rules/Constraints	X	X	X	X
		Interaction	X	X	X	X
		Actions	X	X	X	X
	SOCIAL STRUCTURE	Role	X	X	X	V
		Groups	X	V	V	V
		Social Rule	X	X	-	V
	SIMULATION PURPOSE	Objective	X	X	X	X
Parameter		X	X	X	X	

Keys: X = Total Mapping; V = Partial Mapping; - = No Mapping

customer orders at or near 100%, based on the three day requirement” [28].

- 8) The problem statement defines parameters to be tuned in order to reach simulation objectives. These parameters may refer to the system as a whole or to its entities. Some examples of system parameters: *different spatial distribution of the occupant* [33], *density of crowd* [22], *changing supplier or add a distribution center* [35]. Examples of entity parameters are: *distance to obstacles*[23], *vehicles velocity and distance from cross walk* [21], *inventory levels, lead time and transportation time at different locations to better understand the dynamics of the supply chain* [35].

After Key Concepts Identification, the Categorization of Concepts is carried out in order to find high level concepts as explained in Fig. 2. Two work products result from this activity, one describing the concepts (see Table I) and one describing the relationships discovered into the analyzed domain(see Table II).

In Table I we represent the set of high-level concepts resulting from this activity grouped according to a more general category they are related to. In particular, a total

TABLE II
AN EXCERPT OF RELATIONSHIPS DETECTED AMONG CONCEPTS.

		INDIVIDUAL ENTITY						REAL WORLD PORTION						
		Active Entity	Physical Features	Psychological Features	Technical Features	Behavior	Behavioral Rules	Physical Environment	Abstract Environment	Static Object	Dynamic Object	Physical Features	Spatial Position	Structural Constraints
INDIVIDUAL ENTITY	Active Entity	interacts												
	Physical Features	owns												
	Psychological Features	owns												
	Technical Features	owns												
	Behavior	shows	influence	influence	influence									
	Behavioral Rules	follows				may be constrained								
REAL WORLD PORTION	Physical Environment													
	Abstract Environment													
	Static Object		characterize											
	Dynamic Object													
	Physical Features	owns				is influenced by								
	Spatial Position	may be located on						has may be located on	has may be located on					
	Structural Constraints					is constrained by								
SCENARIO	Rules/Constraints	follows/is constrained												are
	Interaction	are involved in												
	Actions	performs/is involved				aggregate								
SOCIAL STRUCTURE	Role	adopt				may be determined								
	Group	may belong to												
	Social Rule	respects				may be influenced by								
SIMULATION PURPOSE	Parameter	is correlated	may be	may be	may be	may be correlated to	may be				may be	may be	may be	
	Objectives													

mapping (x) means that the concept has been encountered in all the papers we examined for the specific domain. Partial mapping (v) means that only some papers of the same domain use the concept the cell refers to. No mapping is represented by (-).

For space constraints, we only show an excerpt of the work product related to the relationships (see Table II). This is a table where the kind of relation discovered between two concepts is reported. The values of darker cells are the same of their symmetric cells. Only to name a few, we have detected the following relationships: (i) an active entity interacts with active entities; (ii) the behavior may be constrained by behavioral rules; (iii) physical environment may contain static object; (iv) a static object may be located on a physical space and many others.

c) *Metamodel Definition:* The study of the simulation problems under analysis, Table I and Table II highlighted that, although the problem domains are quite different, they share some high level features and differ for some others. For instance, looking at the table's columns, we may see that Abstract Environment is not present in the Crowd Dynamics and Traffic and Transportation domains and it is only partially present in the other two. The Physical Environment has always

been found in the Crowd Dynamics and Traffic and Transportation domains and only partially in the Power Engineering and in the Logistics and Supply Chain management domains. So, we may say that the problem statement metamodel for the simulation study of a specific domain may be composed of a core metamodel, where common elements for all the studied domain may be found, and extensions where some specific and particular elements are shown (Fig. 3).




Fig. 3. Metamodel Scheme

Hence, the *Core Metamodel* contains all the elements we identified derived from the set of concepts that are shared among all domains under analysis. As a consequence, the role of the *Core Metamodel* will be to provide a minimum set of elements to be described in a problem statement for a non specific agent based simulation study. The *Domain Extension Contents* are collections of metamodel elements that allow for defining “more specific and domain dependent” contents for a

problem statement of agent based simulation studies belonging to a particular domain.

The resulting *Core Metamodel* is shown in Fig. 4. It aims to support the definition of an agent based simulation problem by identifying those elements that, once defined in the problem statement, will provide a shared starting point for the development of an agent based simulation model. The *Domain Extension Contents* for Traffic and Transportation and Power Engineering domains are shown in Fig. 5 and Fig. 6 respectively. As concerns, the *Domain Extension Content* for Crowds Dynamics domain, it entirely overlaps with that Traffic and Transportation Extension Content. For space constraints, we do not show the Logistics and Supply Chain Extension Content.

In particular, Table I, along with other considerations arisen from the activities we performed, helped us to define the elements of the metamodel. Whilst, Table II helped us to define the relationships among elements of the metamodel. The total or partial mapping also provided us information to define the cardinality of the metamodel relationships. For instance, from Table I we defined the metamodel elements: Active Entity, Behavioral Rule, Social Rule, Structural Constraint and Behavior. In Table II, we can see that these elements are linked by the following relationships: (i) Active Entity follows Behavioral Rules; (ii) Active Entity respects Social Rules; (iii) Behavior is constrained by Structural Constraints. Hence, we chose to model these relationships in our metamodel by introducing an abstract element named *Rule* whose Structural Constraints, Behavioral Rules and Social Rules are specializations. This choice allowed us to model the aforementioned relationships with only one link between Behavior and Rule labeled *is constrained by*. The Active Entity is related to Rule by means of its Behavior. In the same way, we deduced some other relationships and elements of the metamodel that do not explicitly appear in the tables.

In the following we describe the Core Metamodel elements showing also, when present, the related elements of the Domain Extension Contents.

Looking at Fig. 4, a generic *Simulation Problem Statement* is composed of a *System to be simulated* and *Simulation Purposes*. The *System to be simulated* in an agent based simulation study can be described by means of a set of interacting entities (i.e.: *Active Entities*) that own some distinctive attributes concerning their individuality (i.e.: *Features*) and that show particular *Behaviors*. A *Physical Feature* is a particular kind of *Feature*. It allows to describe the body properties of the entities (i.e: weight, height, etc...). The *Feature* may also be *Psychological* (i.e: impatient, polite, etc...) and *Technical Feature* (i.e.: energy consumption, capacity, etc...), we found the first in the description of the Crowd Dynamics domain and in the Traffic and Transportation domain (see the Extension Content in Fig. 5) whereas we found the second in the description of the Active Entities in the domain of Power Engineering (see the Extension Content in Fig. 6). Whilst, the *Behavior* is constrained by *Rules*. Rules can be *Behavioral Rules* (see Fig.5), *Structural Constraints* and *Social Rules* (see

Fig. 5). A *Behavioral Rule* is an explicit statement or principle governing the functionality, the conduct or the procedures within a particular domain, commonly prescribing what is possible or allowable. *Social Rules* and *Structural Constraints* are defined in the following.

Commonly, the primary purpose of a simulation study is to analyze the behavior of a system under some conditions. Thus, the simulation purpose is defined by identifying the *Questions* to be answered and by determining what are the *Parameters* to be investigated from which the resulting simulation model will depend on. In this context, a Parameter denotes a measurable factor that can be varied during simulation experiments and may characterize the system and/or determine its behavior (i.e: *System Parameter*). *Parameters* are related to each *Active Entity* present in the system so, since *Active Entities* own *Features* and show *Behaviors*, parameters may also characterize or determine *Behavior* and may be related to *Features* through the *Entity Parameter*. For instance the velocity of a vehicle is a physical feature described together with the related active entity, so, in this case, a physical feature may also be realized by an *Entity Parameter*.

Moreover, the *System to be simulated* concerns a *Real-World Portion* that includes *Active Entities* and passive entities (i.e.: *Objects*). These latter do not exhibit behaviors but contribute to the description of the *System to be simulated*. The *Real-World Portion* is a *Physical Environment* in the domains of Crowd Dynamics and Traffic and Transportation and it may impose several *Structural Constraints* (see Fig. 5) derived by its physical configuration. Whilst, it can be also an *Abstract Environment* like it is in the domain of Power Engineering (see Fig. 6) for electricity markets.

In the same way, *Objects* may be *Static* or *Dynamic Objects* in the Crowd Dynamics and in the Traffic and Transportation domain but only static in the Power Engineering domain² (see the Extension Contents in Fig. 5 and Fig. 6 respectively).

Moreover, *Active Entities* and *Objects* are located on a *Spatial Position* when the problem concerns a *Physical Environment*.

For describing the *System to be simulated* it is also necessary to identify *Scenarios* to be investigated. A *Scenario* is a description of the *Interactions* that occur among entities and/or the *Actions* individually performed by *Active Entities*. A *Scenario* describes a way in which the *System to be simulated* behaves in specific situations.

Finally, the *System to be simulated* may be further described by means of a *Social Structure*. The *Social Structure* describes the way the *System to be simulated* is organized according to specific *Roles* played by *Active Entities*. A *Role* describes what an active entity is able to do. It expresses a set of behaviors showed by an Active Entity when it is involved in a social

²We would like to point out again that these considerations are the result of a preliminary work. We think to be likely that Dynamic Objects can be found in the Power Engineering Domain, but at the moment this does not emerge from the examined papers. Whether the element *Dynamic Objects* should be present also in the domain of the Power Engineering, then both elements, *Dynamic Object* and *Static Object*, will be moved within the Core Metamodel.




Fig. 4. The Core Metamodel derived from the domain under analysis.




Fig. 5. Core Metamodel along with Traffic and Transportation Extension Content.

pattern. A *Group* defines an aggregate of active entities that can be together in the same place or that can be connected by some shared behavior or feature. A *Social Rule* has the same role of a *Behavioral Rule* but it is shared and followed by the members of a *Group*.

IV. DISCUSSIONS

The focus of the Problem Statement Activity is to acquire all the necessary knowledge of the real-world system to be simulated and to point out the issues that the simulation studies have to address. In particular, without a definitive statement of the specific questions of interest to be addressed, it is impossible to decide on an appropriate level of knowledge detail useful to build an appropriate simulation model. A method to clearly define what type of the knowledge about the problem is relevant may be useful in order to avoid missing important parts

of the problem description. The metamodel resulting from our study allows to handle two levels of knowledge at the same time. A knowledge related to the system to be simulated as a whole. It concerns aspects of the system that are not directly related to the individual entities and it helps to build the so-called environment model³. A knowledge relating to specific aspects of single entities that will be suited for building the agent models. Moreover, preliminary results we have obtained give us some suggestions about the knowledge to be included in a problem statement and how to describe it in a systematic way. The Core Metamodel highlights that the formulation of a simulation study may ground on five key aspects:

³An agent based simulation model is in many cases composed of two basic components. They are an agent model that focuses on each single agent and its behavior and an environment model that focuses on the structure and features of the real world portion in which agents act.




Fig. 6. Core Metamodel along with Power Engineering Extension Content.

- 1) the *issues* to be addressed by the simulation study made explicit by means of the metamodel element named *Simulation Purpose*. Instantiating this metamodel element means to formulate the questions to be answered that coincide with the definition of goals of the simulation study. As a consequence, this leads to associate goals with information that define them operationally and that has to be considered during the definition of the simulation model.
- 2) the *structural aspect* of the system to be simulated defined by its constituting parts. It is made explicit by instantiating the metamodel element named *Real World Portion*. This means to collect the knowledge necessary to describe the real-world part involved in the system to be simulated according to the issues to be addressed. Commonly, this concerns the description of the physical configuration of the real-world system under analysis (i.e: its components). As the Core metamodel shows, components may be static objects of the portion of the world enclosed by the system or active entities that are someone/something performing actions;
- 3) the *dynamical aspect* of the system to be simulated caused by processes taking place in the system. It is captured by defining actions and interactions that are performed by someone/something in particular operative scenarios.
- 4) the *organizational aspect* (if any) which refers to the social structure captured by defining the groups and sets of roles that may be present in the system to be simulated.
- 5) the *normative aspect* (if any) given by regulations that commonly constrains the dynamics or physicality of the system. It refers to any kind of regulations such as procedural rules, legal regulations, social norms, structural rules or physical laws. Usually, only some

kinds of norm affect the system, this strongly depends on the particular domain. For example, in a simulation study concerning a manufacturing system normally the system is subjected to procedural rules and legal regulations. Vice versa, if the simulation is about the citizen of a town during an event then, probably, social norms could affect the system.

These key aspects may provide a first guideline about the kind of knowledge that can be managed during the problem statement activity. Moreover, basing on such a metamodel we are able to establish a starting point for the construction of a systematic approach for performing the problem statement activity by choosing the order that should be used for instantiating the metamodel elements. We already explored such an approach with the PRoDe method for developing software design processes starting from the underlying metamodel [14].

V. CONCLUSIONS AND REMARKS

Multiagent simulations are employed in several domains and for several simulation purposes. Finding a uniform way to address the problem description for a simulation study is an open issue. The work proposed in this paper is a preliminary step toward an ambitious objective: the definition of a complete methodological approach to obtain high quality simulation models for generic agent-based simulation studies. Such an approach will cover several activities starting from the problem statement to the results analysis through the model validation. At the moment, we are addressing some questions related to the problem statement activity and in this paper we present our preliminary results.

As well as in many engineering contexts, we think that an accurate problem formulation is the first step to be accomplished in order to obtain a high-quality agent based simulation model. To do this, we are defining a metamodel-based approach in order to perform the problem statement

activity. The metamodel aims to guide the problem formulation highlighting the main elements and relationships that have to be made explicit. In this paper we present the rough metamodel we have already defined. This metamodel is composed of elements belonging to a shared level among several simulation problem domains useful for formulating generic simulation studies and several domain extension contents that allow us for detailing specific domain simulation studies.

REFERENCES

- [1] F. Klügl, "Engineering agent-based simulation models?" in *Agent-Oriented Software Engineering XIII*, ser. Lecture Notes in Computer Science, J. P. Müller and M. Cossentino, Eds. Springer Berlin Heidelberg, 2013, vol. 7852, pp. 179–196. ISBN 978-3-642-39865-0
- [2] O. Labarthe, E. Tranvouez, A. Ferrarini, B. Espinasse, and B. Montreuil, "A heterogeneous multi-agent modelling for distributed simulation of supply chains," in *Holonic and Multi-Agent Systems for Manufacturing*, ser. Lecture Notes in Computer Science, V. Marik, D. McFarlane, and P. Valckenaers, Eds. Springer Berlin Heidelberg, 2003, vol. 2744, pp. 134–145. ISBN 978-3-540-40751-5
- [3] O. Balci, "Guidelines for successful simulation studies," in *Simulation Conference, 1990. Proceedings., Winter*, Dec 1990. doi: 10.1109/WSC.1990.129482 pp. 25–32.
- [4] R. E. Nance, "The conical methodology and the evolution of simulation model development," *Annals of Operations Research*, vol. 53, no. 1, pp. 1–45, 1994. doi: 10.1007/BF02136825
- [5] A. Law, "How to build valid and credible simulation models," in *Simulation Conference (WSC), Proceedings of the 2009 Winter*, Dec 2009. doi: 10.1109/WSC.2009.5429312 pp. 24–33.
- [6] C. M. Macal and M. J. North, "Tutorial on agent-based modeling and simulation," in *Proceedings of the 37th conference on Winter simulation*. Winter Simulation Conference, 2005. doi: 10.1057/jos.2010.3 pp. 2–15.
- [7] O. Balci and R. E. Nance, "Formulated problem verification as an explicit requirement of model credibility," *SIMULATION*, vol. 45, no. 2, pp. 76–86, 1985. doi: 10.1177/003754978504500204
- [8] A. Garro and W. Russo, "<i>easyabms</i>: A domain-expert oriented methodology for agent-based modeling and simulation," *Simulation Modelling Practice and Theory*, vol. 18, no. 10, pp. 1453–1467, 2010.
- [9] S. Viller and I. Sommerville, "Ethnographically informed analysis for software engineers," *International Journal of Human Computer Studies*, vol. 53, no. 1, pp. 169–196, 2000. doi: 10.1006/ijhc.2000.0370
- [10] M. Cossentino and V. Seidita, "PASSI: Process for agent societies specification and implementation," in *Handbook on Agent-Oriented Design Processes*, M. Cossentino, V. Hilaire, A. Molesini, and V. Seidita, Eds. Springer Berlin Heidelberg, 2014, pp. 287–329. ISBN 978-3-642-39974-9
- [11] A. Chella, M. Cossentino, L. Sabatucci, and V. Seidita, "Agile passi: An agile process for designing agents," *Computer Systems Science and Engineering*, vol. 21, no. 2, pp. 133–144, 2006.
- [12] M. Cossentino, V. Hilaire, N. Gaud, S. Galland, and A. Koukam, "The ASPECS process," in *Handbook on Agent-Oriented Design Processes*, M. Cossentino, V. Hilaire, A. Molesini, and V. Seidita, Eds. Springer Berlin Heidelberg, 2014, pp. 65–114. ISBN 978-3-642-39974-9
- [13] V. Seidita, M. Cossentino, and S. Gaglio, "Adapting PASSI to support a goal oriented approach: a situational method engineering experiment," in *Proc. of the Fifth European workshop on Multi-Agent Systems (EUMAS'07)*, 2007.
- [14] V. Seidita, M. Cossentino, V. Hilaire, N. Gaud, S. Galland, A. Koukam, and S. Gaglio, "The metamodel: a starting point for design processes construction," *International Journal of Software Engineering and Knowledge Engineering*, vol. 20, no. 04, pp. 575–608, 2010. doi: 10.1142/S0218194010004785
- [15] K. Boer-Sorban, *Agent-Based Simulation of Financial Markets: A Modular, Continuous-time Approach*. Erasmus Research Institute of Management (ERIM), 2008, no. EPS-2008-119-LIS.
- [16] M. Lovric, *Behavioral Finance and Agent-Based Artificial Markets*. Erasmus Research Institute of Management (ERIM), 2011, no. EPS-2011-229-F&A.
- [17] I. Benenson, "Multi-agent simulations of residential dynamics in the city," *Computers, Environment and Urban Systems*, vol. 22, no. 1, pp. 25–42, 1998. doi: 10.1016/S0198-9715(98)00017-9
- [18] J. Perret, F. Curie, J. Gaffuri, and A. Ruas, "A multi-agent system for the simulation of urban dynamics," in *10th European Conference on Complex Systems (ECCS'10), Lisbon, Portugal*, 2010.
- [19] P. Paruchuri, A. R. Pullalarevu, and K. Karlapalem, "Multi agent simulation of unorganized traffic," in *Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 1*. ACM, 2002. doi: 10.1145/544741.544786 pp. 176–183.
- [20] D. Meignan, O. Simonin, and A. Koukam, "Simulation and evaluation of urban bus-networks using a multiagent approach," *Simulation Modelling Practice and Theory*, vol. 15, no. 6, pp. 659–671, 2007. doi: 10.1016/j.simpat.2007.02.005
- [21] G. Waizman, S. Shoval, and I. Benenson, "Micro-simulation model for assessing the risk of car-pedestrian road accidents," in *7th International Workshop on Agents in Traffic and Transportation, Valencia, Spain*, 2012.
- [22] S. J. Guy, J. Chhugani, S. Curtis, P. Dubey, M. Lin, and D. Manocha, "Pedestrians: a least-effort approach to crowd simulation," in *Proceedings of the 2010 ACM SIGGRAPH/Eurographics Symposium on Computer Animation*. Eurographics Association, 2010, pp. 119–128.
- [23] N. Pelechano, J. M. Allbeck, and N. I. Badler, "Controlling individual agents in high-density crowd simulation," in *Proceedings of the 2007 ACM SIGGRAPH/Eurographics symposium on Computer animation*. Eurographics Association, 2007, pp. 99–108.
- [24] A. Shendarkar, K. Vasudevan, S. Lee, and Y.-J. Son, "Crowd simulation for emergency response using bdi agent based on virtual reality," in *Proceedings of the 38th conference on Winter simulation*. Winter Simulation Conference, 2006. doi: 10.1109/WSC.2006.323128 pp. 545–553.
- [25] F. Menges, B. Mishra, and G. Narzisi, "Modeling and simulation of e-mail social networks: a new stochastic agent-based approach," in *Proceedings of the 40th Conference on Winter Simulation*. Winter Simulation Conference, 2008, pp. 2792–2800.
- [26] P. Holme and G. Ghoshal, "Dynamics of networking agents competing for high centrality and low degree," *Physical review letters*, vol. 96, no. 9, p. 098701, 2006. doi: 10.1103/PhysRevLett.96.098701
- [27] L. A. de Santa-Eulalia, J.-M. Frayret, and S. D'Amours, "Essay on conceptual modeling, analysis and illustration of agent-based simulations for distributed supply chain planning," *INFOR*, vol. 46, no. 2, pp. 97–116, 2008.
- [28] S. Buckley and C. An, "Supply chain simulation," in *Supply Chain Management on Demand*, C. An and H. Fromm, Eds. Springer Berlin Heidelberg, 2005, pp. 17–35. ISBN 978-3-540-24423-3
- [29] M. Cossentino, C. Lodato, S. Lopes, and P. Ribino, "Multi agent simulation for decision making in warehouse management," *2011 Federated Conference on Computer Science and Information Systems, FedCSIS 2011*, pp. 611–618, 2011.
- [30] Z. Vale, T. Pinto, I. Praça, and H. Morais, "Mascem: electricity markets simulation with strategic agents," *Intelligent Systems, IEEE*, vol. 26, no. 2, pp. 9–17, 2011. doi: 10.1109/MIS.2011.3
- [31] S. Karnouskos and T. N. De Holanda, "Simulation of a smart grid city with software agents," in *Computer Modeling and Simulation, 2009. EMS'09. Third UKSim European Symposium on*. IEEE, 2009. doi: 10.1109/EMS.2009.53 pp. 424–429.
- [32] N. W. Oo and V. Miranda, "Multi-energy retail market simulation with intelligent agents," in *Power Tech, 2005 IEEE Russia*. IEEE, 2005. doi: 10.1109/PTC.2005.4524755 pp. 1–7.
- [33] X. Pan, C. S. Han, K. Dauber, and K. H. Law, "A multi-agent based framework for the simulation of human and social behaviors during emergency evacuations," *Ai & Society*, vol. 22, no. 2, pp. 113–132, 2007. doi: 10.1007/s00146-007-0126-1
- [34] J.-M. Frayret, S. D'amours, A. Rousseau, S. Harvey, and J. Gaudreault, "Agent-based supply-chain planning in the forest products industry," *International Journal of Flexible Manufacturing Systems*, vol. 19, no. 4, pp. 358–391, 2007. doi: 10.1007/s10696-008-9034-z
- [35] J. M. Swaminathan, S. F. Smith, and N. M. Sadeh, "Modeling supply chain dynamics: A multiagent approach," *Decision Sciences*, vol. 29, no. 3, pp. 607–632, 1998. doi: 10.1111/j.1540-5915.1998.tb01356.x