

Appendix - Red list of epiphytic lichens of Italy. For each species, the following information is reported: a) IUCN category, b) if information is missing from more than 50 years at the national level, c) if the species is likely to experience a declining trend, d) the number of regions where the species was found in the last 50 years, e) if the species is known from a single locality, f) if the species is associated to a declining habitat according to Petrella et al. (2005) and MATTM (2008), g) if the species is extremely/very sensitive to human disturbance according to the poleophobcy value assigned by Nimis and Martellos (2008), h) the presence in the 20 administrative regions of Italy. In this section, “P” indicates that the species was found in the last 50 years, while “M” indicates that information is missing in the last 50 years.

Calicium montanum Tibell	CR	1	+	+		P		
Caloplaca servitiana Szatala	CR	1	+				P	
Caloplaca sorocarpa (Vain.) Zahlbr.	CR	1	+	+	P			
Catillaria alba Coppins & Vězda	CR	1	+	+		P		
Cetraria crespoae (Barreno & Vázquez)								P
Kärnefelt	CR	1	+	+				
Collema curtisporum Degel.	CR	1	+	+		P		
Fellhaneropsis vezdae (Coppins & P.James) Sérus. & Coppins	CR	1	+	+			P	
Gyalectidium caucasicum (Elenkin & Woron.) Vězda	CR	1	+	+			P	
Gyalectidium minus Sérus.	CR	1	+	+			P	
Gyalectidium puntilloi Sérus.	CR	1	+	+			P	
Gyalidea fruticola M.Svensson & G.Thor	CR	1	+	+	P			
Gyalidea phyllophila Vězda	CR	1	+	+			P	
Gyalideopsis alnicola Noble & Vězda	CR	1	+	+			P	
Gyalideopsis calabrica Puntillo & Vězda	CR	1	+	+			P	
Heterodermia leucomelos (L.) Poelt	CR	+	1	+		M		P
Hypocenomyce friesii (Ach.) P.James & Gotth. Schneid.	CR	+	1	+	+	P M	M	
Japewiella carrollii (Coppins & P.James)								
Printzen	CR	1	+	+		P		
Lecanora cinereofusca H.Magn.	CR	1	+	+	P			
Lecanora confusa Almb.	CR	1	+	+				P
Lecanora paramerae I. Martínez, Aragón & Lumbsch	CR	1	+	+				P
Lecanora quercicola Coppins & P.James	CR	1	+	+		P		
Lecidea doliformis Coppins & P.James	CR	1	+	+				P
Lecidea xylophila Th.Fr.	CR	+	1	+	+	P		
Loxospora cismonica (Beltr.) Hafellner	CR	+	1	+	+	P M		
Maronea constans (Nyl.) Hepp	CR	+	1	+	+	P M	M	
Megalospora tuberculosa (Fée) Sipman	CR	1	+	+			P	
Micarea hedlundii Coppins	CR	1	+	+	P			
Micarea viridileprosa Coppins & Van den Boom	CR	1	+	+			P	
Parmeliella jamesii Ahlner & M.Jørg.	CR	1	+	+		P		
Parmotrema robustum (Degel.) Hale	CR	+	1	+	+	M M		P

Pertusaria caesioalba (Flot.) Nyl.	CR		1	+	+														P
Phaeographis dendritica (Ach.) Müll.Arg.	CR	+	1	+	+	+	M	M	M	M	P	M	M	M	M	M	M	P	
Phaeographis smithii (Leight.) de Lesd.	CR		1	+	+													P	
Phyllopsora rosei Coppins & P.James	CR		1	+	+													P	
Porina hibernica P.James & Swinscow	CR		1	+	+													P	
Porina leptosperma Müll.Arg.	CR		1	+	+													P	
Protoparmelia oleaginea (Harm.) Coppins	CR	+	1	+	+	+	P	M											
Psoroglaena abscondita (Coppins & Vězda) Hafellner & Türk	CR		1	+	+		P												
Pyrrhospora lusitanica (Räsänen) Hafellner	CR		1	+	+	+												P	
Rinodina isidiooides (Borrer) H.Olivier	CR		1	+	+	+							P						
Rinodina kalbii Giralt & Matzer	CR		1	+	+	+												P	
Schismatomma albocinctum (Nyl.) Zahlbr.	CR		1	+	+	+												P	
Schismatomma cretaceum (Hue)																			
J.R.Laundon	CR		1	+	+	+												P	
Schismatomma niveum D.Hawksw. & P.James	CR		1	+	+	+												P	
Strigula buxi Chodat	CR		1	+	+	+							P						
Thelopsis flaveola Arnold	CR		1	+	+	+								P					
Usnea diplotypus Vain.	CR		1	+	+	+												P	
Usnea longissima Ach.	CR	+	2			+	P	P	M	M	M	M							
Usnea mutabilis Stirt.	CR		1	+	+	+							P						
Wadeana dendrographa (Nyl.) Coppins & P.James	CR		1	+	+	+							P						
Waynea adscendens V. J. Rico	CR		1	+	+	+								P					
Arthonia cytisi A.Massal.	EN		2			+	P	P											
Arthonia fuliginosa (Turner & Borrer) Flot.	EN		2			+	P	P											
Arthonia ilicina Taylor	EN		2			+									P		P		
Arthonia melanophthalma Dufour	EN	+	2			+							M	M	M	P	P	M	
Arthonia stellaris Kremp.	EN		2			+							P	P					
Arthonia subastroidea Anzi	EN		1			+		P											
Arthonia zwackhii Sandst.	EN		2			+							P	P					
Arthopyrenia grisea (Schaer.) Körb.	EN	+	2			P	M	M	M	M			P						
Bacidia crozalsiana (H.Olivier) Zahlbr.	EN		1			+										P			
Bacidia parathalassica Llop & Gomez-Bolea	EN		1			+							P						
Bacidia polychroa (Th.Fr.) Körb.	EN	+	2		+	+	P	M								P			

Bacidina aphianica (Müll.Arg.) Vězda	EN	2	+		P		P
Bacidina vasakii (Vezda) Vězda	EN	2	+	+		P	P
Biatora mendax Anzi	EN	+	2	+	P	P	
Biatora ocelliformis (Nyl.) Arnold	EN	+	1	+		M	
Bryoria simplicior (Vain.) Brodo & D.Hawkes.	EN	+	1	+	M	P	
Buellia hyperbolica Bagl.	EN	2	+			P	P
Byssoloma marginatum (Arnold) Sérus.	EN	1	+	+			P
Byssoloma subdiscordans (Nyl.) P.James	EN	2	+	+			P
Candelariella superdistans (Nyl.) Malme	EN	2	+	P			P
Canoparmelia crozalsiana (de Lesd.) Elix & Hale	EN	2	+		P		P
Celothelium ischnobelum (Nyl.) M.B.Aguirre	EN	2	+	+		P	P
Chaenotheca brachypoda (Ach.) Tibell	EN	2	+		P		P
Chaenotheca chlorella (Ach.) Müll. Arg.	EN	+	2	+	M	M	P
Chaenotheca laevigata Nádv.	EN	2	+	P		M	P
Chrysotrichia flavovirens Tønsberg	EN	1	+				P
Cladonia norvegica Tønsberg & Holien	EN	2	+	P			P
Cladonia pseudopityrea Vain.	EN	2	+				P
Collema italicum de Lesd.	EN	+	3	+	M	P	P
Cyphelium karelicum (Vain.) Räsänen	EN	2	+	P			P
Enterographa elaborata (Leight.) Coppins & P. James	EN	2	+				P
Evernia illyrica (Zahlbr.) Zahlbr.	EN	1	+				P
Fellhanera christiansenii Sérus. & Vězda	EN	1	+				P
Fellhanera subtilis (Vězda) Diederich & Sérus.	EN	2	+	P			P
Fellhaneropsis myrtillicola (Erichsen) Sérus. & Coppins	EN	2	+	+			P
Flavopunctelia soredica (Nyl.) Hale	EN	+	1		P	M	P
Graphis elegans (Sm.) Ach.	EN	+	1	+	P	M	
Hypocenomyce anthracophila (Nyl.) P.James & Gotth. Schneid.	EN	2	+		P		P
Hypocenomyce caradocensis (Nyl.) P.James & Gotth.Schneid.	EN	2	+	P			P

Hypocenomyce castaneocinerea (Räsänen)								
Timdal	EN	2	+				P	P
Jamesiella anastomosans (P.James & Vězda) Lücking, Sérus. & Vězda	EN	2	+	P	M	M		P
Lecanactis abietina (Ach.) Körb.	EN	+	2	+	M	M	P	
Lecanora aitema (Ach.) Hepp	EN	+	1	+	M	M	M	
Lecanora farinaria Borrer	EN		1	+				P
Lecanora leuckertiana Zedda	EN		1	+				P
Leptogium furfuraceum (Harm.) Sierk	EN	2	+	+			P	P
Loxospora elatina (Ach.) A.Massal.	EN	+	2	+	P	P	M	
Mycoblastus affinis (Schaer.) T.Schauer	EN		2	+	P	P		
Opegrapha corticola Coppins & P.James	EN		2	+			P	P
Opegrapha ochrocheila Nyl.	EN		2	+			P	P
Parmotrema arnoldii (Du Rietz) Hale	EN		2	+	P	P		
Pertusaria alpina H.E.Ahles	EN	+	2	+	P	M	M	M P M M
Pertusaria carneopallida (Nyl.) Anzi	EN	+	2	+	P	M	M	
Pertusaria constricta Erichsen	EN	+	2	+		M		P P
Protoparmelia ochrococca (Nyl.) M.Jørg., Rambold & Hertel	EN		2	+	P			P
Psoroglaena stigonemoides (Orange)								
Henssen	EN		2	+	P			P
Punctelia perreticulata (Räsänen) G. Wilh.& Ladd	EN	+	1	+		M	P	
Pyrenula laevigata (Pers.) Arnold	EN	+	2	+	+ M	M		P P
Pyrenula occidentalis (R.C.Harris) R.C.Harris	EN		2	+				P P
Rinodina dalmatica Zahlbr.	EN		2	+			P	
Rinodina ericina (Nyl.) Giralt	EN		1	+			P	
Rinodina furfuracea H. Magn.	EN		2	+	+ M		P	P
Rinodina nimisii Giralt & H. Mayrhofer	EN		1	+				P
Rinodina polysporoides Giralt & H. Mayrhofer	EN	+	1	+	M P			
Scoliosporum pruinatum (P. James) Vezda	EN		2	+	P		P	
Seirophora villosa (Ach.) Frödén	EN		5	+		P P	P P P	
Sticta canariensis Delise f. dufourii (Delise)	EN	+	1	+		M		P

<i>Strangospora deplanata</i> (Almq.) Clauzade & Cl. Roux	EN	2	+	P		P		P	P
<i>Strigula minor</i> (Vězda) Cl. Roux & Sérus.	EN	2	+	+					
<i>Teloschistes flavicans</i> (Sw.) Norman	EN	2	+						
<i>Thelenella melanospora</i> Etayo & H. Mayrhofer	EN	2	+						
<i>Thelotrema suecicum</i> (H. Magn.) P. James	EN	2	+	P				P	
<i>Trapelia corticola</i> Coppins & P. James	EN	2	+			P	P		
<i>Usnea cornuta</i> Körb.	EN	+	2	+	M	P	P	M	
<i>Usnea madeirensis</i> Motyka	EN	1	+						P
<i>Agonimia allobata</i> (Stizenb.) P. James	VU	4	+	P	P		P		P
<i>Allocetraria oakesiana</i> (Tuck.) Randlane & Thell	VU	3	+	P	P	P			
<i>Anaptychia crinalis</i> (Schleich.) Vězda	VU	+	5	+	P	P	M	P	M
<i>Arthonia calabrella</i> Puntillo	VU	4	+	+				P	P
<i>Arthonia elegans</i> (Ach.) Almq.	VU	+	4	+	M	M	M		P
<i>Arthonia excipienda</i> (Nyl.) Leight.	VU	+	3	+	M		P	M	P
<i>Arthonia granosa</i> de Lesd.	VU	4	+				P	P	
<i>Arthonia muscigena</i> Th. Fr.	VU	4	+				P	P	
<i>Arthonia patellulata</i> Nyl.	VU	+	3	+	M	M	P		
<i>Arthonia reniformis</i> (Pers.) Röhl.	VU	+	4	+	M	M			P
<i>Arthonia tenellula</i> Nyl.	VU	3	+	+			P	P	
<i>Arthothelium spectabile</i> A. Massal.	VU	+	4	+	P	P	M	M	P
<i>Bacidia absistens</i> (Nyl.) Arnold	VU	5	+				P	P	P
<i>Bacidia incompta</i> (Hook.) Anzi	VU	+	5		M	M	M	P	P
<i>Bactrospora dryina</i> (Ach.) A. Massal.	VU	+	3	+	M	M	P	P	P
<i>Biatorella microhaema</i> Norman	VU	3	+	P					
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	VU	4	+	+			P		P
<i>Caloplaca chrysophthalma</i> Degel.	VU	6	+				P	P	P
<i>Caloplaca lobulata</i> (Flörke) Hellb.	VU	+	5		P	M	P	P	P
<i>Chaenotheca gracilenta</i> (Ach.) E. Mattson & Middelborg	VU	+	3	+	P	P	M		P
<i>Cyphelium inquinans</i> (Sm.) Trevis.	VU	+	5	+	M	P	P		P
<i>Cyphelium notarisii</i> (Tul.) Blomb. & Forssell	VU	4	+		P	P	P		P
<i>Cyphelium pinicola</i> Tibell	VU	+	3	+	P	M	M		P
<i>Dimerella tavaresiana</i> Vězda	VU	+	3	+		M	P	P	P

Rinodina roboris (Nyl.) Arnold	VU	+	3	+	M	M	P	M	P	P	P
Sclerophora nivea (Hoffm.) Tibell	VU	+	5	+	M	M	M	M	P	P	P
Sclerophora peronella (Ach.) Tibell	VU		4	+				P	P	P	P
Scoliosporum perpusillum Körb.	VU		3	+			P				P
Sphaerophorus globosus (Huds.) Vain.	VU	+	5	+	M	P	M	M	P		P M P
Sticta fuliginosa (Hoffm.) Ach.	VU	+	3	+	P	P	M	M	P		M
Sticta limbata (Sm.) Ach.	VU	+	4	+	P	P		M	M	M	P P M
Sticta sylvatica (Huds.) Ach.	VU	+	4	+	P	P	P	M	M	M	M
Strangospora pinicola (A. Massal.) Körb.	VU	+	3		P		M	M	M	M	P
Strigula glabra (A. Massal.) V. Wirth	VU	+	3	+	+	M	P			M	P P
Tetramelas triphragmioides (Anzi) A. Nordin & Tibell	VU		3	+	+	P	P	P			
Topelia nimisiana Tretiach & Vezda	VU		3	+				P	P		P
Tuckneraria laureri (Kremp.) Randlane & Thell	VU		5	+	P	P	P	P			
Usnea articulata (L.) Hoffm.	VU	+	5	+	M	M	M	M	M	P	P P P P
Usnea esperantiana P. Clerc	VU		3	+			P	P			P
Waynea stoechadiana (Abassi & Cl. Roux) Cl. Roux & P. Clerc	VU		4	+			P	P			P P
Alectoria sarmentosa (Ach.) Ach.	NT	+	9	+	P	P	P	M	P	P	P P M
Arthonia pruinata (Pers.) A.L. Sm.	NT	+	7	+	M	M	M	P	M	P	M P P P
Arthonia spadicea Leight.	NT	+	8	+	P	M	P	M	M	P	P P P P
Arthonia vinosa Leight.	NT	+	6	+	P	P	P		P	M	P
Arthopyrenia salicis A. Massal.	NT	+	7	+	M	P		P	P	P	P P
Arthothelium ruanum (A. Massal.) Körb.	NT	+	7	+	P	P	M	P	M		P P P
Bacidia beckhausii Körb.	NT	+	6	+	P	P	M	M		P	P P P P P P
Bacidia rosella (Pers.) De Not.	NT	+	10	+	M	M	M		P	P	P P P P P P
Buellia disciformis (Fr.) Mudd	NT	+	16	+	P	P	P	M	P	P	P P P P P P
Caloplaca herbidella (Hue) H. Magn.	NT	+	15	+	P	P	P	M	M	P	P P P P P P
Caloplaca pollinii (A. Massal.) Jatta	NT	+	9	+	P	M	M	M	P	P	M P P P P P
Candelariella subdeflexa (Nyl.) Lettau	NT	+	10	+	P	P	M	P	P	P	P P P P
Catapyrenium psoromoides (Borrer) R. Sant.	NT	+	7	+	P	M	M	P	M	P	P
Cetrelia olivetorum (Nyl.) W. L. Culb. & C. F. Culb.	NT	+	9	+	P	P	M	P	P	P	P P
Chaenotheca brunneola (Ach.) Müll. Arg.	NT	+	10	+	P	P	P	M	P	P	P P P
Chaenotheca hispidula (Ach.) Zahlbr.	NT	+	11	+	M	P	P	P	P	P	P P P

Chaenotheca xyloxena Nádv.	NT	+	6		+	P	P	P	M		P		P		P	
Cliostomum corrugatum (Ach. Fr.) Fr.	NT	+	6		+	P	P	P	M				P		P	P
Cliostomum griffithii (Sm.) Coppins	NT	+	7	+	+	P	M	M		M	M	P	P		P	P
Collema fasciculare (L.) F.H. Wigg.	NT	+	8		+	M	M	P	M	P	M	M	P	P	M	P
Collema ligerinum (Hy) Harm.	NT	+	9	+		P	M	M	P	M	M	P	P	M	P	M
Degelia plumbea (Lightf.) M. Jørg. & P. James	NT	+	13	+	+	P	M	P		P	P	P	P	M	P	P
Eopyrenula leucoplaca (Wallr.) R.C. Harris	NT	+	6		+	P	M	M		M		P	P		P	P
Fellhanera bouteillei (Desm.) Vězda	NT	+	6		+	M			M	M	P	P	P		P	P
Gyalecta derivata (Nyl.) H. Olivier	NT		7	+	+						P	P	P		P	P
Gyalecta flotowii Körb.	NT	+	8		+				P	M	P	P	P		P	P
Gyalecta ulmi (Sw.) Zahlbr.	NT	+	7		+	M	M	M		M	M	P	P	M	P	P
Heterodermia speciosa (Wulfen) Trevis.	NT	+	14		+	P	P	P	P	P	P	P	M		P	P
Hypotrachyna laevigata (Sm.) Hale	NT	+	6		+	P	P	P	M	M	P	M			M	P
Leptogium cyanescens (Rabenh.) Körb.	NT	+	13	+	+	P	P	P	M	M	P	P	M	P	P	P
Leptogium hildenbrandii (Garov.) Nyl.	NT	+	7		+	P	P	P	P	P	M		P	M	M	
Lethariella intricata (Moris) Krog	NT	+	7		+					P	P			P	P	M
Lobaria amplissima (Scop.) Forssell var. amplissima	NT	+	16	+	+	P	M	M	P	P	P	P	P	P	P	P
Lobaria amplissima (Scop.) Forssell var. umhausenensis (Auersw.) Nimis	NT	+	12	+	+	P	M			P	P	P	P	P	P	P
Lobaria virens (With.) J.R. Laundon	NT	+	6		+	M				M	M	M	M	P	M	P
Lobarina scrobiculata (Scop.) Nyl.	NT	+	18	+	+	P	P	P	M	P	P	P	P	P	P	P
Megalaria grossa (Nyl.) Hafellner	NT	+	9	+	+	M	M			M	P	M	P	P	P	M
Megalaria laureri (Th. Fr.) Hafellner	NT	+	6	+	+	P	P		M				P	P	P	P
Melaspilea urceolata (Fr.) Almb.	NT	+	9		+	P	M	M		P	P	P		P	M	P
Nephroma bellum (Spreng.) Tuck.	NT	+	10		+	P	P	P		P	M	M	P		M	P
Nephroma resupinatum (L.) Ach.	NT	+	15		+	P	P	P	M	M	P	P	P	P	P	M
Pachyphiale carneola (Ach.) Arnold	NT	+	11		+	P	M	M	M	M	P	P	P	P	P	P
Pannaria conoplea (Ach.) Bory	NT	+	13		+	P	P	P	M	M	P	P	M	P	P	P
Pannaria rubiginosa (Ach.) Bory	NT	+	8		+	P	M	M	M	P	P	P	P	P	P	M
Parmeliella triptophylla (Ach.) Müll. Arg.	NT	+	12		+	P	P	P	M	M	P	M	P	M	P	P
Parmelinopsis horrescens (Taylor) Elix & Hale	NT		6		+		P			P			P	P		P
Parmotrema crinitum (Ach.) M. Choisy	NT	+	6		+	P	P	P	M	M	P	P				
Parmotrema hypoleucinum (J. Steiner) Hale	NT		7	+	+						P	P		P	P	P

Bacidina assulata (Körb.) S. Ekman	DD	+	3		+		M	M	P	P	P	P
Buellia erubescens Arnold	DD		9		+	P	P	P	P	P	P	P
Caloplaca luteoalba (Turner) Th. Fr.	DD	+	7			M	M	M	P	M	P	P
Caloplaca microphyllina (Tuck.) Hasse	DD		1	+		P					P	P
Caloplaca oleicola (Steiner) Van den Boom & Breuss	DD		1						P			
Candelariella lutella (Vain.) Räsänen	DD		5		P	P	P		P		P	
Candelariella viae-lactae G. Thor & V. Wirth	DD		5						P	P	P	P
Catillaria subviridis (Nyl.) Zahlbr.	DD		1	+								P
Catinaria neuschmidii (Körb.) P. James	DD	+	2		+	P		M		P		
Cetrelia cetrarioides (Duby) W.L. Culb. & C.F. Culb.	DD		3		+	P	P		P			
Cetrelia chicitae (W.L. Culb.) W.L. Culb. & C.F. Culb.	DD		1		+	P						
Chaenotheca subroscida (Eitner) Zahlbr.	DD		2			P	P					
Cheiromycina flabelliformis B. Sutton	DD		1	+	+		P					
Cladonia perlomera Kristinsson	DD		4		+		P		P	P		P
Collema occultatum Bagl.	DD	+	8			P	M	M	P	P	P	P
Cresporraphis wienkampii (Hazsl.) B.M. Aguirre	DD		1	+							P	
Lecanora allophana f. sorediata Vain.	DD		2			P				P		
Lecanora conizaeoides Cromb.	DD		4						P	P		P
Lecanora expersa Nyl.	DD		1	+	+	P						
Lecanora hybocarpa (Tuck.) Brodo	DD		1									P
Lecanora populicola (DC.) Duby	DD	+	7		+	+	P	M	M	P		M
Lecidella flavosorediata (Vězda) Hertel & Leuckert	DD		5		+	P	P		P	P		P
Lecidella pulveracea (Schaer.) P. Syd.	DD		3			P	P	P				
Leptogium subaridum M. Jørg. & Gowards	DD		1	+								P
Melaspilea bagliettoana Zahlbr.	DD		3		+				P			P
Melaspilea ochrothalamia Nyl.	DD		2		+						P	P
Micarea adnata Coppins	DD		3	+	+		P				P	P
Micarea globulosella (Nyl.) Coppins	DD		6		+		P		P		P	P
Micarea lignaria v. endoleuca (Leight.) Coppins	DD		2		+		P					

Mycobilimbia olivacea Aragón, Sarrión & Hafellner	DD	1	+	+	P								
Mycoblastus fucatus (Stirt.) Zahlbr.	DD	1	+	+	P								
Normandina acroglypta (Norman) Aptroot	DD	1	+		P								
Ochrolechia dalmatica (Erichsen)													
Boqueras	DD	2		+			P						P
Ophioparma rubricosum (Müll. Arg.) S. Ekman	DD	1	+	+									P
Pachyphiale arbuti (Bagl.) Arnold	DD	+	3		+	M	P				P		P
Pertusaria graeca Erichsen	DD	1	+	+									P
Pertusaria rhodiensis Erichsen	DD	1		+							P		
Pertusaria slesvicensis Erichsen	DD	6		+		P	P				P	P	P
Pertusaria stenhammarii Hellb.	DD	1		+	P						P		
Phaeographis inusta (Ach.) Müll. Arg.	DD	1	+	+									
Phaeophyscia kairamoi (Vain.) Moberg	DD	1			P								
Physconia subpulverulenta (Szatala) Poelt v. atlantica Poelt	DD	1		+									P
Physconia subpulverulenta (Szatala) Poelt v. subpulverulenta	DD	5									P	P	P
Ramalina elegans (Bagl. & Carestia) Jatta	DD	+	2		+	M	M				P	P	
Rinodina boleana Giralt & H. Mayrhofer	DD	2			P								P
Rinodina griseosoralifera Coppins	DD	2		+	P		P						
Ropalospora viridis (Tønsberg) Tønsberg	DD	1		+	P								
Thelenella justii (Servít) H. Mayrhofer & Poelt	DD	1		+							P		
Usnea flammea Stirt.	DD	+	1	+	+	M		M		P			
Xanthoria steineri I.M. Lamb	DD	1		+									P
Xylographa trunciseda (Th.Fr.) Redinger	DD	2			P						P		