

## Toward a new hybrid proton conductor: lanthanum niobate layered perovskites as a source of tailorable surfaces

Stefania Di Tommaso<sup>1</sup>, Vincenzo Renda<sup>1</sup>, Adriana Mossuto Marculescu, Francesco Giannici<sup>1</sup>, Antonino Martorana<sup>1</sup>, Carlo Adamo<sup>2,3</sup>, Frédéric Labat<sup>2</sup>

*Dipartimento di Fisica e Chimica, Università degli Studi di Palermo, Viale delle Scienze ed. 17, I-90128 Palermo, Italy; Institut de Recherche de Chimie de Paris CNRS Chimie ParisTech, 11, rue Pierre et Marie Curie, F-75005 Paris France and Institut Universitaire de France, 103 Boulevard Saint Michel, F-75005 Paris, France.*

### Abstract

The modification of metal oxide surfaces with organic moieties has been widely studied as a method of preparing organic-inorganic hybrid materials for various applications. Among inorganic oxides, the ion-exchangeable layered perovskites [1], materials composed by perovskite-like slabs and intercalated cations, stimulated authors' interest in reason of some encouraging electronic and reactive properties. In particular it is well known that the interlayer surface of such materials in their protonated form can be easily functionalized with organic groups (such as alcohols [2-3] or organophosphonic acids [4]) thus allowing the production of stable hybrid materials with new electronic and reactive features.

As a first step to design a new inorganic-organic hybrid proton conductor, a comprehensive theoretical investigation of the  $M\text{LaNb}_2\text{O}_7$  ( $M=\text{H, Li, Na, K, Rb}$  and  $\text{Cs}$ ) series of ion-exchangeable layered perovskite is presented. In particular, their structural and electronic properties have been investigated by periodic calculations in the framework of DFT. A general very good agreement with the available experimental data has been found. The protonated compound ( $\text{HLaNb}_2\text{O}_7$ ) has been then functionalized with imidazole trying two different settings: in the first arrangement the molecule is adsorbed on the layered oxide exposing the interlayer surface, in the second the organic moiety is just put between two perovskites slabs. This latter model, including the effect of the confinement, allowed to better reproduce the experimental structural XRD data and  $^{13}\text{C}$ -NMR measurements of the hybrid system.

[1] Schaak, R. E. and Mallouk T. E., *Chem. Mat.* **2002**, *14*, 1455-1471.

[2] Takahashi S. et al., *Inorg. Chem.* **1995**, *34*, 5065-5069.

[3] Suzuki H. et al., *Chem. Mater.* **2003**, *15*, 636-641.

[4] Shimada, A. et al., *Chem. Mat.* **2009**, *21*, 4155-4162.